

State of Idaho
Department of Water Resources
Permit to Appropriate Water
No. 63-35022

Priority: February 02, 2021

Maximum Diversion Rate: 0.20 CFS
Maximum Diversion Volume: 20.0 AF

This is to certify that

HAROLD JASON CANNON 20704 GRAPE LN CALDWELL ID 83607-9578 AND
 KATHI MAE CANNON 20704 GRAPE LN CALDWELL ID 83607-9578

has applied for a permit to appropriate water from:

Source : SPRING

Tributary: SNAKE RIVER

and a permit is APPROVED for development of water as follows:

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
IRRIGATION STORAGE	01/01 to 12/31		20.0 AF
IRRIGATION FROM STORAGE	03/01 to 11/15		20.0 AF
DIVERSION TO STORAGE	03/01 to 11/15	0.20 CFS	

Location of Point(s) of Diversion

SPRING SW¼ SE¼ NW¼, Sec. 22, Twp 03N, Rge 04W, B.M. CANYON County
 SPRING SW¼ SE¼ NW¼, Sec. 22, Twp 03N, Rge 04W, B.M. CANYON County
 SPRING SW¼ SE¼ NW¼, Sec. 22, Twp 03N, Rge 04W, B.M. CANYON County

Place of Use: IRRIGATION STORAGE

Twp	Rng	Sec	NE				NW				SW				SE				Totals		
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE			
03N	04W	22																			

Place of Use: IRRIGATION FROM STORAGE

Twp	Rng	Sec	NE				NW				SW				SE				Totals			
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE				
03N	04W	22																				

Total Acres: 4.0

Conditions of Approval


1. Proof of application of water to beneficial use shall be submitted on or before **April 01, 2026**.
2. Subject to all prior water rights.
3. This right when combined with all other rights shall provide no more than 5.0 afa per acre for irrigation storage and irrigation from storage for the place of use.
4. This right authorizes the storage of an annual total of 20.0 acre-feet, comprised of 1.3 acre-feet to be used for the initial filling or carryover storage of the pond, and up to 18.7 acre-feet for additional refills for irrigation from storage use.
5. The pond established by the storage of water under this right shall not exceed a total capacity of 1.3 acre-feet or a total surface area of 0.8 acres.


State of Idaho
Department of Water Resources
Permit to Appropriate Water
No. 63-35022

- 6. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows if needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary, if needed for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.

This permit is issued pursuant to the provisions of Idaho Code § 42-204.

Signed this 17th day of March, 2021.





PATRICK KELLY
Water Rights Supervisor

State of Idaho
Department of Water Resources






Attachment to Permit to Appropriate Water


63-35022

This map depicts the IRRIGATION STORAGE place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

04W








-  Point of Diversion
-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters




State of Idaho
Department of Water Resources
Attachment to Permit to Appropriate Water
63-35022

This map depicts the IRRIGATION FROM STORAGE place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



-  Point of Diversion
-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters

0 0.035 0.07 0.14 Miles





State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region • 2735 W AIRPORT WAY • BOISE, ID 83705-5082

Phone: (208)334-2190 • Fax: (208)334-2348 • Website: www.idwr.idaho.gov

Brad Little
Governor

Gary Spackman
Director

March 17, 2021

HAROLD JASON CANNON
KATHI MAE CANNON
20704 GRAPE LN
CALDWELL ID 83607-9578

RE: Permit No. 63-35022

Permit Approval Notice

Dear Permit Holder(s):

The Department of Water Resources ("Department") has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review all the conditions of approval listed on your permit. The conditions include requirements that you must accomplish, such as timely submittal of proof of beneficial use or installation of a measuring device, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district. Failure to comply with the conditions of approval may result in your permit lapsing or being canceled.

The permit is a PRELIMINARY ORDER issued pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

The final step in the water right process is issuance of a water right license. To receive a water right license, you must divert and use water to the full extent intended and submit a *Statement of Completion for Submitting Proof of Beneficial Use* by the date shown in condition no. 1 of your permit. The Department will send you a *Proof Due Notice* approximately 60 days prior to the date listed in condition no. 1 of your permit.

You may also require approvals from other Department programs, such as Ground Water Protection, Safety of Dams, or Stream Channel Protection, to accomplish your proposed development. Please call or visit any Department office or see the Department's website at idwr.idaho.gov for more information about these programs.

Please be advised that Idaho Code § 42-248, requires you or the owner of this water permit to maintain current ownership and address records on file with the Department. Forms to file an assignment of permit and/or a change in the address of the permit owner are available from any Department office or at the Department's website at www.idwr.idaho.gov.

If you have any questions concerning the enclosed information, please contact me at (208) 334-1290.

Sincerely,



DENISE LAUERMAN

for Nick Miller
Western Regional Manager

Enclosure(s)

CERTIFICATE OF SERVICE

I hereby certify that on March 17, 2021, I served a true and correct copy of Permit to Appropriate Water No. 63-35022 by U.S. Mail, postage prepaid, to the following:

HAROLD JASON CANNON (Current Owner)
KATHI MAE CANNON (Current Owner)
20704 GRAPE LN
CALDWELL ID 83607-9578


Denise Lauerman
Administrative Assistant 1

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Seepage Loss Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total annual seepage losses from a pond.

FILE NUMBER	63-35022
REVIEWER	Tyler Smith
DATE	3/11/2021

User Input
Calculated value
Formula Explanations

INPUTS

Pond Surface Area (AC.)	0.8	AC.
-------------------------	-----	-----

Pond Surface Area (SQ. FT.)	34848	SQ. FT.
-----------------------------	-------	---------

I used the following method to obtain my Soil Classification information:	NRCS Web Soil Survey	
My Soil Classification is	SC	
Suggested Seepage Rate (FT./DAY)	0.0070	FT./DAY

Formula: (Surface Area X Seepage Rate) X 7.48 = Gallons Per Day Loss
--

Convert to GPD	1825	GPD
----------------	------	-----

Total Seepage Loss (AFA)	2.0	AFA
--------------------------	-----	-----

Though sand and gravel seepage rates may actually be higher, the maximum allowable rate is 0.2 ft/day, pursuant to Administrative Memo "Seepage Loss Standards for Ponds and Reservoirs."

Suggested Seepage Rates for Different Soil Types:
GW, GP, GM, GC, SW, SP and SM (silty sand, sand silt mixtures and gravel mixtures) = 0.2 ft per day
OL and ML (inorganic silts - very fine sands, silty, or clayey fine sands) = 0.02 ft per day
SC (clayey sands, sand clay mixtures) = 0.007 ft per day
CL (Low to medium plasticity clays) = 0.003 ft per day
MH, OH, PT and CH (high plasticity clays) = 0.0003 ft per day
LINED PONDS (liners can be chemical, fabric, or bentonite) = 0 ft per day
Ponds Intercepting Groundwater (excavated ponds filled by ground water) = 0 ft per day

PLEASE NOTE: The initial basis for the Suggested Seepage Rates in the table above is found on Page 16 of Seepage from Fish Ponds, Bulletin 599, August 1989 Alabama Agricultural experiment Station, Auburn University, Auburn University Alabama. If you don't know the soil type, please refer to the map provided at the NRCS Web Soil Survey (Tab #1), an ArcMap Soil Classification Map (Tab #1.1), or published NRCS Soil Survey (Tab #1.2). Use "0" if the pond fill relies on the water table.

Evaporation Loss Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the annual evaporation losses from a pond.

FILE NUMBER	63-35022
REVIEWER	Tyler Smith
DATE	3/11/2021

User Input
Calculated value
Formula Explanations

The acronyms used on the Kimberly Research Center website are defined below:
P = Precipitation
ET= Evapotranspiration
P _d = Precipitation deficit
P _d =ET-P

USING THIS SPREADSHEET

Use the link below to access the Kimberly Research Center website. This website provides the Precipitation Deficit for a station most representative of the pond under examination. The Precipitation Deficit is the total amount of free water surface evaporation minus the precipitation for a given area, which gives the total amount of evaporative losses incurred by the pond. There are several weather sites that are used throughout the state. IDWR staff can find the nearest site using Arc Map. The shape file containing the sites can be found at X:/Spatial/Climate/ETIdahostations.shp.

Instructions:

1. Use the link below to navigate to ET Idaho 2012.
2. Select the station which is most representative to your pond location.
3. Click Submit Query.
4. Under "Land Covers with Evapotranspiration Estimates," select "Open Water - Shallow Systems (ponds, streams)" or "Open Water - small stock ponds" depending on the pond size.
5. Click the link to "Precipitation Deficit."
6. Reference and copy (ctrl + C) the first subheading "Mean" values.
7. Click the "Paste Values from ET Idaho" button. The table will automatically enter a zero (0) for any negative precipitation deficit values.

Found at: <http://data.kimberly.uidaho.edu/ETIdaho/>

Precipitation Deficit

Station: Deer Flat Dam

Month	mm/day ¹	Days per month	mm/Month
Jan	-0.57	31	0.00
Feb	0.27	28	7.56
March	1.22	31	37.82
April	2.36	30	70.80
May	3.22	31	99.82
June	3.78	30	113.40
July	4.41	31	136.71
August	3.69	31	114.39
September	2.76	30	82.80
October	1.58	31	48.98
November	0.06	30	1.80
December	-0.46	31	0.00

PLEASE NOTE: The seasonal average for precipitation deficit should not be used for calculations because precipitation often exceeds evaporation during wetter months of the year. If the pond is kept full, excess precipitation during wetter months does not serve to refill the pond during drier months.

For example, see Sandpoint KSPT (NWS -- 108137), the annual precipitation deficit is -106 mm. However, April through September have positive precipitation deficit values. To properly estimate the annual volume of water necessary to refill a pond due to evaporation losses, the table will automatically enter a zero (0) for each month that the precipitation value is reported as a negative value.

As described above, precipitation offsets evaporation in winter months, so the net effect is that wintertime precipitation deficit is usually zero.

Total mm/year = **714.08**

$$((\text{mm/yr}) \div (\text{convert to feet})) \times (\text{Surface area of pond, in acres}) = \text{Evaporation Loss in Acre Feet}$$
(
714.08
÷
304.8
)
X
0.80
=
1.9 AFA

Total Storage Calculations

FILE NUMBER	63-35022
REVIEWER	Tyler Smith
DATE	3/11/2021

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

User Input
Calculated value
Formula Explanations

Surface Area (AC.)	0.8	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	1.6	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	1.28	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.

Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	14.8	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	2.0	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	1.9	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	20.0	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

Flow Rate into Pond (CFS)	0.20	The "Flow Rate into Pond" depicts the actual flow, either measured or estimated, into the pond. For offstream facilities, this will be equivalent to "diversion to storage" rate.
Highest Daily Evaporation Rate From Evaporation Tab. (mm/Day)	4.41	This number is carried over from the "Evaporation Loss" sheet. It is the highest recorded number in the "Precipitation Deficit Table".
Required Daily Maintenance Volume (AF/Day)	0.02	"Required Daily Maintenance Volume" is the maximum volume of water needed on any given day during the year to maintain pond volume. It is calculated by adding the highest daily evaporation loss to the average daily seepage loss in acre feet. The average daily seepage loss is calculated by dividing the "Estimated Seepage Loss" by 365 days. This is acceptable, since the seepage rate shouldn't vary throughout the season unless the pond completely freezes over during the winter months. The highest daily evaporation loss is calculated by dividing the Highest Daily Evaporation Rate by the 304.8 conversion factor and multiplying this number by the pond surface area to attain a combined daily acre feet requirement.
Minimum Maintenance Flow (CFS)	0.01	The "Minimum Maintenance Flow" is the minimum amount of flow required to maintain the level of the pond. This number is determined by dividing the "Maximum Required Daily Maintenance Volume" by 1.9835. This flow can be used to determine if the flow rate into the pond is adequate to maintain the pond level.
Days Required to Fill the Pond	3	The "Days Required to Fill the Pond" is calculated by dividing the "Pond Capacity" by the "Flow Rate" minus "Minimum Maintenance Flow" multiplied by 1.9835. This section will assist you in determining if the flow rate being diverted to the pond is adequate to fill the pond while maintaining the pond level. The length of time to fill the pond will help determine if the flow rate is adequate for the size of pond being proposed. <i>If this number is approximately 6 months (180 days) or more, the reviewer should have a discussion with the applicant to make sure he/she understands that it will take a significant length of time to fill the pond.</i>
Days Required to Fill the Pond at 13,000 Gallons per Day	56	Some water users may want to fill a pond under the 13,000 gallons per day domestic exemption. The "Days Required to Fill the Pond at 13,000 Gallons per Day" is calculated by converting the "Pond Capacity" and the "Required Daily Maintenance Volume" to gallons. The "Pond Capacity" is then divided by 13,000 gallons minus the "Required Daily Maintenance Volume" in gallons to determine the number of days to fill pond. <i>If this number is approximately 6 months (180 days) or more, the reviewer should have a discussion with the applicant to make sure he/she understands that it will take a significant length of time to fill the pond.</i> Negative values indicate that the supply of 13,000 gallons per day is not enough volume to overcome the required daily maintenance volume; the pond will never fill.

RECEIVED

MAR 04 2021

WATER RESOURCES
WESTERN REGION

AFFIDAVIT OF PUBLICATION
STATE OF IDAHO

County of Canyon and Ada

23100 73886
1 IDWR - WESTERN REGION

2735 AIRPORT WAY
BOISE, ID 83705

SHARON JESSEN

of the State of Idaho, being of first duly sworn, deposes
and says:

1. That I am a citizen of the United States, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.
2. That I am the Principle Clerk of the Idaho Press-Tribune, a daily newspaper published in the Counties of Canyon and Ada, State of Idaho; that the said newspaper is in general circulation in the said counties of Canyon and Ada, and in the vicinity of Nampa, Caldwell, and Boise, and has been uninterruptedly published in said Counties during a period of seventy -eight consecutive weeks prior to the first publication of this notice, a copy of which is hereto attached.
3. That the notice, of which the annexed is a printed copy, was published in said newspaper 2 times(s) in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement

That said notice was published the following: 02/18/2021,
02/25/2021

Sharon Jessen

SHARON JESSEN
STATE OF IDAHO
County of Canyon and Ada

On this 25th day of February, in the year of 2021 before me a Notary Public, personally appeared. SHARON JESSEN, known or identified to me to be the person whose name is subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledge to me that he/she executed the same

Colleen R. Nielsen

Notary Public of Idaho
My commission expires

6/28/23



LEGAL NOTICE

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-35000

GINO GUIDI
SUSAN GUIDI
3486 N RHONE PL STAR, ID 83669-5797
Point of Diversion NWNE S21 T05N R02W CANYON County
Source GROUND WATER
Point of Diversion NWNE S21 T05N R02W CANYON County
Source GROUND WATER
Point of Diversion NWNE S21 T05N R02W CANYON County
Source GROUND WATER
Point of Diversion NWNE S21 T05N R02W CANYON County
Source GROUND WATER
Use: IRRIGATION 03/15 to 11/15 0.2 CFS
Use: DOMESTIC 03/15 to 11/15 0.16 CFS
Total Diversion: 0.36 CFS
Date Filed: 01-19-2021
Place Of Use: DOMESTIC, IRRIGATION
T05N R02W S21 NWNE
Water bearing zone to be appropriated is from 200 to 450 feet.

✓ OK
DL
03.05.2021

63-35022

HAROLD JASON CANNON
KATHI MAE CANNON
20704 GRAPE LN CALDWELL, ID 83607-9578
Point of Diversion SWSSENW S22 T03N R04W CANYON
County Source SPRING Tributary SNAKE RIVER
Point of Diversion SWSSENW S22 T03N R04W CANYON
County Source SPRING Tributary SNAKE RIVER
Point of Diversion SWSSENW S22 T03N R04W CANYON
County Source SPRING Tributary SNAKE RIVER
Use: DIVERSION TO STORAGE 03/01 to 11/15 0.2 CFS
Use: IRRIGATION FROM STORAGE 03/01 to 11/15 20 AF
Use: IRRIGATION STORAGE 01/01 to 12/31 20 AF
Total Diversion: 0.2 CFS 20 AF
Date Filed: 02-02-2021
Place Of Use: IRRIGATION FROM STORAGE, IRRIGATION
STORAGE
T03N R04W S22 SENW
Total Acres: 4

✓ OK
DL
03.05.2021

63-35025

BLAKE WOLF
843 W HORIZON WAY NAMPA, ID 83686-8331
Point of Diversion NWNW S26 T03N R03W CANYON County
Source GROUND WATER
Point of Diversion NWNW S26 T03N R03W CANYON County
Source GROUND WATER
Use: DOMESTIC 01/01 to 12/31 0.17 CFS
Use: FIRE PROTECTION 01/01 to 12/31 4.46 CFS
Total Diversion: 4.63 CFS
Date Filed: 02-04-2021
Place Of Use: DOMESTIC, FIRE PROTECTION
T03N R03W S26 NWNW
Water bearing zone to be appropriated is from 100 to 500 feet.

✓ OK
DL
03.05.2021

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Western office at (208)334-2190; or for a full description of the right(s), please see <https://idwr.idaho.gov/apps/ExtSearch/WRAApplicationResults/>. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 W AIRPORT WAY, BOISE ID 83705-5082 together with a protest fee of \$25.00 for each application on or before 3/8/2021. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

February 18, 25, 2021

73886

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

735 Airport Way
 Boise, Idaho 83705-5082

Return Service Requested

DANA, KRISTINA, THOMAS, &
THOMAS DORSEY
20477 LOWELL RD
CALDWELL, ID 83607

PRESORTED
FIRST CLASS



U.S. POSTAGE PITNEY BOWES
ZIP 83702 \$ 000.39⁸
02 4W
0000359173 FEB 12 2021

RECEIVED

FEB 24 2021

WATER RESOURCES
WESTERN REGION

NIXIE 843 FEB 13 2021 2021/22/21
RETURN TO SENDER
NOT DELIVERABLE AS ADDRESSED
UNABLE TO FORWARD
2339-2525-2K-43

BWB
44444444

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
2735 Airport Way
Boise, Idaho 83705-5082

8000 2809990168

PRESORTED
FIRST CLASS



U.S. POSTAGE PITNEY BOWES
ZIP 83702 \$000.39⁸
02 4W
0000359173 FEB 12 2021

Return Service Requested

RECEIVED

FEB 18 2021

WATER RESOURCES
WESTERN REGION

WILDER IRRIGATION
DISTRICT
HD 33 BOX 1026
BOISE, ID 83706

NIXIE 841 DE 1300 0002/15/21
RETURN TO SENDER
NOT DELIVERABLE AS ADDRESSED
UNABLE TO FORWARD

UIC
83705-5082

