

RECEIVED

FEB 05 2021

WATER RESOURCES
WESTERN REGION

FORM 202 Rev. 09/16

RECEIVED

JAN 27 2021

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

Ident. No. 65-24013WATER RESOURCES
WESTERN REGION

1. Name of applicant(s) Maria Escosa Phone 208-573-5889
Name connector (check one): ☐ and ☐ or ☐ and/or
 Mailing address PO Box 4110 City McCall
 State Idaho ZIP 83638 Email Carrie@pinetopmccall.com
2. Name of representative, if any Pinetop Custom Homes Phone 707-396-7655
 Mailing address PO Box 4110 City McCall
 State ID ZIP 83638 Email office@pinetopmccall.com
- a. ☒ Send all correspondence for this application to the representative and not to the applicant OR
☐ Send original correspondence to the applicant and copies to the representative.
- b. ☒ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply Ground Water which is a tributary of McCall

4. Location of point(s) of diversion: Naturally Occuring Ground Water

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
17N	02E	12	6	SE	SW		Valley	Ground Water	

5. Water will be used for the following purposes: Pond for asethetics
 Amount 80.9 for diversion to storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) _____ cubic feet per second (cfs) and/or (b) 80.9 acre-feet per year (af).
7. Proposed diverting works:

- a. Describe type and size of devices used to divert water from the source. None
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
- e. If well is already drilled, when? _____; drilling firm _____;
 well was drilled for (well owner) _____; Drilling Permit No. _____

For Department Use

Received by LE Date 01/27/2021 Time 10:15 AM Preliminary check by TS
 Fee \$ 250.00 Receipted by LE Receipt No. W049045 Date 01/27/2021

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in kW. _____
 - Stockwatering; list number and kind of livestock. _____
 - Municipal; must complete and attach the Municipal Water Right Application Checklist.
 - Domestic; show number of households _____
 - Other; describe fully. A pond for aesthetics

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
17N	02E	12									J			J					

Total number of acres to be irrigated: _____

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? No

- Who owns the property at the point of diversion? Maria Escosa
- Who owns the land to be irrigated or place of use? Maria Escosa
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. We would like to dig a pond for aesthetic purposes, approximately 200 feet long and 200 feet wide at widest point, 20 feet deep at deepest point.

13. Time required for completion of works and application of water to proposed beneficial use is 2 years (minimum 1 year).

14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

Carrie Potter, Manager

Print Name (and title, if applicable)

Signature of Applicant

Maria Escosa, Owner

Print Name (and title, if applicable)

mana Escosa 25 Hart Lane McCall ID.


State of Idaho
Department of Water Resources

Water Right

65-7653F

IRRIGATION

The map depicts the place of use for the water use listed above and point(s) of diversion of this right as currently derived from interpretations of the paper records and is used solely for illustrative purposes. Discrepancies between the computer representation and the permanent document file will be resolved in favor of the actual water right documents in the water right file.



Date created: 9-3-2020



Legend

- Point of Diversion
- Townships
- PLS Sections



Seepage Loss Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total annual seepage losses from a pond.

FILE NUMBER	xx-xxxxx
REVIEWER	Maria Escosa
DATE	2/2/2021

User Input
Calculated value
Formula Explanations

INPUTS

Pond Surface Area (AC.)	0.92	AC.
-------------------------	------	-----

Pond Surface Area (SQ. FT.)	40075	SQ. FT.
-----------------------------	-------	---------

I used the following method to obtain my Soil Classification information:	NRCS Web Soil Survey	
My Soil Classification is	SM	
Suggested Seepage Rate (FT./DAY)	0.2000	FT./DAY

Formula: (Surface Area X Seepage Rate) X 7.48 = Gallons Per Day Loss
--

Convert to GPD	59952	GPD
----------------	-------	-----

Total Seepage Loss (AFA)	67.2	AFA
--------------------------	------	-----

Though sand and gravel seepage rates may actually be higher, the maximum allowable rate is 0.2 ft/day, pursuant to Administrative Memo "Seepage Loss Standards for Ponds and Reservoirs."

Suggested Seepage Rates for Different Soil Types:
GW, GP, GM, GC, SW, SP and SM (silty sand, sand silt mixtures and gravel mixtures) = 0.2 ft per day
OL and ML (inorganic silts - very fine sands, silty, or clayey fine sands) = 0.02 ft per day
SC (clayey sands, sand clay mixtures) = 0.007 ft per day
CL (Low to medium plasticity clays) = 0.003 ft per day
MH, OH, PT and CH (high plasticity clays) = 0.0003 ft per day
LINED PONDS (liners can be chemical, fabric, or bentonite) = 0 ft per day
Ponds Intercepting Groundwater (excavated ponds filled by ground water) = 0 ft per day

PLEASE NOTE: The initial basis for the Suggested Seepage Rates in the table above is found on Page 16 of Seepage from Fish Ponds, Bulletin 599, August 1989 Alabama Agricultural experiment Station, Auburn University, Auburn University Alabama. If you don't know the soil type, please refer to the map provided at the NRCS Web Soil Survey (Tab #1), an ArcMap Soil Classification Map (Tab #1.1), or published NRCS Soil Survey (Tab #1.2). Use "0" if the pond fill relies on the water table.

Evaporation Loss Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the annual evaporation losses from a pond.

FILE NUMBER	XX-XXXXX
REVIEWER	Maria Escosa
DATE	2/2/2021

User Input
Calculated value
Formula Explanations

The acronyms used on the Kimberly Research Center website are defined below:

P = Precipitation
ET= Evapotranspiration
P _d = Precipitation deficit
P _d =ET-P

USING THIS SPREADSHEET

Use the link below to access the Kimberly Research Center website. This website provides the Precipitation Deficit for a station most representative of the pond under examination. The Precipitation Deficit is the total amount of free water surface evaporation minus the precipitation for a given area, which gives the total amount of evaporative losses incurred by the pond. There are several weather sites that are used throughout the state. IDWR staff can find the nearest site using Arc Map. The shape file containing the sites can be found at <X:/Spatial/Climate/ETIdahostations.shp>.

Instructions:

1. Use the link below to navigate to ET Idaho 2012.
2. Select the station which is most representative to your pond location.
3. Click Submit Query.
4. Under "Land Covers with Evapotranspiration Estimates," select "Open Water - Shallow Systems (ponds, streams)" or "Open Water - small stock ponds" depending on the pond size.
5. Click the link to "Precipitation Deficit."
6. Reference and copy (ctrl + C) the first subheading "Mean" values.
7. Click the "Paste Values from ET Idaho" button. The table will automatically enter a zero (0) for any negative precipitation deficit values.

Found at: <http://data.kimberly.uidaho.edu/ETIdaho/>

Precipitation Deficit

Station: Twin Falls 2 NNE (NWS -- 109294)

Month	mm/day ¹	Days per month	mm/Month
Jan	-1.92	31	0.00
Feb	-1.11	28	0.00
March	-0.93	31	0.00
April	0.75	30	22.50
May	1.46	31	45.26
June	2.38	30	71.40
July	4.26	31	132.06
August	3.69	31	114.39
September	2.18	30	65.40
October	0.39	31	12.09
November	-1.92	30	0.00
December	-2.16	31	0.00

Total mm/year = 463.10

PLEASE NOTE: The seasonal average for precipitation deficit should not be used for calculations because precipitation often exceeds evaporation during wetter months of the year. If the pond is kept full, excess precipitation during wetter months does not serve to refill the pond during drier months.

For example, see Sandpoint KSPT (NWS -- 108137), the annual precipitation deficit is -106 mm. However, April through September have positive precipitation deficit values. To properly estimate the annual volume of water necessary to refill a pond due to evaporation losses, the table will automatically enter a zero (0) for each month that the precipitation value is reported as a negative value.

As described above, precipitation offsets evaporation in winter months, so the net effect is that wintertime precipitation deficit is usually zero.

$$[(\text{mm/yr}) \div (\text{convert to feet})] \times (\text{Surface area of pond, in acres}) = \text{Evaporation Loss in Acre Feet}$$

$$(463.10 \div 304.8) \times 0.92 = 1.4 \text{ AFA}$$

Total Storage Calculations

FILE NUMBER	XX-XXXXX
REVIEWER	Maria Escosa
DATE	2/2/2021

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

User Input
Calculated value
Formula Explanations

Surface Area (AC.)	0.92	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	8	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	7.36	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	5	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	67.2	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	1.4	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	80.9	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

Flow Rate into Pond (CFS)	1.00	The "Flow Rate into Pond" depicts the actual flow, either measured or estimated, into the pond. For offstream facilities, this will be equivalent to "diversion to storage" rate.
Highest Daily Evaporation Rate From Evaporation Tab. (mm/Day)	4.26	This number is carried over from the "Evaporation Loss" sheet. It is the highest recorded number in the "Precipitation Deficit Table".
Required Daily Maintenance Volume (AF/Day)	0.20	"Required Daily Maintenance Volume" is the maximum volume of water needed on any given day during the year to maintain pond volume. It is calculated by adding the highest daily evaporation loss to the average daily seepage loss in acre feet. The average daily seepage loss is calculated by dividing the "Estimated Seepage Loss" by 365 days. This is acceptable, since the seepage rate shouldn't vary throughout the season unless the pond completely freezes over during the winter months. The highest daily evaporation loss is calculated by dividing the Highest Daily Evaporation Rate by the 304.8 conversion factor and multiplying this number by the pond surface area to attain a combined daily acre feet requirement.
Minimum Maintenance Flow (CFS)	0.10	The "Minimum Maintenance Flow" is the minimum amount of flow required to maintain the level of the pond. This number is determined by dividing the "Maximum Required Daily Maintenance Volume" by 1.9835. This flow can be used to determine if the flow rate into the pond is adequate to maintain the pond level.
Days Required to Fill the Pond	4	The "Days Required to Fill the Pond" is calculated by dividing the "Pond Capacity" by the "Flow Rate" minus "Minimum Maintenance Flow" multiplied by 1.9835. This section will assist you in determining if the flow rate being diverted to the pond is adequate to fill the pond while maintaining the pond level. The length of time to fill the pond will help determine if the flow rate is adequate for the size of pond being proposed. If this number is approximately 6 months (180 days) or more, the reviewer should have a discussion with the applicant to make sure he/she understands that it will take a significant length of time to fill the pond.
Days Required to Fill the Pond at 13,000 Gallons per Day	-47	Some water users may want to fill a pond under the 13,000 gallons per day domestic exemption. The "Days Required to Fill the Pond at 13,000 Gallons per Day" is calculated by converting the "Pond Capacity" and the "Required Daily Maintenance Volume" to gallons. The "Pond Capacity" is then divided by 13,000 gallons minus the "Required Daily Maintenance Volume" in gallons to determine the number of days to fill pond. If this number is approximately 6 months (180 days) or more, the reviewer should have a discussion with the applicant to make sure he/she understands that it will take a significant length of time to fill the pond. Negative values indicate that the supply of 13,000 gallons per day is not enough volume to overcome the required daily maintenance volume; the pond will never fill.

MARIA ESCOSA

35 Hart Lane McCall ID 83638


1. The first step in the process of identifying a problem is to determine the nature of the problem. This involves gathering information about the problem and its context. The second step is to define the problem in terms of specific, measurable, and achievable goals. The third step is to identify the causes of the problem. The fourth step is to develop a plan of action to address the problem. The fifth step is to implement the plan and monitor progress. The sixth step is to evaluate the results and make adjustments as needed.

LEGEND:

KEY PLAN:



the first half of the 1990s.



© 2000 John Wiley & Sons, Inc.

Copyright © 2008 Pearson Education, Inc. All rights reserved.

4. Relative results (over
 100,000 iterations) of
 the 4 algorithms (CGR,
 HSA, HSA-CGR, and
 HSA-CGR-PS)

[illegible]

RESEARCH IN THE INTERESTS OF THE
FUTURE OF THE HUMANITY

For more information, contact your local distributor or call 1-800-368-5848.

THE END OF THE LINE

VALLEY COUNTY RESIDENCE
35 Hall Lane - Valley County, Idaho 83438 U.S.A.
EMMERSON | ESCOSA RESIDENCE

SITE AND

SITE AND



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN Region • 2735 W AIRPORT WAY • BOISE, ID 83705-5082

Phone: (208)334-2190 • Fax: (208)334-2348 • Website: www.idwr.idaho.gov

Brad Little
Governor

Gary Spackman
Director

February 11, 2021

MARIA ESCOSA
PO BOX 4110
MCCALL, ID 83638-8110

RE: Application for Permit No. 65-24013

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the STAR NEWS on 2/18/2021 and 2/25/2021. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Denise Lauerman
Administrative Assistant

CC:
PINETOP CUSTOM HOMES
PO BOX 4110
MCCALL, ID 83638-8110



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN Region • 2735 W AIRPORT WAY • BOISE, ID 83705-5082

Phone: (208)334-2190 • Fax: (208)334-2348 • Website: www.idwr.idaho.gov

Brad Little
Governor

Gary Spackman
Director

February 11, 2021

BEATRICE PEREZ
PO BOX 4187
MCCALL, ID 83638

RE: Application for Permit No. 65-24013

Dear Interested Party:

The Department of Water Resources (IDWR) is seeking written comment and/or recommendations from your organization regarding the above referenced water right application. You can find a copy of the application at:

<https://idwr.idaho.gov/apps/ExtSearch/WRAJSearch/WRADJSearch.aspx>.

IDWR can finish reviewing an unprotested application as soon as the protest period has past. Therefore, your prompt response to this request is appreciated. If your organization desires to formally protest the approval of this application, you may do so after the notice is published by filing a written protest along with a \$25.00 filing fee within 10 days of the final publication.

Please contact this office if you have any questions regarding the application.

Sincerely,

Denise Lauerman
Administrative Assistant 1

Enclosure(s)



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN Region • 2735 W AIRPORT WAY • BOISE, ID 83705-5082

Phone: (208)334-2190 • Fax: (208)334-2348 • Website: www.idwr.idaho.gov

Brad Little
Governor

Gary Spackman
Director

February 11, 2021

JAMES HAIT
RUTH HAIT
PO BOX 160
MCCALL, ID 83638

RE: Application for Permit No. 65-24013

Dear Interested Party:

The Department of Water Resources (IDWR) is seeking written comment and/or recommendations from your organization regarding the above referenced water right application. You can find a copy of the application at:

<https://idwr.idaho.gov/apps/ExtSearch/WRAJSearch/WRADJSearch.aspx>.

IDWR can finish reviewing an unprotested application as soon as the protest period has past. Therefore, your prompt response to this request is appreciated. If your organization desires to formally protest the approval of this application, you may do so after the notice is published by filing a written protest along with a \$25.00 filing fee within 10 days of the final publication.

Please contact this office if you have any questions regarding the application.

Sincerely,

Denise Lauerman
Administrative Assistant 1

Enclosure(s)

Lauerman, Denise

From: Lauerman, Denise
Sent: Thursday, February 11, 2021 11:22 AM
To: The Star-News
Subject: VALLEY COUNTY Legal Notice - Application for Permit No. 65-24013
Attachments: Cover Letter Valley County.docx; Legal Notice.docx

Good morning,

Please see the attached ad for publication on 02/18/2021 and 02/25/2021.

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 3/8/2021. Your cooperation is appreciated

Please confirm this is okay to publish as shown and send confirmation and all other correspondence to this email.

Thanks much!
Denise

Denise Lauerman
Administrative Assistant
Idaho Department of Water Resources - Western Region
2735 W Airport Way, Boise ID 83705
Phone: (208) 334-2190
Email: denise.lauerman@idwr.idaho.gov



Brad Little
Governor

State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN Region • 2735 W AIRPORT WAY • BOISE, ID 83705-5082

Phone: (208)334-2190 • Fax: (208)334-2348 • Website: www.idwr.idaho.gov

Gary Spackman
Director

February 11, 2021

LEGAL NOTICE DEPARTMENT
STAR NEWS
1000 1ST ST
MC CALL, ID 83638

RE: Application for Permit No. 65-24013

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 3/8/2021. Your cooperation is appreciated.

Sincerely,

Denise Lauerman
Administrative Assistant

Enclosure(s)

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-24013

MARIA ESCOSA

PO BOX 4110

MCCALL, ID 83638-8110

Point of Diversion SESW S12 T17N R02E VALLEY County Source GROUND WATER

Use: AESTHETIC STORAGE 01/01 to 12/31 80.9 AF

Total Diversion: 80.9 AF

Date Filed: 02-05-2021

Place Of Use: AESTHETIC STORAGE

T17N R02E S12 SESW, NESW

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Western office at (208)334-2190; or for a full description of the right(s), please see <https://idwr.idaho.gov/apps/ExtSearch/WRAApplicationResults/>. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 W AIRPORT WAY, BOISE ID 83705-5082 together with a protest fee of \$25.00 for each application on or before 3/8/2021. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 2/18/2021 and 2/25/2021



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region • 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Website: www.idwr.idaho.gov

BRAD LITTLE
Governor

GARY SPACKMAN
Director

January 28, 2021

COPY

PINETOP CUSTOM HOMES
PO BOX 4110
MCCALL, ID 83638

Re: Water Right Application Incomplete - Returned

Dear Applicant:

This office received your client's application on January 27, 2021. The application cannot be accepted into the records of the Idaho Department of Water Resources (IDWR) until the following items are addressed:

- **4 - Point of Diversion(s)**
 - A point of diversion must be given for all applications for permit. From the information given in the application it seems that the pond you plan to dig will naturally intercept groundwater. If this is the case, the point of diversion should be a point in the middle of where the pond will be built as the water is "diverted" from under the ground to the surface via the hole at the bottom of the pond. Please include the legal description of this diversion point in the table in item #4. This point should also be marked on the included map.
- **5 - Proposed Use**
 - Item #5 was not filled out correctly. If the pond naturally intercepts groundwater and fills from the bottom, then you will have one (1) use of aesthetic storage. The amount will be given in acre-feet per year, and can be determined using the "Pond Loss Calculation Spreadsheet" on the Department's website at www.idwr.idaho.gov. If this spreadsheet is filled out, including it with your application can aid in the processing of your application.
- **6 - Total Quantity**
 - A total quantity was not given. The total quantity in item #6 should match the amount given in item #5. Please indicate a total quantity in item #6 for the application to be accepted.
- **9 - Place of Use**
 - The place of use table in item #9 was given in numbers, indicating the number of acres to be irrigated. From the application, it does not seem that irrigation is being sought as a proposed use. If the only use for this application will be aesthetic storage, please place a "J" in the correct ¼ ¼ locations the pond will cover and remove the numbers.
- **11a - Ownership**
 - If the pond will naturally intercept groundwater, please indicate the property owner for where the pond will be located in item #11a.

- **14 - The Map**

- A map was not included with the application for permit. A map must be included and must show the locations of the POD's and POU, verify the legal description, and must match the description given in the application. Please included a map with all of these elements.

- **The Fee**

- A fee schedule has been included at the end of the *Application for Permit Instructions* (enclosed). Please verify that the \$250 originally submitted with the application is enough to cover the entire application when re-submitting.

The original incomplete application, along with instructions for filling out the application are enclosed. Please make the necessary amendments to the original form and re-submit (together with payment of the fee if necessary) within the next thirty (30) days. If IDWR does not receive your written response within thirty (30) days, a refund will be issued for this filing. This letter is an attempt to ensure that your application is complete in order to establish a priority date. You may receive future correspondence regarding more specific details of your application. IDWR forms and other information are available on the Internet at www.idwr.idaho.gov. Please consult the IDWR website or contact this office at 208-334-2190 and ask for the "office day person" if you have any questions about the necessary information or fee.

Sincerely,

Western Region Water Rights Staff

Enclosure: Original Application
Application for Permit Instructions
Fee Schedule