

RECEIVED

DEC 04 2020

WATER RESOURCES WESTERN REGION

STATE OF IDAHO DEPARTMENT OF WATER RESOURCES APPLICATION FOR PERMIT To appropriate the public waters of the State of Idaho

Ident. No. 63-34984

1. Name of applicant(s) Guy J Harris Phone 208-283-1711
Mailing address 5922 W Kuna Emora City Kuna
State Idaho ZIP 83634 Email Gman.harris46@gmail.com

- a. Send all correspondence for this application to the representative and not to the applicant OR
b. The representative may submit information for the applicant but is not authorized to sign for the applicant OR

3. Source of water supply ground water which is a tributary of

4. Location of point(s) of diversion:

Table with columns: Twp, Rge, Sec, Govt Lot, 1/4, 1/4, 1/4, County, Source, Local name or tag #. Handwritten entry: 2N 2E 32 SE SW ADA ground water

5. Water will be used for the following purposes:
Amount 0.4 for Irrigation purposes from 3/1 to 4/15 (both dates inclusive)

6. Total quantity to be appropriated is (a) 0.4 cubic feet per second (cfs) and/or (b) acre-feet per year (af).

7. Proposed diverting works:
a. Describe type and size of devices used to divert water from the source. 5hp Variable speed pump, 2 1/2 inch pipe from pump. Will feed irrigation
b. Height of storage dam feet; active reservoir capacity acre-feet; total reservoir capacity acre-feet.
c. Proposed well diameter is inches; proposed depth of well is feet.
d. Is ground water with a temperature of greater than 85°F being sought? No
e. If well is already drilled, when? ; drilling firm ; well was drilled for (well owner) ; Drilling Permit No.

For Department Use

Received by LE Date 12/04/2020 Time 10:00Am Preliminary check by SN
Fee \$ 280.00 Receipted by LE Receipt No. W048929 Date 12/04/2020

8. Description of proposed uses (if irrigation only, go to item 9):
- a. Hydropower; show total feet of head and proposed capacity in kW. _____
 - b. Stockwatering; list number and kind of livestock. _____
 - c. Municipal; must complete and attach the Municipal Water Right Application Checklist.
 - d. Domestic; show number of households _____
 - e. Other; describe fully. _____

9. Description of place of use:
- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 - b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS	
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
2N	2E	32																		20

Total number of acres to be irrigated: 20

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? none

11. a. Who owns the property at the point of diversion? Applicant
 b. Who owns the land to be irrigated or place of use? Applicant
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. Proposing to irrigate 20 Acres, with possible 2-3 inch irrigation lines, Not sure what crops, yet possible pasture or Alfalfa or other.

13. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).

14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Sue J. Harris
 Signature of Applicant
Sue J. Harris
 Print Name (and title, if applicable)

 Signature of Applicant

 Print Name (and title, if applicable)

This page is superseded by Feb 1, 2021 page





State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN Region • 2735 W AIRPORT WAY • BOISE, ID 83705-5082

Phone: (208)334-2190 • Fax: (208)334-2348 • Website: www.idwr.idaho.gov

Brad Little
Governor

Gary Spackman
Director

February 11, 2021

GUY J HARRIS
5922 W KUNA MORA RD
KUNA, ID 83634-2734

RE: Application for Permit No. 63-34984

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the IDAHO STATESMAN on 2/18/2021 and 2/25/2021. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,


Denise Lauerman
Administrative Assistant

Lauerman, Denise

From: Lauerman, Denise
Sent: Thursday, February 11, 2021 11:17 AM
To: BOI Legals
Subject: ADA COUNTY Legal Notice - Application for Permit No. 63-34984, 63-34999
Attachments: Cover Letter Ada County.docx; Legal Notice Ada County.docx

Good morning,

Please see the attached ad for publication on 02/18/2021 and 02/25/2021.

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 3/8/2021. Your cooperation is appreciated.

Please *confirm this is okay to publish as shown and send confirmation and all other correspondence to this email.*

Thanks much!
Denise

Denise Lauerman | *Administrative Assistant*
IDWR-Western Region
2735 W Airport Way, Boise ID 83705
(208).334.2190 | denise.lauerman@idwr.idaho.gov



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN Region • 2735 W AIRPORT WAY • BOISE, ID 83705-5082

Phone: (208)334-2190 • Fax: (208)334-2348 • Website: www.idwr.idaho.gov

Brad Little
Governor

Gary Spackman
Director

February 11, 2021

LEGAL NOTICE DEPARTMENT
IDAHO STATESMAN
PO BOX 40
BOISE, ID 83707

RE: Application for Permit No. 63-34984, 63-34999

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 3/8/2021. Your cooperation is appreciated.

Sincerely,

Denise Lauerman
Administrative Assistant

Enclosure(s)

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-34984

GUY J HARRIS

3079 FRONTIER CIRCLE

LABELLE, FL 33935

Point of Diversion SESW S32 T02N R02E ADA County Source GROUND WATER

Use: IRRIGATION 03/01 to 11/15 0.4 CFS

Total Diversion: 0.4 CFS

Date Filed: 12-04-2020

Place Of Use: IRRIGATION

T02N R02E S32 SESW

Water bearing zone to be appropriated is from 370 to 410 feet.

63-34999

TARA MCCALLISTER

ZANE MCCALLISTER

5459 W PINE LN

MERIDIAN, ID 83642-5349

Point of Diversion NWSE S9 T03N R01W ADA County Source GROUND WATER

Use: IRRIGATION 03/01 to 11/15 0.15 CFS

Use: DOMESTIC 01/01 to 12/31 0.04 CFS

Total Diversion: 0.19 CFS

Date Filed: 01-20-2021

Place Of Use: DOMESTIC, IRRIGATION

T03N R01W S9 NESW, NWSE

Water bearing zone to be appropriated is from 80 to 120 feet.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Western office at (208)334-2190; or for a full description of the right(s), please see <https://idwr.idaho.gov/apps/ExtSearch/WRAApplicationResults/>. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 W AIRPORT WAY, BOISE ID 83705-5082 together with a protest fee of \$25.00 for each application on or before 3/8/2021. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 2/18/2021 and 2/25/2021

**APPLICATION 63-34984 RESPONSE FORM
CHECK ONE OF THE FOLLOWING OPTIONS**

OPTION #1 _____

I withdraw my application and request a full refund of my application fee. Included is my Withdrawal of Application for Permit form.

OPTION #2 X

Continue processing my application. I am willing to comply with permit approval conditions requiring measurement, monitoring and reporting.

DATE:

 1-26-2021

SIGNATURE(S):

 Guy J Harris
Signature

 Guy J Harris property owner
Printed Name & Title (if applicable)

Signature

Printed Name & Title (if applicable)



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region • 2735 W Airport Way • Boise ID 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348

Website: idwr.idaho.gov • Email: westerninfo@idwr.idaho.gov

BRAD LITTLE
Governor

GARY SPACKMAN
Director

December 31, 2020

GUY J HARRIS
3079 FRONTIER CIR
LA BELLE FL 33935

COPY

RE: Application for Permit No. 63-34984 in South Ada County Ground Water Area

Dear Applicant:

The Idaho Department of Water Resources (IDWR) received your application for permit requesting a new ground water right in South Ada County. IDWR is concerned about the effect new appropriations may have on the ground water resource in this area. The purpose of this letter is to inform you of potential impacts this concern may have regarding your permit application and notify you of conditions and obligations you may have associated with any permit approval that may occur pursuant to your application. This letter provides information on the basis of this concern, conditions any permit approval might have, and some of your options moving forward.

Ground Water Aquifer

Since the 1960's, ground water levels of the cold water aquifer in the area have declined an average of 0.3 to 0.4 feet per year. It appears the aquifer could be in overdraft because water levels in this area have yet to stabilize to the current demand level.

Low temperature geothermal water (exceeding 85° F.) may be encountered at depths of approximately 400 feet in this area. As cold water levels decline, an increase in ground water temperatures may occur due to increased communication with the hotter water. State law requires low temperature geothermal ground water to be used primarily for its heat value first and subsequently for other uses such as irrigation.

IDWR has a limited understanding of the hydrogeology and aquifer characteristics of this area. Additional data and information will continue to be compiled to help determine how these ground water resources should be managed and if new water rights should be approved. However, this is likely to be a long process as uses are developed and the aquifer responds to those uses.

New Water Right Applications

Based on information from other wells in the area, the aquifer appears to be capable of producing a sufficient short term water supply, but long term supply is uncertain considering the observed declines in water levels. Additionally, low temperature geothermal water may be encountered. To better understand the long term supply and interaction with the geothermal aquifer, IDWR may require monitoring of new appropriations.

Any approval pursuant to your application would include the following condition intended to address the concerns outlined above:

Access & sounding tube – “Any well used as a point of diversion for this water right shall contain a dedicated sounding tube extending from above ground level to near the top of the pump bowls to facilitate measurement of ground water levels. Unless specifically notified by the Director to do so, the right holder is not responsible for measuring water levels but shall allow access to the well(s) by the Idaho Department of Water Resources or its representative to collect data as needed.”

Measurement – “Prior to the diversion and use of water under this right, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion, in accordance with Department specifications.”

Reporting – “The right holder shall record the quantity of water diverted and annually report diversions of water and/or other pertinent hydrologic and system information as required by Idaho Code § 42-701.”

Options for Consideration

Based on the above explanation, the following options are available for your application:

- Withdraw the application. You may re-file at a later date if desired.
- Continue with the application and accept conditions of approval requiring access, measurement and reporting will likely be placed on any permit approval issued.
- Reduce your application to 5.0 acres or less. Conditions of installing a measuring device and annually reporting your diversion to the Department may not be included on any permit approval issued. Installing a sounding tube and granting the Department access to the well to collect water level data would still be included on any permit approval issued.

If you choose to continue with your application, please 1) amend #9 on your application and 2) state a water bearing zone at which the well will be drawing water from in space provided on #12.

Amend #9

Using the map included with the application, #9 needs to have the number of irrigated acres under the SE under the larger SW. Please cross out the 20 under SWSW and SESE, initial and date the change, and write the correct acres in SESW. Example below using 20 acres:

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS				
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE					
2N	2E	32																20					20

Water Bearing Zone

Applicants who proposed to divert ground water within IDWR Administrative Basin 63 are required to provide an estimate of the interval from which water will be diverted (water bearing zone) prior to the advertisement of their applications. This information is necessary due to water availability concerns within Basin 63. The water bearing zone can be determined by comparing the water bearing zones of similar wells near the proposed project site, or by consulting a licensed well driller. Well data can be found using the IDWR website at <https://idwr.idaho.gov/wells/find-a-well.html>.

Please select your answer by returning the completed response form within the next ninety (90) days. Please also include either the amended application or withdrawal form with the response form. Your application will be voided if a timely response is not received.

Application 63-34984

12/31/2020

Page 3

IDWR forms and other information are available online at www.idwr.idaho.gov. Please call me at 208-334-2190 if you have any questions. Thank you for your attention to this matter.

Sincerely,

Shilynn Novak
Water Resource Agent

Enclosures: S. Ada County GW Area of Concern boundary map
Permit Application Withdrawal Form
Application Response Form
Application for Permit Page 2

**APPLICATION 63-34984 RESPONSE FORM
CHECK ONE OF THE FOLLOWING OPTIONS**

OPTION #1 _____

I withdraw my application and request a full refund of my application fee. Included is my Withdrawal of Application for Permit form.

OPTION #2 _____

Continue processing my application. I am willing to comply with permit approval conditions requiring measurement, monitoring and reporting.

DATE:

SIGNATURE(S):

Signature

Printed Name & Title (if applicable)

Signature

Printed Name & Title (if applicable)


IDAHO DEPARTMENT OF WATER RESOURCES
WESTERN REGION
2735 W. Airport Way
Boise, Idaho 83705-5082

RETURN SERVICE REQUESTED

GUY J HARRIS
5922 W KUNA MORA RD
KUNA ID 83634

83634 82736 82822

FIRST CLASS



U.S. POSTAGE PITNEY BOWES
ZIP 83702 \$ 000.65⁰
02 4W
0000359175DEC 09 2020

RECEIVED

DEC 15 2020

WATER RESOURCES
WESTERN REGION

RETURN TO SENDER
HARRIS GUY J
TEMPORARILY AWAY
AZ010012/09/20
BC: 83705508235 * 5014-00035-09-42



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region • 2735 W Airport Way • Boise ID 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348

Website: idwr.idaho.gov • Email: westerninfo@idwr.idaho.gov

BRAD LITTLE
Governor

GARY SPACKMAN
Director

December 9, 2020

GUY J HARRIS
5922 W KUNA MORA RD
KUNA ID 83634

COPY

RE: Application for Permit No. 63-34984 in South Ada County Ground Water Area

Dear Applicant:

The Idaho Department of Water Resources (IDWR) received your application for permit requesting a new ground water right in South Ada County. IDWR is concerned about the effect new appropriations may have on the ground water resource in this area. The purpose of this letter is to inform you of potential impacts this concern may have regarding your permit application and notify you of conditions and obligations you may have associated with any permit approval that may occur pursuant to your application. This letter provides information on the basis of this concern, conditions any permit approval might have, and some of your options moving forward.

Ground Water Aquifer

Since the 1960's, ground water levels of the cold water aquifer in the area have declined an average of 0.3 to 0.4 feet per year. It appears the aquifer could be in overdraft because water levels in this area have yet to stabilize to the current demand level.

Low temperature geothermal water (exceeding 85° F.) may be encountered at depths of approximately 400 feet in this area. As cold water levels decline, an increase in ground water temperatures may occur due to increased communication with the hotter water. State law requires low temperature geothermal ground water to be used primarily for its heat value first and subsequently for other uses such as irrigation.

IDWR has a limited understanding of the hydrogeology and aquifer characteristics of this area. Additional data and information will continue to be compiled to help determine how these ground water resources should be managed and if new water rights should be approved. However, this is likely to be a long process as uses are developed and the aquifer responds to those uses.

New Water Right Applications

Based on information from other wells in the area, the aquifer appears to be capable of producing a sufficient short term water supply, but long term supply is uncertain considering the observed declines in water levels. Additionally, low temperature geothermal water may be encountered. To better understand the long term supply and interaction with the geothermal aquifer, IDWR may require monitoring of new appropriations.

Any approval pursuant to your application would include the following condition intended to address the concerns outlined above:

Access & sounding tube – *“Any well used as a point of diversion for this water right shall contain a dedicated sounding tube extending from above ground level to near the top of the pump bowls to facilitate measurement of ground water levels. Unless specifically notified by the Director to do so, the right holder is not responsible for measuring water levels but shall allow access to the well(s) by the Idaho Department of Water Resources or its representative to collect data as needed.”*

Measurement – *“Prior to the diversion and use of water under this right, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion, in accordance with Department specifications.”*

Reporting – *“The right holder shall record the quantity of water diverted and annually report diversions of water and/or other pertinent hydrologic and system information as required by Idaho Code § 42-701.”*

Options for Consideration

Based on the above explanation, the following options are available for your application:

- Withdraw the application. You may re-file at a later date if desired.
- Continue with the application and accept conditions of approval requiring access, measurement and reporting will likely be placed on any permit approval issued.
- Reduce your application to 5.0 acres or less. Conditions of installing a measuring device and annually reporting your diversion to the Department may not be included on any permit approval issued. Installing a sounding tube and granting the Department access to the well to collect water level data would still be included on any permit approval issued.

If you choose to continue with your application, please 1) amend #9 on your application and 2) state a water bearing zone at which the well will be drawing water from in space provided on #12.

Amend #9

Using the map included with the application, #9 needs to have the number of irrigated acres under the SE under the larger SW. Please cross out the 20 under SWSW and SESE, initial and date the change, and write the correct acres in SESW. Example below using 20 acres:

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS		
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE			
2N	2E	32														20					20

Water Bearing Zone

Applicants who proposed to divert ground water within IDWR Administrative Basin 63 are required to provide an estimate of the interval from which water will be diverted (water bearing zone) prior to the advertisement of their applications. This information is necessary due to water availability concerns within Basin 63. The water bearing zone can be determined by comparing the water bearing zones of similar wells near the proposed project site, or by consulting a licensed well driller. Well data can be found using the IDWR website at <https://idwr.idaho.gov/wells/find-a-well.html>.

Please select your answer by returning the completed response form within the next ninety (90) days. Please also include either the amended application or withdrawal form with the response form. Your application will be voided if a timely response is not received.

Application 63-34984

12/9/2020

Page 3

IDWR forms and other information are available online at www.idwr.idaho.gov. Please call me at 208-334-2190 if you have any questions. Thank you for your attention to this matter.

Sincerely,



Shilynn Novak

Water Resource Agent

Enclosures: S. Ada County GW Area of Concern boundary map
Permit Application Withdrawal Form
Application Response Form
Application for Permit Page 2

**APPLICATION 63-34984 RESPONSE FORM
CHECK ONE OF THE FOLLOWING OPTIONS**

OPTION #1 _____

I withdraw my application and request a full refund of my application fee. Included is my Withdrawal of Application for Permit form.

OPTION #2 _____

Continue processing my application. I am willing to comply with permit approval conditions requiring measurement, monitoring and reporting.

DATE:

SIGNATURE(S):

Signature

Printed Name & Title (if applicable)

Signature

Printed Name & Title (if applicable)

**WITHDRAWAL
OF
APPLICATION FOR PERMIT**

I/We, _____ and _____,
(Applicant's Printed Name) (Applicant's Printed Name)

(Applicant's Printed Name) and _____,
(Applicant's Printed Name) (Applicant's Printed Name)

hereby withdraw our Application for Permit to Appropriate the Public Waters of the

State of Idaho, No. 63 - 34984.

Signed this _____ day of _____, 20 _____.

(Signature/Title of Applicant)

(Signature/Title of Applicant)

(Signature/Title of Applicant)

(Signature/Title of Applicant)

