

**RECEIVED****JAN 29 2021****IDWR / NORTH**

84664

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

**APPLICATION FOR PERMIT**

To appropriate the public waters of the State of Idaho

Ident. No. **87-12256**

1. Name of applicant(s) JAMES O DONNELL Phone 206-510-9332  
 Name connector (check one): ☐ and ☐ or ☐ and/or  
 Mailing address PO BOX 2019 City REDMOND  
 State WA ZIP 98073 Email JIM@STATEWIDE-SECURITY.COM
2. Name of representative, if any JANA NEWMAN Phone 530-306-5245  
 Mailing address 2897 SAN JOSE CT City MINDEN  
 State NV ZIP 89423 Email JBNEWMANS@GMAIL.COM
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR  
☒ Send original correspondence to the applicant and copies to the representative.
- b. ☒ The representative may submit information for the applicant but is not authorized to sign for the applicant OR  
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply SURFACE RUNOFF which is a tributary of PALOUSE RIVER
4. Location of point(s) of diversion:

| Twp | Rge | Sec | Govt Lot | 1/4 | 1/4 | 1/4 | County | Source         | Local name or tag # |
|-----|-----|-----|----------|-----|-----|-----|--------|----------------|---------------------|
| 41N | 03W | 9   |          |     | SW  | NE  | LATAH  | SURFACE RUNOFF |                     |
|     |     |     |          |     |     |     |        |                |                     |
|     |     |     |          |     |     |     |        |                |                     |
|     |     |     |          |     |     |     |        |                |                     |

5. Water will be used for the following purposes:
- Amount 1.5 AF for STOCKWATER STORAGE purposes from 1/1 to 12/31 (both dates inclusive)  
 (cfs or acre-feet per year)
- Amount 1.5 AF for FIRE PROTECTION STRG purposes from 1/1 to 12/31 (both dates inclusive)  
 (cfs or acre-feet per year)
- Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
 (cfs or acre-feet per year)
- Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
 (cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) \_\_\_\_\_ cubic feet per second (cfs) and/or (b) 1.5 acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. EXISTING POND WITH A ROCK RUN OFF DITCH FOR SPILLWAY
- b. Height of storage dam 12-15 feet; active reservoir capacity 1.0 acre-feet; total reservoir capacity 1.0 acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No
- c. Proposed well diameter is \_\_\_\_\_ inches; proposed depth of well is \_\_\_\_\_ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
- e. If well is already drilled, when? \_\_\_\_\_; drilling firm \_\_\_\_\_;  
 well was drilled for (well owner) \_\_\_\_\_; Drilling Permit No. \_\_\_\_\_.

**For Department Use**

Received by \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_ Preliminary check by \_\_\_\_\_  
 Fee \$ \_\_\_\_\_ Received by \_\_\_\_\_ Receipt No. \_\_\_\_\_ Date \_\_\_\_\_

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in kW. \_\_\_\_\_
- b. Stockwatering; list number and kind of livestock. 50 HEAD OF MIXED STOCK
- c. Municipal; must complete and attach the Municipal Water Right Application Checklist.
- d. Domestic; show number of households \_\_\_\_\_
- e. Other; describe fully. FIRE PROTECTION STORAGE IN CASE OF FIRE

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

| TWP | RGE | SEC | NE |    |     |    | NW |    |    |    | SW |    |    |    | SE |    |    |    | TOTALS |
|-----|-----|-----|----|----|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------|
|     |     |     | NE | NW | SW  | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |        |
| 41N | 03W | 9   |    |    | S/F |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |     |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |     |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |     |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |     |    |    |    |    |    |    |    |    |    |    |    |    |    |        |

Total number of acres to be irrigated: \_\_\_\_\_

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? \_\_\_\_\_

11. a. Who owns the property at the point of diversion? APPLICANT
- b. Who owns the land to be irrigated or place of use? APPLICANT
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: \_\_\_\_\_

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. APPLICANT HAS EXISTING POND THAT IS FILLED WITH RUNOFF WATER THAT IS USED FOR STOCKWATERING AND FIRE PROTECTION PURPOSES.

13. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).

14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

James A. O'Donnell

Signature of Applicant

JAMES A. O'DONNELL

Print Name (and title, if applicable)

Signature of Applicant

Print Name (and title, if applicable)

## Total Storage Calculations

|             |                    |
|-------------|--------------------|
| FILE NUMBER | JAMES D. O'CONNELL |
| REVIEWER    | ARAND FREDERICK    |
| DATE        | 7/13/2021          |

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

|                      |
|----------------------|
| User Input           |
| Calculation Values   |
| Formula Explanations |

|                                                                                              |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|----------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Surface Area (AC.)                                                                           | 0.2 | "Surface Area" is automatically carried over from the "Seepage Loss" sheet.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Average Pond Depth (FT.)                                                                     | 4.8 | "Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Pond Capacity (AF)                                                                           | 1.0 | Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above.<br>Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.                                                                                                                                                                                                                                                                                                                                                                                                  |
| Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF) | 0   | The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed).<br>Note: You must have a " <u>From Storage</u> " component exceeding the initial fill on the permit to include a volume in this space. |
| Estimated Seepage Loss (AF)                                                                  | 0.2 | The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Estimated Evaporation Loss (AF)                                                              | 0.3 | The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Total Volume Required (AF)                                                                   | 1.5 | The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

# APPLICATION MAP



## Legend

-  Parcels
-  Township/Range
-  Sections
-  QQ

0 0.02 0.04 0.08 Miles



JAN 11 2021

IDWR / NORTH

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**APPLICATION FOR PERMIT**  
To appropriate the public waters of the State of Idaho

Ident. No. \_\_\_\_\_

1. Name of applicant(s) James O'Donnell Phone 206-510-9332  
Name connector (check one): ☐ and ☐ or ☐ and/or  
Mailing address P.O. Box 2019 City Redmond  
State WA ZIP 98073 Email jim@statewide-security.com
2. Name of representative, if any Jana Newman Phone 530-306-5245  
Mailing address 2897 San Jose Ct City Minden  
State NV ZIP 89423 Email jbnnewmans@gmail.com
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR  
☒ Send original correspondence to the applicant and copies to the representative.
- b. ☒ The representative may submit information for the applicant but is not authorized to sign for the applicant OR  
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply Run Off which is a tributary of Palouse River
4. Location of point(s) of diversion:

| Twp | Rge | Sec | Govt Lot | 1/4 | 1/4 | 1/4 | County | Source  | Local name or tag # |
|-----|-----|-----|----------|-----|-----|-----|--------|---------|---------------------|
| 41N | 03W | 9   |          |     | SW  | NE  | Latah  | Run Off |                     |
|     |     |     |          |     |     |     |        |         |                     |
|     |     |     |          |     |     |     |        |         |                     |
|     |     |     |          |     |     |     |        |         |                     |

**SUPERSEDED**

5. Water will be used for the following purposes:
- Amount 0.02 for Stock purposes from 1/1 to 12/31 (both dates inclusive)  
(cfs or acre-feet per year)
- Amount 0.07 for Fire Suppression Storage purposes from 1/1 to 12/31 (both dates inclusive)  
(cfs or acre-feet per year)
- Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per year)
- Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) \_\_\_\_\_ cubic feet per second (cfs) and/or (b) 1.0 acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. Live stock and fire suppression, existing pond with a rock run off ditch for spillway.
- b. Height of storage dam 23 feet; active reservoir capacity 1 acre-feet; total reservoir capacity 1.15 acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☒ No
- c. Proposed well diameter is \_\_\_\_\_ inches; proposed depth of well is \_\_\_\_\_ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
- e. If well is already drilled, when? \_\_\_\_\_; drilling firm \_\_\_\_\_;  
well was drilled for (well owner) \_\_\_\_\_; Drilling Permit No. \_\_\_\_\_.

**For Department Use**

Received by \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_ Preliminary check by \_\_\_\_\_  
Fee \$ \_\_\_\_\_ Received by \_\_\_\_\_ Receipt No. \_\_\_\_\_ Date \_\_\_\_\_

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in kW. \_\_\_\_\_
  - Stockwatering; list number and kind of livestock. 50 head mixed stock
  - Municipal; must complete and attach the Municipal Water Right Application Checklist.
  - Domestic; show number of households \_\_\_\_\_
  - Other; describe fully. Fire suppression: 8 hp floating pump with 30 gpm flow in the pond with fire hoses extending to buildings.
9. Description of place of use:
- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
  - If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

| TWP | RGE | SEC | NE |    |    |    | NW |    |    |    | SW |    |    |    | SE |    |    |    | TOTALS |
|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------|
|     |     |     | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |        |
| 41N | 03W | 9   |    |    | S  |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
| 41N | 03W | 9   |    |    | F  |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |

Total number of acres to be irrigated: \_\_\_\_\_

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? Livestock also has access to a water trough on this property. The water for the trough comes from a well which has claim 87-11233.
11. a. Who owns the property at the point of diversion? James O'Donnell
- b. Who owns the land to be irrigated or place of use? James O'Donnell
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: \_\_\_\_\_
12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. The existing pond is filled with run off water from a small basin around the pond. Live stock has access to the pond and additional water is stored for fire suppression.
- \$47.54 receipt no. C109481 and \$52.46 paid on adjudication claim 87-12236 (withdrawn)
13. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).
14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

**The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.**

\_\_\_\_\_  
Signature of Applicant

\_\_\_\_\_  
Signature of Applicant

\_\_\_\_\_  
Print Name (and title, if applicable)

\_\_\_\_\_  
Print Name (and title, if applicable)

## Seepage Loss Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total annual seepage losses from a pond.

|             |                |
|-------------|----------------|
| FILE NUMBER | RP41N03W091519 |
| REVIEWER    | Jana Newman    |
| DATE        | 11/25/2020     |

|                      |
|----------------------|
| User Input           |
| Calculated value     |
| Formula Explanations |

### INPUTS

|                         |      |     |
|-------------------------|------|-----|
| Pond Surface Area (AC.) | 0.11 | AC. |
|-------------------------|------|-----|

|                             |      |         |
|-----------------------------|------|---------|
| Pond Surface Area (SQ. FT.) | 4792 | SQ. FT. |
|-----------------------------|------|---------|

|                                                                           |                      |         |
|---------------------------------------------------------------------------|----------------------|---------|
| I used the following method to obtain my Soil Classification information: | NRCS Web Soil Survey |         |
| My Soil Classification is                                                 | CL                   |         |
| Suggested Seepage Rate (FT./DAY)                                          | 0.0030               | FT./DAY |

|                                                                      |
|----------------------------------------------------------------------|
| Formula: (Surface Area X Seepage Rate) X 7.48 = Gallons Per Day Loss |
|----------------------------------------------------------------------|

|                |     |     |
|----------------|-----|-----|
| Convert to GPD | 108 | GPD |
|----------------|-----|-----|

|                          |     |     |
|--------------------------|-----|-----|
| Total Seepage Loss (AFA) | 0.1 | AFA |
|--------------------------|-----|-----|

Though sand and gravel seepage rates may actually be higher, the maximum allowable rate is 0.2 ft/day, pursuant to Administrative Memo "Seepage Loss Standards for Ponds and Reservoirs."

| Suggested Seepage Rates for Different Soil Types:                                                   |
|-----------------------------------------------------------------------------------------------------|
| GW, GP, GM, GC, SW, SP and SM (silty sand, sand silt mixtures and gravel mixtures) = 0.2 ft per day |
| OL and ML (inorganic silts - very fine sands, silty, or clayey fine sands) = 0.02 ft per day        |
| SC (clayey sands, sand clay mixtures) = 0.007 ft per day                                            |
| CL (Low to medium plasticity clays) = 0.003 ft per day                                              |
| MH, OH, PT and CH (high plasticity clays) = 0.0003 ft per day                                       |
| LINED PONDS (liners can be chemical, fabric, or bentonite) = 0 ft per day                           |
| Ponds Intercepting Groundwater (excavated ponds filled by ground water) = 0 ft per day              |

**PLEASE NOTE:** The initial basis for the Suggested Seepage Rates in the table above is found on Page 16 of Seepage from Fish Ponds, Bulletin 599, August 1989 Alabama Agricultural experiment Station, Auburn University, Auburn University Alabama. If you don't know the soil type, please refer to the map provided at the NRCS Web Soil Survey (Tab #1), an ArcMap Soil Classification Map (Tab #1.1), or published NRCS Soil Survey (Tab #1.2). Use "0" if the pond fill relies on the water table.

pond size is approx 100' x 50' x 8'

## Evaporation Loss Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the annual evaporation losses from a pond.

|             |              |
|-------------|--------------|
| FILE NUMBER | RP41N03W0911 |
| REVIEWER    | Jana Newman  |
| DATE        | 11/25/2020   |

|                      |
|----------------------|
| User Input           |
| Calculated value     |
| Formula Explanations |

|                                                                              |
|------------------------------------------------------------------------------|
| The acronyms used on the Kimberly Research Center website are defined below: |
| P = Precipitation                                                            |
| ET= Evapotranspiration                                                       |
| P <sub>d</sub> = Precipitation deficit                                       |
| P <sub>d</sub> =ET-P                                                         |

### USING THIS SPREADSHEET

Use the link below to access the Kimberly Research Center website. This website provides the Precipitation Deficit for a station most representative of the pond under examination. The Precipitation Deficit is the total amount of free water surface evaporation minus the precipitation for a given area, which gives the total amount of evaporative losses incurred by the pond. There are several weather sites that are used throughout the state. IDWR staff can find the nearest site using Arc Map. The shape file containing the sites can be found at X:/Spatial/Climate/ETIdahostations.shp.

### Instructions:

1. Use the link below to navigate to ET Idaho 2012.
2. Select the station which is most representative to your pond location.
3. Click Submit Query.
4. Under "Land Covers with Evapotranspiration Estimates," select "Open Water - Shallow Systems (ponds, streams)" or "Open Water - small stock ponds" depending on the pond size.
5. Click the link to "Precipitation Deficit."
6. Reference and copy (ctrl + C) the first subheading "Mean" values.
7. Click the "Paste Values from ET Idaho" button. The table will automatically enter a zero (0) for any negative precipitation deficit values.

Found at: <http://data.kimberly.uidaho.edu/ETIdaho/>

### Precipitation Deficit

Station: Twin Falls 2 NNE (NWS -- 109294)

| Month     | mm/day <sup>1</sup> | Days per month | mm/Month |
|-----------|---------------------|----------------|----------|
| Jan       | -1.78               | 31             | 0.00     |
| Feb       | -1.54               | 28             | 0.00     |
| March     | -0.77               | 31             | 0.00     |
| April     | 0.71                | 30             | 21.30    |
| May       | 1.42                | 31             | 44.02    |
| June      | 2.49                | 30             | 74.70    |
| July      | 3.81                | 31             | 118.11   |
| August    | 3.83                | 31             | 118.73   |
| September | 2.09                | 30             | 62.70    |
| October   | 0                   | 31             | 0.00     |
| November  | -2.18               | 30             | 0.00     |
| December  | -2.04               | 31             | 0.00     |

Total mm/year = 439.56

**PLEASE NOTE:** The seasonal average for precipitation deficit should not be used for calculations because precipitation often exceeds evaporation during wetter months of the year. If the pond is kept full, excess precipitation during wetter months does not serve to refill the pond during drier months.

For example, see Sandpoint KSPT (NWS -- 108137), the annual precipitation deficit is -106 mm. However, April through September have positive precipitation deficit values. To properly estimate the annual volume of water necessary to refill a pond due to evaporation losses, the table will automatically enter a zero (0) for each month that the precipitation value is reported as a negative value.

As described above, precipitation offsets evaporation in winter months, so the net effect is that wintertime precipitation deficit is usually zero.

$$[(\text{mm/yr}) \div (\text{convert to feet})] \times (\text{Surface area of pond, in acres}) = \text{Evaporation Loss in Acre Feet}$$

( 439.56 ) ÷ 304.8 ) X 0.11 = 0.2 AFA

## Total Storage Calculations

|                    |                |
|--------------------|----------------|
| <b>FILE NUMBER</b> | RP41N03W091519 |
| <b>REVIEWER</b>    | Jana Newman    |
| <b>DATE</b>        | 11/25/2020     |

**This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.**

|                                     |              |                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Surface Area<br/>(AC.)</b>       | <b>0.11</b>  | "Surface Area" is automatically carried over from the "Seepage Loss" cell.                                                                                                                                                                                                                                                                                                                                                             |
| <b>Average Pond Depth<br/>(FT.)</b> | <b>3.2</b>   | "Average Pond Depth" depicts the actual depth of the pond either known or estimated. If you know the maximum depth and not the average depth, the Field Extension will automatically calculate the average depth by multiplying the maximum depth by 0.4 to get the average depth, which is a reasonable estimate to attain average depth.                                                                                             |
| <b>Pond Capacity<br/>(AF)</b>       | <b>0.352</b> | Pond Capacity is calculated by multiplying the Pond Surface Area by the average depth to get the capacity. To find the capacity, divide the capacity by surface area and enter the average depth.<br><b>Note: If pond capacity is determined using a method shown on the worksheet, you will need to manually modify the value of "Pond Capacity" (cell B9) manually. If not manually, the formula will be altered for future use.</b> |

|                                                                                                                          |                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------------------------------------------------------------------------------------------------------|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills"</b></p> <p><b>(AF)</b></p> | <p><b>1</b></p>   | <p>The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water component if the <i>from storage</i> component exceeds a one time fill. amount of water needed to fill the pond initially or the amount of level due to evaporation or seepage. For example: if a pond has a of seepage and evaporation, but the pond is used for irrigation the for the irrigation use, then you would insert 5 acre feet into this lo from the initial fill = 5 acre feet of additional storage needed).</p> <p>Note: You must have a "<u>From Storage</u>" component exceeding the volume in this space.</p> |
| <p><b>Estimated Seepage Loss (AF)</b></p>                                                                                | <p><b>0.1</b></p> | <p>The "Estimated Seepage Loss" is automatically carried over from t</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <p><b>Estimated Evaporation Loss (AF)</b></p>                                                                            | <p><b>0.2</b></p> | <p>The "Estimated Evaporation Loss" is automatically carried over fro</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <p><b>Total Volume Required (AF)</b></p>                                                                                 | <p><b>1.6</b></p> | <p>The "Total Volume Required" is calculated by adding the Pond Cap Evaporation Loss amounts to determine the total amount of stora</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

|                                                                  |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|------------------------------------------------------------------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Flow Rate into Pond (CFS)                                        | 0.02 | The "Flow Rate into Pond" depicts the actual flow, either measure offstream facilities, this will be equivalent to "diversion to storage"                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Highest Daily Evaporation Rate From Evaporation Tab.<br>(mm/Day) | 3.83 | This number is carried over from the "Evaporation Loss" sheet. It is "Precipitation Deficit Table".                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Required Daily Maintenance Volume (AF/Day)                       | 0.00 | "Required Daily Maintenance Volume" is the maximum volume of the year to maintain pond volume. It is calculated by adding the highest average daily seepage loss in acre feet. The average daily seepage "Estimated Seepage Loss" by 365 days. This is acceptable, since the throughout the season unless the pond completely freezes over due to daily evaporation loss is calculated by dividing the Highest Daily Evaporation factor and multiplying this number by the pond surface area to attain requirement.                                                                                                                                                                                 |
| Minimum Maintenance Flow (CFS)                                   | 0.00 | The "Minimum Maintenance Flow" is the minimum amount of flow into the pond. This number is determined by dividing the "Maximum Required Flow" by 1.9835. This flow can be used to determine if the flow rate into the pond is adequate to maintain the pond level.                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Days Required to Fill the Pond                                   | 9    | The "Days Required to Fill the Pond" is calculated by dividing the "Maximum Required Flow" minus "Minimum Maintenance Flow" multiplied by 1.9835. This result is then divided by the flow rate being diverted to the pond is adequate to fill the pond. The length of time to fill the pond will help determine if the flow rate being proposed. <i>If this number is approximately 6 months (180 days) or more, have a discussion with the applicant to make sure he/she understands the time to fill the pond.</i>                                                                                                                                                                                |
| Days Required to Fill the Pond at 13,000 Gallons per Day         | 9    | Some water users may want to fill a pond under the 13,000 gallons per day. "Days Required to Fill the Pond at 13,000 Gallons per Day" is calculated by dividing the "Maximum Required Flow" and the "Required Daily Maintenance Volume" to gallons. The "Maximum Required Flow" minus the "Required Daily Maintenance Volume" in gallons divided by 13,000 gallons per day. <i>If this number is approximately 6 months (180 days) or more, have a discussion with the applicant to make sure he/she understands the time to fill the pond.</i><br>Negative values indicate that the supply of 13,000 gallons per day is less than the required daily maintenance volume; the pond will never fill. |

QQ  
Parcels



Pond Approximately 0.1 acre

RECEIVED

RECEIVED

FORM 202 Rev. 09/16

NOV 16 2020

DEPARTMENT OF  
WATER RESOURCES

NOV 19 2020

IDWR / NORTH

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

## APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Ident. No. \_\_\_\_\_

Original Application

1. Name of applicant(s) James O'Donnell, Sweetwater Ranch LLC Phone 206-5109332  
 Name connector (check one): ☐ and ☐ or ☐ and/or  
 Mailing address P.O. Box 2019 City Redmond  
 State WA ZIP 98073 Email jim@statewide-security.com
2. Name of representative, if any Jana Newman Phone 530-306-5245  
 Mailing address 2897 San Jose Ct City Minden  
 State NV ZIP 89423 Email jbnewmans@gmail.com
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR  
☒ Send original correspondence to the applicant and copies to the representative.
- b. ☒ The representative may submit information for the applicant but is not authorized to sign for the applicant OR  
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply Surface water which is a tributary of Palouse River
4. Location of point(s) of diversion:

| Twp | Rge | Sec | Govt Lot | 1/4 | 1/4 | 1/4 | County | Source  | Local name or tag # |
|-----|-----|-----|----------|-----|-----|-----|--------|---------|---------------------|
| 41N | 03W | 9   |          | SW  | NE  |     | Latah  | Surface |                     |
|     |     |     |          |     |     |     |        |         |                     |
|     |     |     |          |     |     |     |        |         |                     |
|     |     |     |          |     |     |     |        |         |                     |

5. Water will be used for the following purposes:
- Amount 0.5 for Stock purposes from 4/1 to 10/31 (both dates inclusive)  
 (cfs or acre-feet per year)
- Amount 0.5 for Fire Suppression purposes from 1/1 to 12/31 (both dates inclusive)  
 (cfs or acre-feet per year)
- Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
 (cfs or acre-feet per year)
- Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
 (cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) \_\_\_\_\_ cubic feet per second (cfs) and/or (b) 1.15 acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. Live stock and Fire suppression
- b. Height of storage dam 23 feet; active reservoir capacity 1 acre-feet; total reservoir capacity 1.15 acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate [Application for Construction or Enlargement of a New or Existing Dam](#). Application required? ☐ Yes ☒ No
- c. Proposed well diameter is \_\_\_\_\_ inches; proposed depth of well is \_\_\_\_\_ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
- e. If well is already drilled, when? \_\_\_\_\_; drilling firm \_\_\_\_\_;  
 well was drilled for (well owner) \_\_\_\_\_; Drilling Permit No. \_\_\_\_\_.

## For Department Use

Received by KM Date 11.16.2020 Time 11:46 Preliminary check by \_\_\_\_\_  
 Fee \$ 47.54 Received by KM Receipt No. C109481 Date 11.16.2020  
50.00 Paid on Adjudication Claim 87-12236 Withdrawn  
2.46 Paid on NO 36591 for Remainder of Fees

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in kW. \_\_\_\_\_
- Stockwatering; list number and kind of livestock. Cattle: 25 pair, seasonally
- Municipal; must complete and attach the Municipal Water Right Application Checklist.
- Domestic; show number of households \_\_\_\_\_
- Other; describe fully. Fire suppression: floating pump in the pond with fire hoses.

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

| TWP | RGE | SEC | NE |    |    |    | NW |    |    |    | SW |    |    |    | SE |    |    |    | TOTALS |
|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------|
|     |     |     | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |        |
| 41N | 03W | 9   |    |    |    |    |    |    |    |    | S  |    |    |    |    |    |    |    |        |
| 41N | 03W | 9   |    |    |    |    |    |    |    |    | F  |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |

Total number of acres to be irrigated: \_\_\_\_\_

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? Cattle also have access to a water trough on this property. The water for the trough comes from a well under claim 87-11233

- Who owns the property at the point of diversion? James O'Donnell
- Who owns the land to be irrigated or place of use? James O'Donnell
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: \_\_\_\_\_

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. The pond is filled with surface water from rain. Cattle have access to the pond seasonally and the additional water is stored for fire suppression if needed.

13. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).

14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

James G. O'Donnell  
Signature of Applicant  
JAMES A. O'DONNELL  
Print Name (and title, if applicable)

\_\_\_\_\_  
Signature of Applicant  
\_\_\_\_\_  
Print Name (and title, if applicable)

COPY

NWNE

QQ  
Parcels

NENW

NENE

SENE

SWNE

41N03W9

SENE

Pond Approximately 0.1 acre

NESW

NWSE

NESE

RECEIVED

NOV 16 2020

DEPARTMENT OF  
WATER RESOURCES

**REQUEST FOR WITHDRAWAL OF CLAIM  
WITH FILING FEES APPLIED TO APPLICATION FOR PERMIT**

Name of Claimant: James O'Donnell, Sweetwater LLC

Mailing Address: P.O. Box 2019 Redmond Wa 98073

Amount: \$52.46 Receipt No.: 10716512

Claim No(s): 87-12236

I/We wish to withdraw the Notice(s) of Claim to a Water Right which number(s) appear above and for which I/We previously paid a filing fee to the Idaho Department of Water Resources. I request the filing fee I/We paid on the receipt referenced above be applied to filing an Application for Permit.

For Individuals:  
James O'Donnell  
(Signature of Claimant)

11-9-2020  
(Date)

\_\_\_\_\_  
(Signature of Claimant)

\_\_\_\_\_  
(Date)

For Organizations:

\_\_\_\_\_  
(Signature of Authorized Agent)

\_\_\_\_\_  
(Date)

\_\_\_\_\_  
(Title)

\_\_\_\_\_  
(Name of Organization)

Return to: Idaho Department of Water Resources  
Adjudication Bureau  
P.O. Box 83720  
Boise, ID 83720-0098

\*\*\*\*\*

For IDWR Use

Initials

Date

Approval Region  
Approval State Office  
Data Entry

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

6/30/09



State of Idaho

**DEPARTMENT OF WATER RESOURCES**

NORTHERN Region • 7600 N MINERAL DR STE 100 • COEUR D ALENE, ID 83815-7763  
Phone: (208)762-2800 • Fax: (208)769-2819 • Website: [www.idwr.idaho.gov](http://www.idwr.idaho.gov)

Brad Little  
Governor

Gary Spackman  
Director

February 10, 2021

JAMES O'DONNELL  
PO BOX 2019  
REDMOND, WA 98073-2019

RE: Application for Permit No. 87-12256

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the MOSCOW PULLMAN DAILY NEWS on 2/18/2021 and 2/25/2021. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Tammy Alleman  
Administrative Assistant

CC:  
JANA NEWMAN  
2897 SAN JOSE CT  
MINDEN, NV 89423-7851

**Alleman, Tammy**

---

**From:** Alleman, Tammy  
**Sent:** Thursday, February 11, 2021 11:13 AM  
**To:** commissioners; 'Swearingen,Zachary'; 'Sujata.Connell@deq.idaho.gov'  
**Cc:** 'Kara Egan'; Michelle Fuson  
**Subject:** Request for Comments on WR#87-12256

Dear Interested Agencies:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced Water Right Permit application. You can find copies of the application at: <http://www.idwr.idaho.gov/apps/ExtSearch/WRAJSearch/WRADJSearch.aspx>.

This office can publish notice of the application as soon as the initial review is completed; therefore, your prompt response to this request is appreciated. If your agency desires to formally protest the approval of the application(s), you may do so after the notice is published by filing a written protest along with a \$25.00 filing fee within 10 days after final publication. The deadline for comments on the applications is March 8, 2021.

Please contact the Northern Region Office at (208) 762-2800 if you have any questions regarding the Permit application.

Thank you,

Tammy

*Tammy Alleman  
Administrative Assistant  
Idaho Department of Water Resources  
7600 N Mineral Drive, Suite 100  
Coeur d'Alene, ID 83815-7763  
Phone: (208) 762-2800  
Fax (208) 762-2819*

## Alleman, Tammy

---

**From:** Alleman, Tammy  
**Sent:** Thursday, February 11, 2021 10:15 AM  
**To:** legals  
**Subject:** Legal Notice  
**Attachments:** Legal Notice for 86-12055 & 87-12256.docx

Please publish the enclosed legal notice in the **Moscow Pullman Daily News** on the dates indicated **February 18<sup>th</sup> & February 25<sup>th</sup>, 2021** (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately. Please send a proof once you have the article ready for print for our review.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before **March 8, 2021**. Your cooperation is appreciated.

Thank you,

Tammy

*Tammy Alleman  
Administrative Assistant  
Idaho Department of Water Resources  
7600 N Mineral Drive, Suite 100  
Coeur d'Alene, ID 83815-7763  
Phone: (208) 762-2800  
Fax (208) 762-2819*

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

**86-12055**

ROBERT W BENNETT  
NORENE L BENNETT  
5341 LENVILLE RD  
MOSCOW, ID 83843  
Point of Diversion L1(NENE)  
S5 T38N R04W  
LATAH County  
Source GROUND WATER  
Use: DOMESTIC  
01/01 to 12/31 0.04 CFS  
Use: STOCKWATER  
01/01 to 12/31 0.02 CFS  
Total Diversion: 0.06 CFS  
Date Filed: 02-01-2021  
Place Of Use: DOMESTIC, STOCKWATER  
T38N R04W S4 L4(NWNW)  
Place Of Use: STOCKWATER  
T38N R04W S5 L1(NENE)

**87-12256**

JAMES O'DONNELL  
PO BOX 2019  
REDMOND, WA 98073-2019  
Point of Diversion SWNE  
S9 T41N R03W  
LATAH County  
Source SURFACE RUNOFF  
Tributary PALOUSE RIVER  
Use: STOCKWATER STORAGE  
01/01 to 12/31 1.5 AF  
Use: FIRE PROTECTION STORAGE  
01/01 to 12/31 1.5 AF  
Total Diversion: 1.5 AF  
Date Filed: 01-29-2021  
Place Of Use: FIRE PROTECTION STORAGE, STOCKWATER STORAGE  
T41N R03W S9 SWNE

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Northern office at (208)762-2800; or for a full description of the right(s), please see <https://idwr.idaho.gov/apps/ExtSearch/WRAApplicationResults/>. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of \$25.00 for each application on or before 3/8/2021. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 2/18/2021 and 2/25/2021

## MEMORANDUM

**Date:** JANUARY 29, 2021  
**To:** Water Right File 87-12256  
**From:** smaxey  
**Re:** PRIORITY DATE 1/29/2021

---

| <u>APPLICATION VERSION</u> | <u>IDWR<br/>DATE RECVD</u> | <u>IDAPA 37.03.08 STATUS</u>                                                                                                                                                                                                              | <u>PRIORITY</u>  |
|----------------------------|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| ORIGINAL APPLICATION       | 11/16/2020                 | <b>UNACCEPTABLE FOR FILING.</b> RECEIVED AT IDWR STATE OFFICE & FORWARDED TO N. REGION OFFICE & RECEIVED <b>11/19/2020.</b> APPLICATION RETURNED TO CO-APPLICANT (JAMES O'DONNELL) DUE TO NO AUTHORITY TO SIGN FOR SWEETWATER RANCH, LLC. | <b>(NONE)</b>    |
| REVISED APPLICATION        | 1/11/2021                  | <b>UNACCEPTABLE FOR FILING.</b> SWEETWATER RANCH REMOVED FROM APPLICATION. UNSIGNED APPLICATION RETURNED TO APPLICANT (JAMES O'DONNELL).                                                                                                  | <b>(NONE)</b>    |
| FINAL APPLICATION          | 1/29/2021                  | <b>ACCEPTABLE FOR FILING</b> RECEIVED AT IDWR NORTHERN <b>1/29/2021.</b> TOTAL QUANTITY ACRE FEET (AF) INCREASED TO 1.5 AF.                                                                                                               | <b>1/29/2021</b> |



State of Idaho

## DEPARTMENT OF WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene ID 83815-7763

Phone: (208) 762-2800 • Fax: (208) 762-2819

Website: [idwr.idaho.gov](http://idwr.idaho.gov) • Email: [northerninfo@idwr.idaho.gov](mailto:northerninfo@idwr.idaho.gov)

BRAD LITTLE  
Governor

GARY SPACKMAN  
Director

January 13, 2021

**\*\*Time Sensitive Response Required\*\***

James O'Donnell  
PO Box 2019  
Redmond, WA 98073

Re: Unacceptable for Filing status on Application for Permit (Rule 35 Application Requirements)

Dear Applicant:

Idaho Department of Water Resources (IDWR) received your Application for Permit, at our Northern Region office, on January 9, 2020 for Stockwater and storage uses on Latah County parcel RP41N03W091519 (1029 Vale RD). **The Application is currently unacceptable for filing because it was not signed on the bottom of Page 2.** Your original Application is enclosed.

**Please telephone me at (208) 762.2816, about the yellow highlighted items in the enclosed copy of the Application, before returning the Application with your signature.** The signed Application should be returned to the address shown above.

**An Application that is acceptable for filing must be received no later than February 16, 2020.** IDWR will take steps to terminate the Application, if no response is received, in accordance with Idaho Code § 42-204.

Respectfully,

A handwritten signature in cursive script that reads "Shaun M. Maxey". The signature is written in dark ink and is positioned above the printed name and title of the signatory.

Shaun M. Maxey

Sr. Water Resource Agent  
Idaho Department of Water Resources, Northern Region

Enclosures

DRAFT IDWR Application for Permit form with supplement pages & Total Storage Calculations  
Application for Permit for Signature

CF:

Jana Newman, 2897 San Jose CT, Minden, NV 89423

November 30, 2020

State of Idaho  
Department of Water Resources  
7600 N Minderal Drive, Suite 100  
Coeur D'Alene ID 83815

RE: Application For Permit

Please be advised that Application For Permit, Latah County parcel 41N03W091519 is owned by James Allen O'Donnell, there is no Sweetwater LLC for this property. The property owner from the early 1980's is the one that combined multiple properties in the area and named his ranch Sweetwater Ranch. The name is no longer used and there is no active LLC on the two parcels owned by James O'Donnell. Tax records show the owner of the property as James O'Donnell.

Thank you,

James O'Donnell



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene ID 83815-7763

Phone: (208) 762-2800 • Fax: (208) 762-2819

Website: idwr.idaho.gov • Email: northerninfo@idwr.idaho.gov

BRAD LITTLE  
Governor

GARY SPACKMAN  
Director

November 20, 2020

**\*\*Time Sensitive Response Required\*\***

James O'Donnell  
Sweetwater Ranch LLC  
PO Box 2019  
Redmond, WA 98073

Re: Unacceptable for Filing status on Application for Permit (Rule 35 Application Requirements)

Dear Applicant:

Idaho Department of Water Resources (IDWR) received your Application for Permit on November 16, 2020, at our State Office in Boise, to divert water for Stockwater and Fire Suppression uses on Latah County parcel RP41N03W091519. **Please be advised that your Application is currently unacceptable for filing due to incorrect source of water supply and tributary (Line 3 & 4 on Application) and lack of documentation for your authority to sign on behalf of Sweetwater Ranch LLC.** Your original Application is enclosed.

**Please review the enclosed 'Do Not Return' Example of a Draft Application and telephone me at (208) 762.2816 for help to correct your Application.** The highlighted items on the 'Do Not Return' Application, and preparation of a Storage:Pond Loss Calculation spreadsheet (available on IDWR Internet web page) are among topics we will review during the phone call.

**An Application that is acceptable for filing must be received no later than December 23, 2020.** IDWR will take steps to terminate the Application, if no response is received, in accordance with Idaho Code § 42-204.

Respectfully,

Shaun M. Maxey  
Sr. Water Resource Agent  
Idaho Department of Water Resources, Northern Region

Enclosures  
Original Application for Permit  
IDWR Application for Permit form & instructions  
Example IDWR Page Pond loss Calculation spreadsheet

CF  
Jana Newman, 2897 San Jose CT, Minden NV 89423