

JAN 22 2021

DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

IDWR / NORTH

1. Name of applicant(s) S. STEVE LAFRENZ and/or DEBORAH A LAFRENZ Phone 2082635000
Name connector (check one): ☐ and ☐ or ☒ and/or
Mailing address PO BOX 1356 City SANDPOINT
State IDAHO ZIP 83864 Email LAKEPREMIX@GMAIL.COM
2. Name of representative, if any _____ Phone _____
Mailing address _____ City _____
State _____ ZIP _____ Email _____
- a. ☒ Send all correspondence for this application to the representative and not to the applicant OR
☐ Send original correspondence to the applicant and copies to the representative.
- b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply GROUNDWATER which is a tributary of _____
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
56N	02W	29			NE	NE	BONNER	GROUNDWATER	

5. Water will be used for the following purposes:
- Amount 0.20 CFS for DIVERSION TO STORAGE purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)
- Amount 2.5 AF for INDUSTRIAL STORAGE purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)
- Amount 2.5 AF for Industrial From Storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)
- Amount 1.4 AF for Fire Protection Storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) 0.20 cubic feet per second (cfs) and/or (b) 3.9 acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. EXISTING HAND DUG SHALLOW WELL WITH WATER TRANSFER PUMP DIVERTING FROM OPEN PIT WELL TO STORAGE POND.
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
- e. If well is already drilled, when? _____; drilling firm _____; well was drilled for (well owner) _____; Drilling Permit No. _____.

For Department Use

Received by _____ Date _____ Time _____ Preliminary check by _____
Fee \$ 10000 Receipted by jer Receipt No. N036670 Date 1-22-21

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in kW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; must complete and attach the Municipal Water Right Application Checklist.
- Domestic; show number of households _____
- Other; describe fully. INDUSTRIAL USE FOR ROCK CRUSHING/AGGREGATE WASHING PRODUCTION AND DUST ABATEMENT

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	02W	29	I / F																
			stor																
56N	02W	29	I																
			from stor																

Total number of acres to be irrigated: _____

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? 96-9538 - same groundwater source and industrial use. This application is necessitated to account for added diversion to storage rate (0.20 cfs) not covered under right 96-9538, that the applicant's 7 hp water transfer pump produces.

11. a. Who owns the property at the point of diversion? APPLICANT

b. Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. Applicant uses a water transfer pump to divert water from a shallow groundwater hand dug well; combined diversion to storage rate = 0.40 cfs (0.2 cfs under 96-9538 and 0.2 cfs under this application). Applicant uses a 8 ft deep lined pond for fire protection storage, industrial storage, and industrial from storage use associates with a concrete rock crushing/aggregate washing operation as well as dust abatement use.

13. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).

14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

S. STEVE LAFRENZ, PRESIDENT

Print Name (and title, if applicable)

Signature of Applicant

Print Name (and title, if applicable)

Total Storage Calculations

FILE NUMBER	96-9538
REVIEWER	Luke Bates
DATE	12/11/2020


This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

User Input
Calculated value
Formula Explanations

Surface Area (AC.)	0.3	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	3.2	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	1.0	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	2.5	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: If a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	0.0	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	0.4	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	3.9	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

FIRE PROTECTION STORAGE = 1.4 AF.

INDUSTRIAL STORAGE and INDUSTRIAL FROM STORAGE = 2.5.




Legend

Township/Range

Sections

QQ





State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN Region • 7600 N MINERAL DR STE 100 • COEUR D'ALENE, ID 83815-7763
Phone: (208)762-2800 • Fax: (208)769-2819 • Website: www.idwr.idaho.gov

Brad Little
Governor

Gary Spackman
Director

January 28, 2021

S. STEVE LAFRENZ
DEBORAH A LAFRENZ
PO BOX 1356
SANDPOINT, ID 83864-0863

RE: Application for Permit No. 96-9841

Dear Applicants:

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the BONNER COUNTY DAILY BEE on 2/4/2021 and 2/11/2021. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in blue ink that reads "Tammy Alleman". The signature is fluid and cursive, with the first name "Tammy" being more prominent than the last name "Alleman".

Tammy Alleman
Administrative Assistant

Alleman, Tammy

From: Alleman, Tammy
Sent: Thursday, January 28, 2021 11:51 AM
To: 'Horsmon, Merritt'; 'Chantilly.Higbee@deq.idaho.gov'; 'Anna.Moody@deq.idaho.gov'; 'Mike Ahmer'
Subject: Request for Comment on WR#96-9841

Dear Interested Agencies:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced Water Right Permit application. You can find copies of the application at: <http://www.idwr.idaho.gov/apps/ExtSearch/WRAJSearch/WRADJSearch.aspx>.

This office can publish notice of the application as soon as the initial review is completed; therefore, your prompt response to this request is appreciated. If your agency desires to formally protest the approval of the application(s), you may do so after the notice is published by filing a written protest along with a \$25.00 filing fee within 10 days after final publication. The deadline for comments on the applications is February 22, 2021.

Please contact the Northern Region Office at (208) 762-2800 if you have any questions regarding the Permit application.

Thank you,

Tammy

*Tammy Alleman
Administrative Assistant
Idaho Department of Water Resources
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800
Fax (208) 762-2819*

Alleman, Tammy

From: Alleman, Tammy
Sent: Thursday, January 28, 2021 11:21 AM
To: 'bcdblegals@cdapress.com'
Subject: Legal Notice
Attachments: Legal Notice for 95-18061, 96-9839, 96-9840, 96-9841.docx

Please publish the enclosed legal notice in the **Bonner County Daily Bee** on the dates indicated **February 4th & February 11th, 2021** (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately. Please send a proof once you have the article ready for print for our review.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before **February 22, 2021**. Your cooperation is appreciated.

Thank you,

Tammy

*Tammy Alleman
Administrative Assistant
Idaho Department of Water Resources
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800
Fax (208) 762-2819*

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-18061

JEANNE M CONSIDINE
RUSSELL S SPRIGGS
300 WALNUT LN
SPIRIT LAKE, ID 83869-9699
Point of Diversion NWNE
S19 T54N R04W
BONNER County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31 0.04 CFS
Use: STOCKWATER
01/01 to 12/31 0.02 CFS
Total Diversion: 0.06 CFS
Date Filed: 01-25-2021
Place Of Use: DOMESTIC, STOCKWATER
T54N R04W S19 NWNE

96-9839

OLD WEST LAND COMPANY
2900 N GOVERNMENT WAY # 22
COEUR D ALENE, ID 83815-3751
Point of Diversion SWSW
S2 T56N R02W
BONNER County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.11 CFS
Date Filed: 01-19-2021
Place Of Use: DOMESTIC
T56N R02W S2 SWSW

96-9840

OLD WEST LAND COMPANY
2900 N GOVERNMENT WAY # 22
COEUR D ALENE, ID 83815-3751
Point of Diversion SWSW
S2 T56N R02W
BONNER County
Source GROUND WATER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.14 CFS
Date Filed: 01-19-2021
Place Of Use: DOMESTIC
T56N R02W S2 SWSW

96-9841

S. STEVE LAFRENZ
DEBORAH A LAFRENZ
PO BOX 1356
SANDPOINT, ID 83864-0863
Point of Diversion NENE
S29 T56N R02W
BONNER County
Source GROUND WATER
Use: FIRE PROTECTION STORAGE
01/01 to 12/31 1.4 AF
Use: INDUSTRIAL FROM STORAGE
01/01 to 12/31 2.5 AF
Use: DIVERSION TO STORAGE
01/01 to 12/31 0.2 CFS
Use: INDUSTRIAL STORAGE
01/01 to 12/31 2.5 AF
Total Diversion: 0.2 CFS, 3.9 AF
Date Filed: 01-22-2021
Place Of Use: FIRE PROTECTION STORAGE, INDUSTRIAL FROM STORAGE, INDUSTRIAL STORAGE
T56N R02W S29 NENE

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Northern office at (208)762-2800; or for a full description of the right(s), please see <https://idwr.idaho.gov/apps/ExtSearch/WRAApplicationResults/>. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of \$25.00 for each application on or before 2/22/2021. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 2/4/2021 and 2/11/2021