

12/9/2020

1983 After Split

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

12/9/2020

4. R02 approval, this water right is within State Water District No. 120.
A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
5. 214 Prior to the diversion and use of water under Transfer approval 76022, the right holder shall install and maintain acceptable measuring device(s) at the authorized point(s) of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
6. 213 Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized point(s) of diversion in accordance with Department specifications.
7. R64 This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
8. F06 The following rights are diverted through point(s) of diversion described above:
35-13976, 35-13977, 35-13978, 35-13979, 35-13980, 35-13981, 35-13982, 35-13983, 35-13984, 35-13985.
9. T07 The right holder shall accomplish the change authorized by this transfer within one year(s) of the date of this approval.
10. T08 Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
11. T19 Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

Comments:

10. JAdamson 12/9/2020 Ownership Change
Water right 35-13983 was split into 35-13983 and 35-14697.

State of Idaho
Department of Water Resources
Water Right License
35-13983



-  Point of Diversion
-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters

0 0.4 0.8 1.6 Miles



IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

10/20/2020

Water Right 35-13983

Before Split

Owner Type **Name and Address**
Current Owner ASHMENT & TAYLOR INC
 PO BOX 51780
 IDAHO FALLS, ID 83405
 (208) 522-7771

Priority Date: 2/23/1962

Basis: Decreed

Status: Active

Source

GROUND WATER

Tributary

Beneficial Use

IRRIGATION

From

04/01

To

10/31

Diversion Rate

1.580 CFS

Volume

670.7 AF

Total Diversion

1.580 CFS

670.7 AF

Source and Point(s) of Diversion

GROUND WATER

NWSENW

Sec. 26, Twp 03N, Rge 36E, BONNEVILLE County

GROUND WATER

NWSWSW

Sec. 23, Twp 03N, Rge 36E, BONNEVILLE County

GROUND WATER

SWNWNE

Sec. 34, Twp 03N, Rge 36E, BONNEVILLE County

GROUND WATER

NWNWSE

Sec. 27, Twp 03N, Rge 36E, BONNEVILLE County

Place Of Use

IRRIGATION within BONNEVILLE County

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N	36E	22	38.0	40.0	40.0	40.0									38.2	40.0	39.0	39.0	314.2
03N	36E	23	39.0	40.0	40.0	39.5	40.0	37.0	40.0	40.0	40.0	38.3	39.0	39.0	38.0	40.0	38.0	38.0	625.8
03N	36E	34	38.0	32.0	40.0	40.0	40.0	39.0	38.0	40.0	40.0	16.0		27.0	40.0	40.0	25.0	17.0	512.0

Right Acre Limit: 525.0

POU Total Acres: 1,452.0

Conditions of Approval:

1. X27 This right is limited to the irrigation of 525 acres within the place of use described above in a single irrigation season.
2. X35 Rights 35-13977, 35-13979, 35-13981, 35-13983 and 35-13985 when combined shall not exceed a total annual maximum diversion volume of 5021.6 af at the field headgate, and the irrigation of 1452 acres.
3. R05 Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 120.
4. R02 A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
5. 214 Prior to the diversion and use of water under Transfer approval 76022, the right holder

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

10/20/2020

- shall install and maintain acceptable measuring device(s) at the authorized point(s) of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
6. 213 Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized point(s) of diversion in accordance with Department specifications.
7. R64 This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
8. F06 The following rights are diverted through point(s) of diversion described above: 35-13976, 35-13977, 35-13978, 35-13979, 35-13980, 35-13981, 35-13982, 35-13983, 35-13984, 35-13985.
9. T07 The right holder shall accomplish the change authorized by this transfer within one year(s) of the date of this approval.
10. T08 Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
11. T19 Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.

Dates and Other Information

Decreed Date: 1/24/2002

Civil Case Number: 39576

Judicial District: FIFTH

State or Federal: S

Water District Number: 120

Generic Max Rate Per Acre: 0.020

Generic Max Volume Per Acre: 4.0

Mitigation Plan: False

Combined Use Limits

<u>Rate</u>	<u>Volume</u>	<u>Acres</u>
	5,021.6	1,452.0
35-13977 ,35-13979 ,35-13981 ,35-13983 ,35-13985		


SubCase:

N/A

Water Supply Bank:

N/A

State of Idaho
Department of Water Resources
Water Right License
35-13983



-  Point of Diversion
-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters

0 0.5 1 2 Miles

