

TP-94-106

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that the department has examined this application for temporary approval to use water under the provisions of Section 42-202a, Idaho Code, and has determined that:

- ☐ a) The application for temporary approval should be denied.
- ☒ b) The application for temporary approval should be approved, since
1. The temporary approval can be properly administered.
 2. Other water sources are not readily available.
 3. The approval is in the public interest.
 4. The approval will not injure known public values associated with the water source or any known water rights.

This application is therefore hereby:

- ☐ a) DENIED
- ☒ b) APPROVED, subject to the following conditions:
1. Diversion and use of water under this approval is subject to all valid existing water rights.
 2. The applicant assumes all risk the use of the water under this approval may injure other water rights.
 3. This approval authorizes a maximum diversion of 0.65 AF and a maximum rate of diversion of 0.2 cfs.
 4. This approval does not grant a right-of-way across the land of another, does not create a continuing right to use the water and may not be used in connection with a use which requires a continuing water supply.
 5. The department may cancel this approval at any time if the department identifies injury to other water rights.
 6. This approval expires on 12/31/2011.
 7. This approval does not create a continuing right to use water.
 8. The holder of this temporary permit shall not divert at a rate or in a manner that will significantly reduce the flow in the water source or otherwise adversely affect fish, wildlife or other public vaules.
 9. Other: Water intakes should be screened to prevent entrainment or impingement of fish or other aquatic life. The maximum screen mesh size should be 0.25 inches; approach velocities should not exceed 0.5 ft/second.
 10. Contact the DEPARTMENT OF WATER RESOURCES prior to diversion of water from streams.

DATED this 4 day of October, 2011.


For the Director

Basin 94
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR TEMPORARY APPROVAL OF WATER APPROPRIATION

(5 AF or less)

Name of Applicant Idaho Transportation Dept. Phone 772-1200

Address 600 W. Prairie Ave, Coeur d'Alene, ID 83815 Email bill.capaul@itd.idaho.gov

1. Source of water S. Fork CdA River Tributary to CdA Lake

2. Location of point of diversion NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 33 Township 49N, Range 2E B.M.,
County Shoshone

3. Location of place of use SAME $\frac{1}{4}$ _____ $\frac{1}{4}$ Sec. _____ Township _____, Range _____ B.M.,
County Same

4. Proposed use of water Drilling fluid for foundation investigation drilling. Exploration of new foundations for I-90 Bridges over Old US-10 east of Pinehurst. MP 45 of I-90. Work expected to take place over the next month.

5. Amount of water:

Maximum rate of diversion _____ cfs or 90 gpm.

Maximum daily volume 0.02 AF; Total volume 0.65 AF.

6. Duration of diversion: From October 4, 2011 to Dec. 31, 2011
Day-month Day-month

7. Proposed diverting works Portable pump with screen and footvalve.

8. Who owns the property at the requested point of diversion? ITD R/W

9. Describe the arrangement allowing access to the water _____

10. Remarks Basin 94; pump screen 0.25" opening; spill protection on-site.

Project Contact: Bill Capaul, 772-1211 or Dan Boston 772-1257

I hereby acknowledge that I assume all risk if the diversion and use of the water under this approval injures other water rights. I certify this is a temporary use and that I am not seeking a continuing right to use water.

Sept. 30, 2011

Date

Bill Capaul
Applicant

Received by _____ Date _____ Time _____
\$50.00 fee received by _____ # _____ Date _____
Watermaster Comments received? _____ Date _____



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

10/04/2011

BILL CAPAUL
IDAHO TRANSPORTATION DEPT
600 W PRAIRIE AVE
COEUR D ALENE ID 83815

RE: Temporary Permit No. TP-94-106

Dear Applicant(s):

Your application for Temporary approval of Water Appropriation has been granted and assigned number TP-94-106 .

Please be advised that THE PERMIT IS SUBJECT TO THE EFFECTIVE DATES AND CONDITIONS STATED ON THE BACK OF THE APPLICATION.

If you have any questions or if this office can be of further assistance, please contact us.

Sincerely,

A handwritten signature in blue ink that reads "Keith E. Franklin". The signature is written in a cursive, flowing style.

Keith E. Franklin
Interim Program Manager

Enclosure Copy of TP-94-106



IDAHO TRANSPORTATION DEPARTMENT
600 W. Prairie Ave.
Coeur d'Alene, ID 83815-8764

(208) 772-1200
itd.idaho.gov

September 30, 2011

Mr. Keith Franklin
Idaho Department of Water Resources
1910 Northwest Blvd., Suite 210
Coeur d'Alene, ID 83814-2615

RE: Basin 94 Water Appropriations Permit

Dear Mr. Franklin;

Enclosed is the completed Form 202a, *Application for Temporary Approval of Water Appropriation*. The request is for the taking of water from the South Fork of the Cd'A River near MP 45 of I-90 east of Pinehurst. The purpose of the application is to provide drilling water during the next phase of foundation drilling at the site of the I-90 bridges over Old US-10 east of Pinehurst.

I will provide an interagency bill purchase order under separate cover.

I appreciate the assistance and advice Mr. Ken Knoblock has provided in light of the short notice of this application.

Sincerely,

Bill

Wm. Capaul, P.G.
District One - Geologist
Idaho Transportation Department
600 W. Prairie Ave.
Coeur d'Alene, ID 83815-8764
208.772.1211 voice
208.772.1203 fax

bcapaul@itd.state.id.us

*Talked with Mary Terra Berns
about this on 10/4/11.
KD*

Bill Capaul

From: Bill Capaul
Sent: Friday, September 30, 2011 3:05 PM
To: Scotty Fellom
Cc: Jenny Klein; Jeff Drager
Subject: Water Appropriations Permit, Pinehurst I-90 Bridge, KN 008916
Attachments: 2011 Water Appropriations Application.pdf

Program (W/A#)	Project Number	Program Name	Major Program (Key#)
1091020	IM-90-1(218)45	I-90, PINEHURST RD GS, WB, BRIDGE #17080	008916

We have submitted a water appropriations permit application to IDWR for our work starting Monday, October 3, 2011. We had to request the appropriation on a short notice as our primary water source has dried up for the year leaving us no choice but to go to the river. We will need an interagency PO in the amount of \$50 for the IDWR. Thanks. Bill