

TP-97-22

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that the department has examined this application for temporary approval to use water under the provisions of Section 42-202a, Idaho Code, and has determined that:

- ☐ a) The application for temporary approval should be denied.
- ☒ b) The application for temporary approval should be approved, since
1. The temporary approval can be properly administered.
 2. Other water sources are not readily available.
 3. The approval is in the public interest.
 4. The approval will not injure known public values associated with the water source or any known water rights.

This application is therefore hereby:

- ☐ a) DENIED
- ☒ b) APPROVED, subject to the following conditions:
1. Diversion and use of water under this approval is subject to all valid existing water rights.
 2. The applicant assumes all risk the use of the water under this approval may injure other water rights.
 3. This approval authorizes a maximum diversion of 5 AF and a maximum rate of diversion of 0.2 cfs.
 4. This approval does not grant a right-of-way across the land of another, does not create a continuing right to use the water and may not be used in connection with a use which requires a continuing water supply.
 5. The department may cancel this approval at any time if the department identifies injury to other water rights.
 6. This approval expires on 11/1/2010.
 7. This approval does not create a continuing right to use water.
 8. The holder of this temporary permit shall not divert at a rate or in a manner that will significantly reduce the flow in the water source or otherwise adversely affect fish, wildlife or other public vaules.
 9. Other: Water intakes should be screened to prevent entrainment or impingement of fish or other aquatic life. The maximum screen mesh size should be 0.25 inches; approach velocities should not exceed 0.5 ft/second.
 10. Contact the DEPARTMENT OF WATER RESOURCES prior to diversion of water from streams.

DATED this 23 day of February, 2010.

Robert G Haynes
For the Director

Receipt # N023534 do
\$50.00 2/11/2010

Basin 97

Ident. No. TP-97-22

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESAPPLICATION FOR TEMPORARY APPROVAL OF WATER APPROPRIATION
(5 AF or Less)RECEIVED
FEB 11 2010
IDWR / NORTHName of Applicant Bonner County Public Works-Road Department Phone 208.255.5681Post Office address 335 McGhee Road, Suite 107, Sandpoint, ID 83864

1. Source of Water Multiple Tributary to _____
2. Location of point of diversion 1/4 1/4, Sec. _____ Township _____, Range _____
B.M., County _____
3. Location of place of use 1/4 1/4, Sec. _____ Township _____, Range _____
4. Proposed use of water DUST ABATEMENT FOR ROAD CONSTRUCTION AND

MAINTENANCE

5. Amount of water:

Maximum rate of diversion 0.20 cfs or 90 gpm.

Volume:

Maximum daily volume .25 AF, Total vol. 5.0 AF.

6. Duration of diversion: From 5/01/2010 to 10/31/2010
Day-Month Day-Month

7. Proposed diverting works _____

8. Who Owns the property at the requested point of diversion? _____

9. Describe the arrangement allowing access to the water _____

10. Remarks _____

I hereby acknowledge that I assume all risk in the diversion and use of the water under this approval injures other water rights. I certify this is a temporary use and that I am not seeking a continuing right to use water.

01/05/2010
DATE

APPLICANT



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815
Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

02/23/2010

335
BONNER COUNTY PUBLIC WORKS
ROAD DEPARTMENT
335 MC GHEE RD STE 107
SANDPOINT ID 83864

RE: Temporary Permit No. TP-96-83 AND TP-97-22

Dear Applicant(s):

Your applications for Temporary approval of Water Appropriation have been granted and assigned number TP-96-83 and TP-97-22.

Please be advised that THE PERMITS ARE SUBJECT TO THE EFFECTIVE DATES AND CONDITIONS STATED ON PAGE TWO OF THE APPLICATIONS.

If you have any questions or if this office can be of further assistance, please contact us.

Sincerely,

Robert G. Haynes, P.E.
Regional Manager

Enclosure

Franklin, Keith

From: Terra Berns, Mary [mary.terra-berns@idfg.idaho.gov]
Sent: Monday, February 22, 2010 10:57 AM
To: Franklin, Keith
Subject: temp water right - bonner county hwy dist

Keith,

As in past years, the water trucks for Bonner County are not allow to use the boat ramps at our access sites (there are several listed in the application). They may use the access site to draw water, but they cannot block the ramp or back the truck down the ramp to draw water ; they can park to the side of the ramp to access water.

Let me know if you have any questions.

Thanks, Mary



Please note new email address **mary.terra-berns@idfg.idaho.gov**

Mary Terra-Berns
Environmental Staff Biologist
Idaho Department of Fish & Game
2885 W. Kathleen Ave.
Coeur d'Alene, ID 83814
208-769-1414 208-769-1418 fax
mary.terra-berns@idfg.idaho.gov



BONNER COUNTY PUBLIC WORKS

Road & Bridge Department

335 McGhee Road, Suite 107 • Sandpoint, ID 83864 • Phone: 208-255.5681 Fax: 208-263.9084
email: roads@co.bonner.id.us

Water sources for Bonner County Road & Bridge Department

District 1 - south of the Long Bridge

Cocolalla Lake
Granite Lake
Shepard Lake
Mirror Lake
Curtis Creek

Cocolalla Creek
Hoo Doo Creek
Round Lake
Pend Oreille River & Lake
Blanchard Creek

Cocolalla Slough
Morton Slough
Gamblin Lake
Comeback Bay
Kelso Lake

District 2 - Priest River/Priest Lake

Priest River
Kalispell Creek
Johnson Creek
Indian Creek

Priest Lake
Granite Creek
Hunt Creek
Upper and Lower West Branch of Priest River

Moore Creek
Big Creek
East River

District 3 – North of Sandpoint/Hope & Clark Fork

Ray Davis Slough
Denton Slough
Pack River
Boyer Slough

Hope
Bridge at Clark Fork
Rapid Lightning Creek
Sand Creek

Grouse Creek
Little Sand Creek
Schweitzer Creek

If additional information is required, please contact this office.



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 FAX: (208) 762-2819 www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

DAVID R. TUTHILL, JR.
Interim Director

FAX TRANSMITTAL COVER SHEET

DATE: 2/12/10

TO: Mary Terra Berns

FROM: _____

FAX #: 208-769-1418

NOTE: BLANK FORMS ARE AVAILABLE ON THE INTERNET AT:
www.idwr.state.id.us/info/forms.htm

DOCUMENT DESCRIPTION:

Two Temporary Water appropriation requests. -
Bonner County Highway Dist.

TOTAL PAGES SENT: 6 PLUS (+) COVER SHEET

CONTACT: Keith Franklin
(NAME OF SENDER)

CHARGES: One (1) free copy per request, cover sheet not included. Two (2) or more copies per request are \$0.25 per page with a \$0.50 minimum

PLEASE CONSIDER THIS DOCUMENT AS A BILLING STATEMENT.

THE CHARGE FOR YOUR FAX COPIES IS \$ _____

PLEASE REMIT BY RETURN MAIL TO THE ABOVE ADDRESS.

PHONE NO: (208) 762-2800

FAX NO: (208) 762-2819

FAXED



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

DAVID R. TUTHILL, JR.
Director

February 12, 2010

MARY TERRA BERNS
IDAHO DEPARTMENT OF FISH & GAME
2885 KATHLEEN AVE.
COEUR D' ALENE, ID 83815

Re: Application For a Temporary Approval of a Water Appropriation

Dear MARY:

The Department of Water Resources is seeking comment and/or recommendation from your agency, regarding two applications to temporarily appropriate 10.0 acre-feet of water from various sources by the Bonner County Highway District for construction water. Essentially this is a renewal of the permits that were granted the last couple of years. Copies of the applications are attached for your reference.

Would you please submit any comments you might have no later than February 22, 2010? If we do not hear from you by that date, we will assume that no comment from you, means you have no objection to, concerns about, or conditions pertaining to the issuance of this permit.

You may send comments by regular mail to the address above, by FAX to 762-2819 or by e-mail to keith.franklin@idwr.idaho.gov.

If you have any questions, don't hesitate to contact me at this office.

Thank you.

Sincerely,

Keith E. Franklin
Water Resources Agent

Encl/kf

FAXED



BONNER COUNTY PUBLIC WORKS

Road & Bridge Department

335 McGhee Road, Suite 107 • Sandpoint, ID 83864 • Phone: 208.255.5681 Fax: 208-263.9084

Email: roads@co.bonner.id.us

RECEIVED

FEB 11 2010

IDWR / NORTH

January 05, 2010

Mr. Robert Haynes
Department of Water Resources
7600 Mineral Drive, Suite 100
Coeur d'Alene, ID 83815

RE: Renewal of Water Permits

Dear Mr. Haynes:

We are requesting the renewal of our water permits for the Priest River and Pend Oreille River drainages. Use is from May 1, 2010 through October 31, 2010 for dust abatement during regular maintenance and/or road reconstruction projects. Anticipated normal usage will be 15,000 gallons per week per site.

Enclosed please find a check in the amount of \$100.00 for the permits and a list of the locations from where water is pulled.

Thank you for your consideration. If there is any additional information needed please contact our office.

Sincerely,

A blue ink signature of Ryan J. Luttmann, written in a cursive style.

Ryan J. Luttmann, Director
Bonner County Public Works
Road & Bridge Department

kco

Enclosures