

TP-96-85

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that the department has examined this application for temporary approval to use water under the provisions of Section 42-202a, Idaho Code, and has determined that:

COPY

- ___ a) The application for temporary approval should be denied.
- ✓ b) The application for temporary approval should be approved, since
1. The temporary approval can be properly administered.
 2. Other water sources are not readily available.
 3. The approval is in the public interest.
 4. The approval will not injure known public values associated with the water source or any known water rights.

This application is therefore hereby:

- ___ a) DENIED
- ✓ b) APPROVED, subject to the following conditions:
1. Diversion and use of water under this approval is subject to all valid existing water rights.
 2. The applicant assumes all risk the use of the water under this approval may injure other water rights.
 3. This approval authorizes a maximum diversion of 3 AF and a maximum rate of diversion of 0.22 cfs.
 4. This approval does not grant a right-of-way across the land of another, does not create a continuing right to use the water and may not be used in connection with a use which requires a continuing water supply.
 5. The department may cancel this approval at any time if the department identifies injury to other water rights.
 6. This approval expires on 9-19-2010.
 7. This approval does not create a continuing right to use water.
 8. The holder of this temporary permit shall not divert at a rate or in a manner that will significantly reduce the flow in the water source or otherwise adversely affect fish, wildlife or other public values.
 9. Other: Water intakes should be screened to prevent entrainment or impingement of fish or other aquatic life. The maximum screen mesh size should be 0.25 inches; approach velocities should not exceed 0.5 ft/second.
 10. Contact the DEPARTMENT OF WATER RESOURCES prior to diversion of water from streams.

DATED this 20 day of August, 2010.

Robert G Haynes
For the Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

COPY

APPLICATION FOR TEMPORARY APPROVAL OF WATER APPROPRIATION

(5 AF or less)

- Name of Applicant Tom Tape Grante Hill Sand & Gravel Phone 683-2753
- Address 132 Sunset Rd, Athol, Id 83801 Email jdjoan@gmail.com
1. Source of water Morton Slough Tributary to Pend Oreille River
2. Location of point of diversion NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 15 Township 56N Range 34W B.M.,
County Bonner
3. Location of place of use NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 15 Township 56N Range 34W B.M.,
County Bonner
4. Proposed use of water water roadway under construction
5. Amount of water:
Maximum rate of diversion 0.22 cfs or 100 gpm.
Maximum daily volume _____ AF; Total volume 3 AF.
6. Duration of diversion: From 8-18-10 to 9-18-10
Day-month Day-month
7. Proposed diverting works pump on water tank
8. Who owns the property at the requested point of diversion? State
9. Describe the arrangement allowing access to the water access already there
10. Remarks Bonner County has appropriated water for their work in the area.

I hereby acknowledge that I assume all risk if the diversion and use of the water under this approval injures other water rights. I certify this is a temporary use and that I am not seeking a continuing right to use water.

8-18-10
Date

Joan Tape
Applicant

Received by KS Date 8/19/2010 Time 3:56 pm
\$50.00 fee receipted by KS # N25456 Date 8/19/2010
Watermaster Comments received? _____



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

08/20/2010

COPY

TIM TOPE
GRANITE HILL SAND & GRAVEL
132 SUNSET RD
ATHOL ID 83801

RE: Temporary Permit No. TP-96-85

Dear Applicant(s):

Your application for Temporary approval of Water Appropriation has been granted and assigned number TP-96-85.

Please be advised that THE PERMIT IS SUBJECT TO THE EFFECTIVE DATES AND CONDITIONS STATED ON PAGE TWO OF THE APPLICATION.

If you have any questions or if this office can be of further assistance, please contact us.

Sincerely,

A handwritten signature in blue ink that reads "Robert G. Haynes". The signature is written in a cursive, flowing style.

Robert G. Haynes, P.E.
Regional Manager

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 FAX: (208) 762-2819 www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN.
Interim Director

FAX TRANSMITTAL COVER SHEET

DATE: 8/19/20
TO: Mary Tera Berns
FAX #: 208-769-1418

FROM: _____

NOTE: BLANK FORMS ARE AVAILABLE ON THE INTERNET AT:
<http://www.idwr.idaho.gov/RulesStatutesForms/>

DOCUMENT DESCRIPTION:

App. For Temp. Permit, John Tope/
Granite Hill Sand & Gravel.

TOTAL PAGES SENT: 9 PLUS (+) COVER SHEET

CONTACT: Keith Franklin
(NAME OF SENDER)

CHARGES: One (1) free copy per request, cover sheet not included. Two (2) or more copies per request are \$0.25 per page with a \$0.50 minimum

PLEASE CONSIDER THIS DOCUMENT AS A BILLING STATEMENT.

THE CHARGE FOR YOUR FAX COPIES IS \$ _____

PLEASE REMIT BY RETURN MAIL TO THE ABOVE ADDRESS.

PHONE NO: (208) 762-2800

FAX NO: (208) 762-2819

FAXED



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

August 19, 2010

MARY TERRA BERNIS
IDAHO DEPARTMENT OF FISH & GAME
2885 KATHLEEN AVE.
COEUR D' ALENE, ID 83815

Re: Application For a Temporary Approval of a Water Appropriation

Dear Mary:

The Department of Water Resources is seeking comment and/or recommendation from your agency, regarding an application to temporarily appropriate up to 3 acre-feet of water out of the Morton Slough which is tributary to the Pend Oreille River, by Granite Hill Sand & Gravel, for road construction water. A copy of the application is attached for your reference.

Would you please submit your comments no later than August 26, 2010 and sooner if possible? The company is trying to complete fill compaction job on a road as soon as possible. If we do not hear from you by that date, we will assume that no comment from you, means you have no objection to, concerns about, or conditions pertaining to the issuance of this permit.

You may send comments by regular mail to the address above, by FAX to 762-2819 or by e-mail to keith.franklin@idwr.idaho.gov.

If you have any questions, don't hesitate to contact me at this office.

Thank you.

Sincerely,

Keith E. Franklin
Water Resources Agent

Encl/kf

*Mary called on 8/20/2010
and said they didn't
object to this permit.
8/20/10 KF*

FAXED