

RECEIVED

84250

RECEIVED

JUL 29 2020

STATE OF IDAHO

Ident. No. 98-8024

JUL 23 2020

DEPARTMENT OF WATER RESOURCES

IDWR / NORTH

## APPLICATION FOR PERMIT

IDWR / NORTH

To appropriate the public waters of the State of Idaho

1. Name of applicant(s) ROSS W. ROBERTSON - JUDY D. ROBERTSON Phone 208-597-1826  
 Name connector (check one): ☐ and ☐ or ☒ and/or RWR 7-27-20  
 Mailing address P.O. Box 435 City BONNERS FERRY  
 State ID ZIP 83809 Email ROSSCOSLIM1@GMAIL.COM
2. Name of representative, if any \_\_\_\_\_ Phone \_\_\_\_\_  
 Mailing address \_\_\_\_\_ City \_\_\_\_\_  
 State \_\_\_\_\_ ZIP \_\_\_\_\_ Email \_\_\_\_\_
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR  
☒ Send original correspondence to the applicant and copies to the representative.
- b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR  
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply SPRING which is a tributary of SINKS
4. Location of point(s) of diversion:

| Twp | Rge | Sec | Govt Lot | 1/4 | 1/4 | 1/4 | County   | Source | Local name or tag # |
|-----|-----|-----|----------|-----|-----|-----|----------|--------|---------------------|
| 61W | 1E  | 31  |          | NE  | SW  | NE  | BOUNDARY | SPRING |                     |
|     |     |     |          |     |     |     |          |        |                     |
|     |     |     |          |     |     |     |          |        |                     |
|     |     |     |          |     |     |     |          |        |                     |

5. Water will be used for the following purposes:
- Amount 102.120 for DIVERSION TO STORAGE purposes from 01-01 to 12-31 (both dates inclusive)  
 (cfs or acre-feet per year)
- Amount 5.5 for IRRIGATION STORAGE purposes from 01-01 to 12-31 (both dates inclusive)  
 (cfs or acre-feet per year)
- Amount 5.5 for IRRIGATION FROM STORAGE purposes from 04-01 to 10-31 (both dates inclusive)  
 (cfs or acre-feet per year) RWR 7-27-20
- Amount 7.6 for RECREATION STORAGE purposes from 01-01 to 12-31 (both dates inclusive)  
 (cfs or acre-feet per year) RWR 7-27-20
6. Total quantity to be appropriated is (a) 120 cubic feet per second (cfs) and/or (b) 120 acre-feet per year (af) RWR 7-27-20
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. BUILD WATERLINE FROM CURRENT UNDEVELOPED SPRING TO NEW EXCAVATED POND FOR RECREATION AND IRRIGATION FROM STORAGE
- b. Height of storage dam 9 feet; active reservoir capacity 3.5 acre-feet, total reservoir capacity \_\_\_\_\_ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No
- c. Proposed well diameter is \_\_\_\_\_ inches; proposed depth of well is \_\_\_\_\_ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
- e. If well is already drilled, when? \_\_\_\_\_; drilling firm \_\_\_\_\_; well was drilled for (well owner) \_\_\_\_\_; Drilling Permit No. \_\_\_\_\_

## For Department Use

Received by \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_ Preliminary check by \_\_\_\_\_  
 Fee \$ 100.00 Received by JA Receipt No. N036284 Date 7-23-2020

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in kW. \_\_\_\_\_
- b. Stockwatering; list number and kind of livestock. \_\_\_\_\_
- c. Municipal; must complete and attach the Municipal Water Right Application Checklist.
- d. Domestic; show number of households \_\_\_\_\_
- e. Other; describe fully. RECREATION STORAGE IS FOR FISH STOCKED IN POND (NOT FOR COMMERCIAL SALE) MEETING ID FISH & GAME APPROVAL

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

| TWP | RGE | SEC | NE |    |     |    | NW |    |    |    | SW |    |    |    | SE |    |    |    | TOTALS |
|-----|-----|-----|----|----|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------|
|     |     |     | NE | NW | SW  | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |        |
| 61N | 01E | 31  |    |    | IS  |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    | 3.0 |    |    |    |    |    |    |    |    |    |    |    |    |    | 3.0    |
|     |     |     |    |    | 125 |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |     |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |     |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |     |    |    |    |    |    |    |    |    |    |    |    |    |    |        |

Total number of acres to be irrigated: 3.0

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? \_\_\_\_\_

11. a. Who owns the property at the point of diversion? APPLICANTS
- b. Who owns the land to be irrigated or place of use? APPLICANTS
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: \_\_\_\_\_

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. POND WILL BE UNFINED. SOIL CLASS ML

13. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).

14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Ross W Robertson

Signature of Applicant

Ross W Robertson

Print Name (and title, if applicable)

Judy Robertson

Signature of Applicant

Judy Robertson

Print Name (and title, if applicable)

## Total Storage Calculations


|             |             |
|-------------|-------------|
| FILE NUMBER | XX-XXXXX    |
| REVIEWER    | Shaun Maxey |
| DATE        | 12/28/2018  |

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

|                      |
|----------------------|
| User Input           |
| Calculated value     |
| Formula Explanations |


|                                                                                              |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|----------------------------------------------------------------------------------------------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Surface Area (AC.)                                                                           | 0.5  | "Surface Area" is automatically carried over from the "Seepage Loss" sheet.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Average Pond Depth (FT.)                                                                     | 7    | "Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Pond Capacity (AF)                                                                           | 3.5  | Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above.<br><b>Note:</b> If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.                                                                                                                                                                                                                                                                                                                                                                                                  |
| Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF) | 5.5  | The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed).<br><b>Note:</b> You must have a " <u>From Storage</u> " component exceeding the initial fill on the permit to include a volume in this space. |
| Estimated Seepage Loss (AF)                                                                  | 3.6  | The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Estimated Evaporation Loss (AF)                                                              | 0.5  | The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Total Volume Required (AF)                                                                   | 13.2 | The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

State of Idaho  
Department of Water Resources  
**Application For Permit**



01W  
RWR  
7-27-20

- Quarter Quarters
- Taxlots



X = SPRING (POINT OF DIVERSION)  
O POND (ALL STORAGE USES)  
IRRIGATION FROM STORAGE



Tax parcel information provided by Boundary County

RECEIVED

JUL 23 2020

IDWR / NORTH

84250

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

# APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Ident. No. 98-8024

- Name of applicant(s) ROSS W. ROBERTSON-JUDY D. ROBERTSON Phone 208-597-1826  
Mailing address P.O. Box 435 City BONNERS FERRY  
State ID ZIP 83809 Email ROSSCOSLIM1@GMAIL.COM  
Name connector (check one): ☐ and ☐ or ☐ and/or
- Name of representative, if any \_\_\_\_\_ Phone \_\_\_\_\_  
Mailing address \_\_\_\_\_ City \_\_\_\_\_  
State \_\_\_\_\_ ZIP \_\_\_\_\_ Email \_\_\_\_\_  
a. ☐ Send all correspondence for this application to the representative and not to the applicant OR  
☒ Send original correspondence to the applicant and copies to the representative.  
b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR  
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
- Source of water supply SPRING which is a tributary of SINKS
- Location of point(s) of diversion:

| Twp | Rge | Sec | Govt Lot | 1/4 | 1/4 | 1/4 | County   | Source | Local name or tag # |
|-----|-----|-----|----------|-----|-----|-----|----------|--------|---------------------|
| 61N | 1E  | 31  |          | NE  | SW  | NE  | BOUNDARY | SPRING |                     |
|     |     |     |          |     |     |     |          |        |                     |
|     |     |     |          |     |     |     |          |        |                     |
|     |     |     |          |     |     |     |          |        |                     |

- Water will be used for the following purposes:  
Amount 1.02 for DIVERSION TO STORAGE purposes from 01-01 to 12-31 (both dates inclusive)  
(cfs or acre-feet per year)  
Amount 5.5 for IRRIGATION STORAGE purposes from 01-01 to 12-31 (both dates inclusive)  
(cfs or acre-feet per year)  
Amount 5.5 for IRRIGATION FROM STORAGE purposes from 03-31 to 11-01 (both dates inclusive)  
(cfs or acre-feet per year)  
Amount 7.6 for RECREATION STORAGE purposes from 01-01 to 12-31 (both dates inclusive)  
(cfs or acre-feet per year)
- Total quantity to be appropriated is (a) \_\_\_\_\_ cubic feet per second (cfs) and/or (b) 13.2 acre-feet per year (af).
- Proposed diverting works:  
a. Describe type and size of devices used to divert water from the source. BUILD WATERLINE FROM CURRENT UNDEVELOPED SPRING TO NEW EXCAVATED POND FOR RECREATION AND IRRIGATION FROM STORAGE  
b. Height of storage dam 9 feet; active reservoir capacity \_\_\_\_\_ acre-feet; total reservoir capacity \_\_\_\_\_ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No  
c. Proposed well diameter is \_\_\_\_\_ inches; proposed depth of well is \_\_\_\_\_ feet.  
d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No  
e. If well is already drilled, when? \_\_\_\_\_; drilling firm \_\_\_\_\_; well was drilled for (well owner) \_\_\_\_\_; Drilling Permit No. \_\_\_\_\_

## For Department Use

Received by \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_ Preliminary check by \_\_\_\_\_  
Fee \$ 100.00 Received by Ja Receipt No. N036284 Date 7-23-2020

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in kW. \_\_\_\_\_
  - Stockwatering; list number and kind of livestock. \_\_\_\_\_
  - Municipal; must complete and attach the [Municipal Water Right Application Checklist](#).
  - Domestic; show number of households \_\_\_\_\_
  - Other; describe fully. RECREATION STORAGE IS FOR FISH STOCKED IN POND (NOT FOR COMMERCIAL SALE) MEETING ID FISH & GAME APPROVAL
9. Description of place of use:
- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
  - If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

| TWP | RGE | SEC | NE |    |     |    | NW |    |    |    | SW |    |    |    | SE |    |    |    | TOTALS |
|-----|-----|-----|----|----|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------|
|     |     |     | NE | NW | SW  | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |        |
| 61N | 01E | 31  |    |    | IS  |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    | 3.0 |    |    |    |    |    |    |    |    |    |    |    |    |    | 3.0    |
|     |     |     |    |    | 126 |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |     |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |     |    |    |    |    |    |    |    |    |    |    |    |    |    |        |

Total number of acres to be irrigated: 3.0

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? \_\_\_\_\_
11. a. Who owns the property at the point of diversion? APPLICANTS
- b. Who owns the land to be irrigated or place of use? APPLICANTS
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: \_\_\_\_\_
12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. POND WILL BE UNFINED. SOIL CLASS ML
13. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).
14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Ross W Robertson  
Signature of Applicant  
Ross W Robertson  
Print Name (and title, if applicable)

Judy Robertson  
Signature of Applicant  
Judy Robertson  
Print Name (and title, if applicable)

## Total Storage Calculations

|             |             |
|-------------|-------------|
| FILE NUMBER | XX-XXXXX    |
| REVIEWER    | Shaun Maxey |
| DATE        | 12/28/2018  |

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

|                      |
|----------------------|
| User Input           |
| Calculated value     |
| Formula Explanations |

|                                                                                              |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|----------------------------------------------------------------------------------------------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Surface Area (AC.)                                                                           | 0.5  | "Surface Area" is automatically carried over from the "Seepage Loss" sheet.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Average Pond Depth (FT.)                                                                     | 7    | "Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Pond Capacity (AF)                                                                           | 3.5  | Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above.<br><b>Note:</b> If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.                                                                                                                                                                                                                                                                                                                                                                                                  |
| Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF) | 5.5  | The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed).<br><b>Note:</b> You must have a " <u>From Storage</u> " component exceeding the initial fill on the permit to include a volume in this space. |
| Estimated Seepage Loss (AF)                                                                  | 3.6  | The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Estimated Evaporation Loss (AF)                                                              | 0.5  | The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Total Volume Required (AF)                                                                   | 13.2 | The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

State of Idaho  
Department of Water Resources  
**Application For Permit**



- Quarter Quarters
- Taxlots

Tax parcel information provided by Boundary County

0 0.015 0.03 0.06 Miles

X = SPRING (POINT OF  
DIVERSION  
POND CAN STORAGE  
USES  
IRRIGATION  
FROM STORAGE





State of Idaho

## DEPARTMENT OF WATER RESOURCES

NORTHERN Region • 7600 N MINERAL DR STE 100 • COEUR D ALENE, ID 83815-7763  
Phone: (208)762-2800 • Fax: (208)769-2819 • Website: [www.idwr.idaho.gov](http://www.idwr.idaho.gov)

Brad Little  
Governor

Gary Spackman  
Director

September 10, 2020

ROSS W ROBERTSON  
JODY D ROBERTSON  
PO BOX 435  
BONNERS FERRY, ID 83805-0435

RE: Application for Permit No. 98-8024

Dear Applicants:

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the BONNERS FERRY HERALD on 9/17/2020 and 9/24/2020. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Tammy Alleman  
Administrative Assistant

## Alleman, Tammy

---

**From:** Alleman, Tammy  
**Sent:** Thursday, September 10, 2020 11:00 AM  
**To:** 'Horsmon,Merritt'; 'Chantilly.Higbee@deq.idaho.gov'; 'Anna.Moody@deq.idaho.gov'  
**Subject:** Request for Comments WR# 98-8022

Dear Interested Agencies:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced Water Right applications. You can find copies of the applications at: <http://www.idwr.idaho.gov/apps/ExtSearch/WRAJSearch/WRADJSearch.aspx>.

This office can publish notice of the application as soon as the initial review is completed; therefore, your prompt response to this request is appreciated. If your agency desires to formally protest the approval of the application(s), you may do so after the notice is published by filing a written protest along with a \$25.00 filing fee within 10 days after final publication. The deadline for comments on the applications is October 5<sup>th</sup>, 2020.

Please contact the Northern Region Office at (208) 762-2800 if you have any questions regarding the applications.

Thank you,

Tammy

*Tammy Alleman  
Administrative Assistant  
Idaho Department of Water Resources  
7600 N Mineral Drive, Suite 100  
Coeur d'Alene, ID 83815-7763  
Phone: (208) 762-2800  
Fax (208) 762-2819*

**Alleman, Tammy**

---

**From:** Alleman, Tammy  
**Sent:** Thursday, September 10, 2020 11:05 AM  
**To:** 'BFHLegals@bonnersferryherald.com'  
**Subject:** Legal Notice  
**Attachments:** Legal Notice for 98-8022 & 98-8024.docx

Please publish the enclosed legal notice in the **Bonners Ferry Herald** on the dates indicated **September 17<sup>th</sup> & September 24<sup>th</sup>, 2020** (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately. Please send a proof once you have the article ready for print for our review.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before **October 5<sup>th</sup>, 2020**. Your cooperation is appreciated.

Thank you,

Tammy

*Tammy Alleman  
Administrative Assistant  
Idaho Department of Water Resources  
7600 N Mineral Drive, Suite 100  
Coeur d'Alene, ID 83815-7763  
Phone: (208) 762-2800  
Fax (208) 762-2819*

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

**98-8022**

JASON HOUY  
SALLY HOUY  
594 BLACK MOUNTAIN RD  
BONNERS FERRY, ID 83805-5341  
Point of Diversion SWNWNE  
S23 T61N R01E  
BOUNDARY County  
Source SPRING  
Tributary BROWN CREEK  
Use: IRRIGATION  
04/01 to 10/31  
Total Diversion: 0.1 CFS  
Date Filed: 08-05-2020  
Place Of Use: IRRIGATION  
T61N R01E S23 NWNE  
Total Acres: 4

**98-8024**

ROSS W ROBERTSON  
JODY D ROBERTSON  
PO BOX 435  
BONNERS FERRY, ID 83805-0435  
Point of Diversion NESWNE  
S31 T61N R01E  
BOUNDARY County  
Source SPRING  
Tributary SINKS  
Use: RECREATION STORAGE  
01/01 to 12/31 7.6 AF  
Use: DIVERSION TO STORAGE  
01/01 to 12/31 0.2 CFS  
Use: IRRIGATION STORAGE  
01/01 to 12/31 5.5 AF  
Use: IRRIGATION FROM STORAGE  
04/01 to 10/31 5.5 AF  
Total Diversion: 0.2 CFS  
Date Filed: 07-29-2020  
Place Of Use: DIVERSION TO STORAGE, IRRIGATION FROM STORAGE, IRRIGATION STORAGE, RECREATION STORAGE  
T61N R01E S31 SWNE

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Northern office at (208)762-2800; or for a full description of the right(s), please see <https://idwr.idaho.gov/apps/ExtSearch/WRAApplicationResults/>. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D'ALENE ID 83815-7763 together with a protest fee of \$25.00 for each application on or before 10/5/2020. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 9/17/2020 and 9/24/2020

## Maxey, Shaun

---

**From:** Ross Robertson <rosscoslim1@gmail.com>  
**Sent:** Wednesday, September 9, 2020 4:15 PM  
**To:** Maxey, Shaun  
**Subject:** Re: Acre Feet (AF) Corrections to Application For Permit 98-8024

Yes I want it to be acre feet thanks (AF)  
Ross Robertson

On Wed, Sep 9, 2020, 4:10 PM Maxey, Shaun <[Shaun.Maxey@idwr.idaho.gov](mailto:Shaun.Maxey@idwr.idaho.gov)> wrote:

Mr. or Mrs. Robertson:

Attached is a copy of your current Application For Permit. Please reply to this e-mail to indicate whether the numbers shown on Page 1 Line 5 for Irrigation Storage(5.5) , Irrigation from Storage (5.5), and Recreation Storage (7.6) are Acre Feet (AF) amounts or Cubic Feet per Second (CFS). I believe based on previous conversations with you that the numbers are for Acre Feet (AF).

I can be reached at (208) 762.2816 if you have any questions.

Thanks,

Shaun Maxey

Shaun M. Maxey

Sr. Water Resource Agent

Idaho Department of Water Resources, Northern Region

Coeur d'Alene, ID 83815

(208) 762.2816

# MEMORANDUM

**Date:** July 30, 2020  
**To:** Water Right File 98-8024  
**From:** smaxey  
**Re:** PRIORITY DATE 7/29/2020

---

| <u>APPLICATION VERSION</u> | <u>IDWR<br/>DATE RECVD</u> | <u>IDAPA 37.03.08 STATUS</u>                                                                                                                                                                                                  | <u>PRIORITY</u>  |
|----------------------------|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| ORIGINAL APPLICATION       | 7/23/2020                  | <b>ACCEPTABLE FOR<br/>FILING. RECEIVED AT<br/>IDWR N. REGION OFFICE.<br/>7/23/2020. APPLICATION<br/>MISSING NAME CONECTOR,<br/>AND HAS LOW FLOW RATE<br/>(CFS) FOR DIVERSION TO<br/>STORAGE.</b>                              | <b>7/23/2020</b> |
| CORRECTED APPLICATION      | 7/29/2020                  | <b>ACCEPTABLE FOR<br/>FILING. APPLICATION HAS<br/>HIGHER FLOW RATE (CFS)<br/>FROM SPRING / TOTAL<br/>QUANTITY TO BE APPROPRIATED,<br/>ADDED NAME CONNECTOR,<br/>CHANGED SEASON OF USE<br/>&amp; TOTAL RESERVOIR CAPACITY.</b> | <b>7/29/2020</b> |

## MEMORANDUM

**Date:** July 30, 2020  
**To:** Application For Permit 98-8024 File  
**From:** smaxey  
**Re:** MEASUREMENT UNIT CUBIC FEET PER SECOND (CFS) OR ACRE FEET (AF)  
CORRECTION (IDWR APPLICATION PROCESSING MEMO NO. 9).

---

THE MEASUREMENT UNITS SHOWN FOR IRRIGATION STORAGE (5.5), IRRIGATION FROM STORAGE (5.5), & RECREATION STORAGE (7.6) SHOWN ON APPLICATION FOR PERMIT 98-8024 WERE NOT SPECIFIED IN THE CORRECTIONS MADE BY APPLICANT ROSS W. ROBERTSON ON 7/27/2020.

MR. ROBERTSON INDICATED VIA E-MAIL ON 9/9/2020 THAT HIS INTENT IS FOR THE MEASUREMENT UNITS TO BE SHOWN AS ACRE FEET (AF), THEREFORE, DATA ENTRY FOR THE USES DESCRIBED ABOVE WILL BE SHOWN IN AF IN ACCORDANCE WITH IDWR APPLICATION PROCESSING MEMO NO. 9.

## Maxey, Shaun

---

**From:** Maxey, Shaun  
**Sent:** Friday, July 24, 2020 3:34 PM  
**To:** 'rosscoslim1@gmail.com'  
**Subject:** Corrections to Application For Permit 98-8024  
**Attachments:** 98-8024 APP ROBERTSON Pg. 1 & Pg. 2.pdf

Mr. or Mrs. Robertson:

Please telephone me at (208) 762.2816 about making a few corrections, with your initials and date on the attachment to this e-mail, to complete your Application For Permit.

- 1) Please check the 'and' or 'and/or' box underneath Line 1 of the Application
- 2) Please correct the Season of Use on Line 5 'Irrigation From Storage' to read as '04-01 to 10-31'
- 3) Please cross out the 13.2 Acre Feet shown on Line 6(b). Line 6(a) should also read the same as your Diversion to Storage quantity on Line 5.
- 4) Please add '3.5' to the acre feet space for 'active reservoir capacity' on Line 7(b).
- 5) Please cross off the '01W' shown on the left side of the Application For Permit map and initial and date next to each cross off. All of your property lies within Township 01 E (Township 01 East).

Thanks,

Shaun Maxey

Shaun M. Maxey  
Sr. Water Resource Agent  
Idaho Department of Water Resources, Northern Region  
Coeur d'Alene, ID 83815  
(208) 762.2816