

TP-96-76

Received by db Date 3/5/08 Time 11:20
\$50.00 fee receipted by SK # N019066 Date 2/28/08
Watermaster Comments received? _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that the department has examined this application for temporary approval to use water under the provisions of Section 42-202a, Idaho Code, and has determined that:

- _____ a) The application for temporary approval should be denied.
- ☒ b) The application for temporary approval should be approved, since
1. The temporary approval can be properly administered.
 2. Other water sources are not readily available.
 3. The approval is in the public interest.
 4. The approval will not injure known public values associated with the water source or any known water rights.

This application is therefore hereby:

- _____ a) DENIED
- ☒ b) APPROVED, subject to the following conditions:
1. Diversion and use of water under this approval is subject to all valid existing water rights.
 2. The applicant assumes all risk the use of the water under this approval may injure other water rights.
 3. This approval authorizes a maximum diversion of 5 AF and a maximum rate of diversion of 0.2 cfs.
 4. This approval does not grant a right-of-way across the land of another, does not create a continuing right to use the water and may not be used in connection with a use which requires a continuing water supply.
 5. The department may cancel this approval at any time if the department identifies injury to other water rights.
 6. This approval expires on 12/31/08.
 7. This approval does not create a continuing right to use water.
 8. The holder of this temporary permit shall not divert at a rate or in a manner that will significantly reduce the flow in the water source or otherwise adversely affect fish, wildlife or other public values.
 9. Other: Water intakes should be screened to prevent entrainment or impingement of fish or other aquatic life. The maximum screen mesh size should be 0.2 inches; approach velocities should not exceed 0.5 ft/second.
 10. Contact the DEPARTMENT OF WATER RESOURCES prior to diversion of water from streams.

DATED this 12 day of March, 2008.

Robert G Haynes

For the Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

FEB 28 2008

**APPLICATION FOR TEMPORARY APPROVAL OF WATER APPROPRIATION
(5 AF or Less)**

IDWR/NorthName of Applicant Bonner County Public Works-Road Department Phone 208.255.5681Post Office address 4100 McGhee Road, Suite C, Sandpoint, ID 838641. Source of Water Multiple Tributary to _____2. Location of point of diversion 1/4 1/4, Sec. _____ Township _____, Range _____
B.M., County _____3. Location of place of use 1/4 1/4, Sec. _____ Township _____, Range _____4. Proposed use of water DUST ABATEMENT FOR ROAD CONSTRUCTION AND
MAINTENANCE

5. Amount of water:

Maximum rate of diversion _____ 0.20 _____ cfs or _____ 90 _____ gpm.

Volume:

Maximum daily volume _____ .25 _____ AF, Total vol. _____ 5.0 _____ AF.

6. Duration of diversion: From 5/01/08 to 10/15/08
Day-Month Day-Month

7. Proposed diverting works _____

8. Who Owns the property at the requested point of diversion? _____

9. Describe the arrangement allowing access to the water _____

10. Remarks _____

I hereby acknowledge that I assume all risk in the diversion and use of the water under this approval injures other water rights. I certify this is a temporary use and that I am not seeking a continuing right to use water.

01/16/08
DATE


APPLICANT



TP-96-76

BONNER COUNTY PUBLIC WORKS

4100 McGhee Road, Suite C • Sandpoint, ID 83864 • Phone: 208-255-5681 Fax: 208-263-9084

RECEIVED

FEB 28 2008

IDWR/North

District 1 – South of Long Bridge and the Blanchard area

Cocolalla Lake
Granite Lake
Shepard Lake
Mirror Lake
Curtis Creek
Kelso Lake

Cocolalla Creek
Hoo Doo Creek
Round Lake
Pend Oreille River & Lake
Blanchard Creek

Cocolalla Slough
Morton Slough
Gamblin Lake
Comeback Bay

RECEIVED
MAR 05 2008
IDWR/North

District 2 – Priest River & Priest Lake

Priest River
Kalispell Creek
Johnson Creek
Indian Creek
Upper West Branch of Priest River

Priest Lake
Granite Creek
Hunt Creek
Lower West Branch of Priest River

Moore Creek
Big Creek
East River

District 3 – North of Sandpoint

Ray Davis Slough
Denton
Pack River
Boyer Slough

Hope
Bridge @ Clark Fork River
Rapid Lightning
Sand Creek

Grouse Creek
Little Sand Creek
Schweitzer Creek

If any additional information is needed, please contact our office. Thanks for your help.



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

03/14/2008

C. L. "BUTCH" OTTER
Governor

DAVID R. TUTHILL, JR.
Director

BONNER COUNTY PUBLIC WORKS
ROAD DEPARTMENT
4100 MCGHEE RD SUITE C
SANDPOINT ID 83864

RE: Temporary Permit No. TP-96-75 and TP-96-76

Dear Applicant(s):

Your application for Temporary approval of Water Appropriation has been granted and assigned number TP-96-75 and TP-96-76.

Please be advised that THE PERMIT IS SUBJECT TO THE EFFECTIVE DATES AND CONDITIONS STATED ON PAGE TWO OF THE APPLICATION.

If you have any questions or if this office can be of further assistance, please contact us.

Sincerely,

Robert G. Haynes, P.E.
Regional Manager

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

DAVID R. TUTHILL, JR.
Director

March 5, 2008

MARY TERRA BERNES
IDAHO DEPARTMENT OF FISH & GAME
2885 KATHLEEN AVE.
COEUR D' ALENE, ID 83815

Re: Application For a Temporary Approval of a Water Appropriation

Dear MARY:

The Department of Water Resources is seeking comment and/or recommendation from your agency, regarding two applications to temporarily appropriate 10.0 acre-feet of water from various sources within the Bonner County Highway District, for road construction water. Copies of the applications are attached for your reference. Essentially this is a renewal of the permits that were granted last year.

Would you please submit your comments no later than March 13, 2008? If we do not hear from you by that date, we will assume that no comment from you, means you have no objection to, concerns about, or conditions pertaining to the issuance of this permit.

You may send comments by regular mail to the address above, by FAX to 762-2819 or by e-mail to keith.franklin@idwr.idaho.gov.

If you have any questions, don't hesitate to contact me at this office.

Thank you.

Sincerely,

Keith E. Franklin
Water Resources Agent

Encl/kf

FAXED



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

DAVID R. TUTHILL, JR.
Director

February 29, 2008

Chuck Spickelmire
Bonner County Public Works
4100 McGhee Rd., Ste. C
Sandpoint, ID 83864

Re: Application For Temporary Water Appropriation

Dear Mr. Spickelmire:

The Idaho Department of Water Resources is returning your recently submitted applications for two temporary water appropriations, since they were not signed by the applicant. Please sign the applications and return them to me, at your earliest convenience, so as not to delay processing.

If you have any questions, feel to contact me at this office.

Sincerely,

Keith E. Franklin
Senior Water Resources Agent

Enclosure(s)

COPY



BONNER COUNTY PUBLIC WORKS

4100 McGhee Road, Suite C • Sandpoint, ID 83864 • Phone: 208-255-5681 Fax: 208-263-9084
email: roads@co.bonner.id.us

RECEIVED

FEB 28 2008

IDWR/North

January 16, 2008

Mr. Robert Haynes
Department of Water Resources
7600 Mineral Drive, Suite 100
Coeur d'Alene, ID 83815

RE: Renewal of Water Permits

Dear Mr. Haynes:

We are requesting the renewal of our water permits for the Priest River and Pend Oreille River drainages. Use is from May 1, 2008 through October 15, 2008, for dust abatement during regular maintenance and/or road reconstruction projects. Anticipated normal usage will be 15,000 gallons per week per site.

Enclosed please find a check in the amount of \$100.00 for the permits and a list of the locations from where water is pulled.

Thank you for your consideration. If there is any additional information needed please contact our office.

Sincerely,

A handwritten signature in cursive script that reads "Chuck Spickelmire".

Chuck Spickelmire, Director
Bonner County Public Works
Road & Bridge Department

kco

Enclosures