

Received by Date 3/12/08 Time 2:30p

TP-95-75

★ \$50.00 fee receipted by Interagency bill # Date

Watermaster Comments received? Date

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that the department has examined this application for temporary approval to use water under the provisions of Section 42-202a, Idaho Code, and has determined that:

RECEIVED
MAR 12 2008
IDWR/North

 a) The application for temporary approval should be denied.

✓ b) The application for temporary approval should be approved, since

1. The temporary approval can be properly administered.
2. Other water sources are not readily available.
3. The approval is in the public interest.
4. The approval will not injure known public values associated with the water source or any known water rights.

This application is therefore hereby:

 a) DENIED

✓ b) APPROVED, subject to the following conditions:

1. Diversion and use of water under this approval is subject to all valid existing water rights.
2. The applicant assumes all risk the use of the water under this approval may injure other water rights.
3. This approval authorizes a maximum diversion of 5 AF and a maximum rate of diversion of 0.2 cfs.
4. This approval does not grant a right-of-way across the land of another, does not create a continuing right to use the water and may not be used in connection with a use which requires a continuing water supply.
5. The department may cancel this approval at any time if the department identifies injury to other water rights.
6. This approval expires on 12/31/08.
7. This approval does not create a continuing right to use water.
8. The holder of this temporary permit shall not divert at a rate or in a manner that will significantly reduce the flow in the water source or otherwise adversely affect fish, wildlife or other public values.
9. Other: Water intakes should be screened to prevent entrainment or impingement of fish or other aquatic life. The maximum screen mesh size should be 0.25 inches; approach velocities should not exceed 0.5 ft/second.
10. Contact the DEPARTMENT OF WATER RESOURCES prior to diversion of water from streams.

DATED this 3/ day of March, 2008.

Robert G Haynes
For the Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

COPY

Ident. No. TP-95-75

APPLICATION FOR TEMPORARY APPROVAL OF WATER APPROPRIATION
(5 AF or less)

RECEIVED
MAR 12 2008
IDWR/North

Name of Applicant Idaho Transportation Dept Phone 772-1200
Address 600 W. Prairie Ave, Cd'A, ID 83815-8764 Email bill.capaul@itd.idaho.gov

1. Source of water Lake Cd'A, Lake Pend Oreille, Tributary to _____
2. Location of point of diversion NN 1/4 NW 1/4 Sec. 12 Township 49N, Range 3W B.M., - Beauty Ck location
County Kootenai
3. Location of place of use Same 1/4 _____ 1/4 Sec. _____ Township _____, Range _____ B.M.,
County Same
4. Proposed use of water Drilling water, maintenance dust control & roadway cleaning.

5. Amount of water:

Maximum rate of diversion 0.2 cfs or 90 gpm.

Maximum daily volume 0.1 AF; Total volume 5 AF.

6. Duration of diversion: From March 17, 2008 to Dec 31, 2008
Day-month Day-month

7. Proposed diverting works Portable pump & truck pumps - 0.25" max screened intake
8. Who owns the property at the requested point of diversion? ITD R/W, IDL, Kootenai Co.

9. Describe the arrangement allowing access to the water Access from highway embankment or public boat launches - see attached sheet.

10. Remarks Basin 95

* Please Bill via interagency Billing.

I hereby acknowledge that I assume all risk if the diversion and use of the water under this approval injures other water rights. I certify this is a temporary use and that I am not seeking a continuing right to use water.

March 12, 2008
Date

Bill Capaul
Applicant

Received by [Signature] Date 3/12/08 Time 2:30p
\$50.00 fee receipted by _____ # _____ Date _____
Watermaster Comments received? _____ Date _____

ITD - Water Appropriation Diversion Sites – 2008 Permit for Basin 95

Initial diversion from Lake CdA at Beauty Crk Bridge from Highway Embankment.

Future potential sites:

Higgins Point Boat Launch

Boothe Park Boat Launch

Mica Bay Boat Launch

Black Rock Bay Boat Launch

Harrison Boat Launch

Twin Lakes Boat Launches, upper and lower

Bayview Boat Launch

RECEIVED
MAR 12 2008
IDWR/North

The primary purpose of this permit is to provide drilling water for the ITD geotechnical drill. There may be occasion for ITD Mtce crews to divert water for road maintenance purposes.

Typical diversion equipment will be a gasoline powered portable pump, intake hose with 0.25" max opening screen. At boat launch sites it may be possible to load directly into the water truck via the pump system on the truck. Max diversion rate is 90 gpm.

Spill prevention and clean up kits will be on-hand while using the portable pumps.

If stream or river diversions are needed, the IDWR will be contacted for further permitting information, instructions, and limitations.



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

03/24/2008

C. L. "BUTCH" OTTER
Governor

DAVID R. TUTHILL, JR.
Director

BILL CAPAUL, DISTRICT GEOLOGIST
IDAHO TRANSPORTATION DEPT
600 W PRAIRIE AVE
COEUR D ALENE, ID 83815-8764

COPY

RE: Temporary Permit No. TP-95-75

Dear Applicant(s):

Your application for Temporary approval of Water Appropriation has been granted and assigned number TP-95-75 .

Please be advised that THE PERMIT IS SUBJECT TO THE EFFECTIVE DATES AND CONDITIONS STATED ON PAGE TWO OF THE APPLICATION.

If you have any questions or if this office can be of further assistance, please contact us.

Sincerely,

Robert G. Haynes, P.E.
Regional Manager

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 FAX: (208) 762-2819 www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

DAVID R. TUTHILL, JR.
Interim Director

FAX TRANSMITTAL COVER SHEET

DATE: 3-13-08

TO: Mary Terra Berns

FROM: IDWR

FAX #: 208-769-1418

NOTE: BLANK FORMS ARE AVAILABLE ON THE INTERNET AT:
www.idwr.state.id.us/info/forms.htm

DOCUMENT DESCRIPTION:

Application For Temporary Water
Appropriation - IDT

TOTAL PAGES SENT: 4 PLUS (+) COVER SHEET

CONTACT: Keith Franklin
(NAME OF SENDER)

CHARGES: One (1) free copy per request, cover sheet not included. Two (2) or more copies per request are \$0.25 per page with a \$0.50 minimum

PLEASE CONSIDER THIS DOCUMENT AS A BILLING STATEMENT.

THE CHARGE FOR YOUR FAX COPIES IS \$ _____

PLEASE REMIT BY RETURN MAIL TO THE ABOVE ADDRESS.

PHONE NO: (208) 762-2800

FAX NO: (208) 762-2819





State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

DAVID R. TUTHILL, JR.
Director

March 13, 2008

MARY TERRA BERNES
IDAHO DEPARTMENT OF FISH & GAME
2885 KATHLEEN AVE.
COEUR D' ALENE, ID 83815

Re: Application For a Temporary Approval of a Water Appropriation

Dear MARY:

The Department of Water Resources is seeking comment and/or recommendation from your agency, regarding an application to temporarily appropriate 5.0 acre-feet of water from Lake Coeur d' Alene and Lake Pend Oreille by the Idaho Transportation Department for drilling and road construction water. A copy of the applications is attached for your reference.

Would you please submit your comments no later than March 20, 2008? If we do not hear from you by that date, we will assume that no comment from you, means you have no objection to, concerns about, or conditions pertaining to the issuance of this permit.

You may send comments by regular mail to the address above, by FAX to 762-2819 or by e-mail to keith.franklin@idwr.idaho.gov.

If you have any questions, don't hesitate to contact me at this office.

Thank you.

Sincerely,

Keith E. Franklin
Water Resources Agent

Encl/kf

FAXED

3/21/08 - No comments received.

KJ

Ball, Dianne

From: Ball, Dianne
Sent: Wednesday, March 12, 2008 2:43 PM
To: Allen, Debbie
Cc: Franklin, Keith
Subject: Interagency Bill Request

Attachments: ITD Inter-agcy bill.tif

Good afternoon, Debbie,

I just received a Temp WR Application from Idaho Transportation Dept., with a request to inter-agency bill.

This should be to PCA 65103 for WR Permits. I don't have information from ITD as to what account should be billed. If you need that information, please contact Bill Capaul at <mailto:bill.capaul@itd.idaho.gov> His e-mail address is also on first page of application. See information attached.

I will be giving this to Keith Franklin for processing. We will have to contact F&G and IDL for comments, but I thought it might be beneficial to start the inter-agency billing process now rather than wait till we receive comments back from F&G and IDL - which could take a week or so.

Thanks very much, and please let me know when the funds arrive so I can mark our file accordingly.

Have a great day,

\$58.00

Dianne

Dianne Ball
Administrative Assistant
Idaho Dept of Water Resources
7600 Mineral Drive Suite 100
Coeur d'Alene, ID 83815
Phone (208)762-2800 FAX (208)762-2819



ITD Inter-agcy
bill.tif (148 K...



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

DAVID R. TUTHILL, JR.
Director

March 10, 2008

William Capaul, P.G.
Idaho Transportation Department
600 W. Prairie Ave.
Coeur d'Alene, ID 83815-8764

Re: Application For Temporary Water Appropriation

Dear Mr. Capaul:

The Idaho Department of Water Resources is returning your application for additional information.

On the location of the source and points of diversion you need to be more specific. For instance, Lake Coeur d'Alene you need to identify where the points of diversion are, such as specific boat ramps, etc. Also, you list "other public surface waters", these need to be identified. Some water sources, late in the season, may not have sufficient water to supply your needs, as well as existing water right holders.

On a separate sheet, you should list each source and the locations where water is to be diverted. When you return the application, please request an interagency billing so the fee can be taken care of.

If you have any questions, feel free to contact me at this office.

Sincerely,

Keith E. Franklin
Senior Water Resources Agent

Enclosure

COPY