

TP-96-70

Received by cm Date 9-5-06 Time 1:43 PM\$50.00 fee receipted by cm # N017861 Date 9-5-06

Watermaster Comments received? _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that the department has examined this application for temporary approval to use water under the provisions of Section 42-202a, Idaho Code, and has determined that:

- ☐ a) The application for temporary approval should be denied.
- ☒ b) The application for temporary approval should be approved, since
1. The temporary approval can be properly administered.
 2. Other water sources are not readily available.
 3. The approval is in the public interest.
 4. The approval will not injure known public values associated with the water source or any known water rights.

This application is therefore hereby:

- ☐ a) DENIED
- ☒ b) APPROVED, subject to the following conditions:
1. Diversion and use of water under this approval is subject to all valid existing water rights.
 2. The applicant assumes all risk the use of the water under this approval may injure other water rights.
 3. This approval authorizes a maximum diversion of 5 AF and a maximum rate of diversion of 0.07 cfs.
 4. This approval does not grant a right-of-way across the land of another, does not create a continuing right to use the water and may not be used in connection with a use which requires a continuing water supply.
 5. The department may cancel this approval at any time if the department identifies injury to other water rights.
 6. This approval expires on 12/31/06.
 7. This approval does not create a continuing right to use water.
 8. The holder of this temporary permit shall not divert at a rate or in a manner that will significantly reduce the flow in the water source or otherwise adversely affect fish, wildlife or other public values.
 9. Other: Water intakes should be screened to prevent entrainment or impingement of fish or other aquatic life. The maximum screen mesh size should be 0.25 inches; approach velocities should not exceed 1.5 ft/second.
 10. Contact the DEPARTMENT OF WATER RESOURCES prior to diversion of water from streams.

DATED this 17 day of October, 2006.

Robert D. Haynes
For the Director

Form 202a 11/99

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

*Indent. No.

RECEIVED
IP-96-70
SEP - 5 2006

IDWR/North

APPLICATION FOR TEMPORARY APPROVAL OF WATER APPROPRIATION
(5 AF of less)

- Name of Applicant Tim Tape Phone 208-683-2753
- Address 132 Sunset Rd Arhol, Id 83801
1. Source of water Careywood Creek Tributary to Sinks
2. Location of point of diversion SW 1/4 SE 1/4 Sec. 18 Township 54N Range 2W B.M.,
County Bonner Northern Kootenai Co & Southern Bonner County
3. Location of place of use 1/4 1/4 Sec. Township Range B.M.,
County Bonner
4. Proposed use of water Road construction and fire protection
5. Amount of water:
Maximum rate of diversion 33 cfs or gpm. 2000 gallon tank - 60 minutes
Maximum daily volume 0.0123 AF; Total volume 5 AF. 4000 gallons per day of use
6. Duration of diversion: From August to December 31, 2006
Day-month Day-month
7. Proposed diverting works small pond
8. Who owns the property at the requested point of diversion? Tim Tape
9. Describe the arrangement allowing access to the water N/A
10. Remarks Not used daily only occasionally as needed

I hereby acknowledge that I assume all risk if the diversion and use of the water under this approval injures other water rights. I certify this is a temporary use and that I am not seeking a continuing right to use water.

August 30, 2006
Date

Tim Tape
Applicant



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800

Fax: (208) 762-2819

Web Site: www.idwr.idaho.gov

JAMES E. RISCH
Governor

KARL J. DREHER
Director

10/17/2006

TIM TOPE
GRANITE HILL SAND & GRAVEL
132 SUNSET RD
ATHOL ID 83801

RE: Temporary Permit No. TP-96-70

Dear Applicant(s):

Your application for Temporary approval of Water Appropriation has been granted and assigned number TP-96-70.

Please be advised that THE PERMIT IS SUBJECT TO THE EFFECTIVE DATES AND CONDITIONS STATED ON PAGE TWO OF THE APPLICATION.

If you have any questions or if this office can be of further assistance, please contact us.

Sincerely,

A handwritten signature in black ink that reads "Robert G. Haynes". The signature is written in a cursive, flowing style.

Robert G. Haynes, P.E.
Regional Manager

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800

Fax: (208) 762-2819

Web Site: www.idwr.idaho.gov

JAMES E. RISCH
Governor

KARL J. DREHER
Director

October 2, 2006

MARY TERRA BERNIS
IDAHO DEPARTMENT OF FISH & GAME
2750 KATHLEEN AVE.
COEUR D' ALENE, ID 83815

Re: Application For a Temporary Approval of a Water Appropriation

Dear Mary:

The Department of Water Resources is seeking comment and/or recommendation from your agency, regarding an application to temporarily appropriate up to 5 acre-feet of water out of an existing private pond located on the upper reaches of Careywood Creek, near the town of Athol, Idaho, by Tim Tape, for road construction water. A copy of the application is attached for your reference.

Would you please submit your comments no later than October 10, 2006? If we do not hear from you by that date, we will assume that no comment from you, means you have no objection to, concerns about, or conditions pertaining to the issuance of this permit.

You may send comments by regular mail to the address above, by FAX to 762-2819 or by e-mail to keith.franklin@idwr.idaho.gov.

If you have any questions, don't hesitate to contact me at this office.

Thank you.

Sincerely,

Keith E. Franklin
Water Resources Agent

Encl/kf

Faxed
10/2/06

No response by deadline.
HJ