

Page Two

Received by db Date 8/3/07 Time 11:45a
\$50.00 fee receipted by db # N018599 Date 8/3/07
Watermaster Comments received? _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that the department has examined this application for temporary approval to use water under the provisions of Section 42-202a, Idaho Code, and has determined that:

- ☒ a) The application for temporary approval should be denied.
- ☒ b) The application for temporary approval should be approved, since
1. The temporary approval can be properly administered.
 2. Other water sources are not readily available.
 3. The approval is in the public interest.
 4. The approval will not injure known public values associated with the water source or any known water rights.

This application is therefore hereby:

- ☒ a) DENIED
- ☒ b) APPROVED, subject to the following conditions:
1. Diversion and use of water under this approval is subject to all valid existing water rights.
 2. The applicant assumes all risk the use of the water under this approval may injure other water rights.
 3. This approval authorizes a maximum diversion of 5.0 AF and a maximum rate of diversion of 0.17 cfs.
 4. This approval does not grant a right-of-way across the land of another, does not create a continuing right to use the water and may not be used in connection with a use which requires a continuing water supply.
 5. The department may cancel this approval at any time if the department identifies injury to other water rights.
 6. This approval expires on 12/1/07.
 7. This approval does not create a continuing right to use water.
 8. The holder of this temporary permit shall not divert at a rate or in a manner that will significantly reduce the flow in the water source or otherwise adversely affect fish, wildlife or other public values.
 9. Other: Water intakes should be screened to prevent entrainment or impingement of fish or other aquatic life. The maximum screen mesh size should be 0.25 inches; approach velocities should not exceed 0.5 ft/second.
 10. Contact the DEPARTMENT OF WATER RESOURCES prior to diversion of water from streams.

DATED this 3 day of August, 2007.

Robert G Haynes
For the Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR TEMPORARY APPROVAL OF WATER APPROPRIATION

(5 AF of less)

Fax 509-751-1922

Name of Applicant M.A. DeAtley Construction Phone 509-751-1580

Address 829 Evans Road POBx 490 Clarkston WA 99403

1. Source of water Private Water Well Tributary to _____

2. Location of point of diversion SW 1/4 SE 1/4 Sec. 1 Township 48N, Range 5W B.M.,
County Kootenai

3. Location of place of use _____ 1/4 _____ 1/4 Sec. 28+33 Township 48N, Range 5W B.M.,
County Kootenai

4. Proposed use of water Water for Dust Abatement on Construction Project

5. Amount of water:

Maximum rate of diversion 2.17 cfs or 75 gpm.

Maximum daily volume 60,000 gallon AF; Total volume 5 AF.

6. Duration of diversion: From Present to 12-1-07
Day-month Day-month

7. Proposed diverting works N/A

8. Who owns the property at the requested point of diversion? Rodney Shriner

9. Describe the arrangement allowing access to the water Pull water right from water well

10. Remarks _____

I hereby acknowledge that I assume all risk if the diversion and use of the water under this approval injures other water rights. I certify this is a temporary use and that I am not seeking a continuing right to use water.

7-26-07
Date

Dusty
Applicant

Per TC
up
Dusty
Forsmann
8/3/07



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

08/07/2007

C. L. "BUTCH" OTTER
Governor

DAVID R. TUTHILL, JR.
Director

M A DEATLEY CONSTRUCTION
PO BOX 490
CLARKSTON WA 99403

RE: Temporary Permit No. TP-95-71

Dear Applicant(s):

Your application for Temporary approval of Water Appropriation has been granted and assigned number TP-95-71.

Please be advised that THE PERMIT IS SUBJECT TO THE EFFECTIVE DATES AND CONDITIONS STATED ON PAGE TWO OF THE APPLICATION.

If you have any questions or if this office can be of further assistance, please contact us.

Sincerely,

Robert G. Haynes, P.E.
Regional Manager

Enclosure