

TP-86-27

Received by CP Date 3/13/06 Time 1:00 pm\$50.00 fee received by CP # N011406 Date 3/13/06

Watermaster Comments received? _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that the department has examined this application for temporary approval to use water under the provisions of Section 42-202a, Idaho Code, and has determined that:

- ☐ a) The application for temporary approval should be denied.
- ☒ b) The application for temporary approval should be approved, since
1. The temporary approval can be properly administered.
 2. Other water sources are not readily available.
 3. The approval is in the public interest.
 4. The approval will not injure known public values associated with the water source or any known water rights.

This application is therefore hereby:

- ☐ a) DENIED
- ☒ b) APPROVED, subject to the following conditions:
1. Diversion and use of water under this approval is subject to all valid existing water rights.
 2. The applicant assumes all risk the use of the water under this approval may injure other water rights.
 3. This approval authorizes a maximum diversion of 0.153 AF and a maximum rate of diversion of 0.2 cfs.
 4. This approval does not grant a right-of-way across the land of another, does not create a continuing right to use the water ^{or} and may not be used in connection with a use which requires a continuing water supply. 90 gpm
 5. The department may cancel this approval at any time if the department identifies injury to other water rights.
 6. This approval expires on 12/31/06.
 7. This approval does not create a continuing right to use water.
 8. The holder of this temporary permit shall not divert at a rate or in a manner that will significantly reduce the flow in the water source or otherwise adversely affect fish, wildlife or other public values.
 - ✓ 9. Other: Water intakes should be screened to prevent entrainment or impingement of fish or other aquatic life. The maximum screen mesh size should be 0.25 inches; approach velocities should not exceed 0.5 ft/second.
 - ✓ 10. Contact the DEPARTMENT OF WATER RESOURCES prior to diversion of water from streams.

DATED this 10 day of May, 20 06.

Robert D. Haynes
For the Director

RECEIVED

Form 202a 11/99

MAR 13 2006

Indent. No. TP 86-27

IDWR/North

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR TEMPORARY APPROVAL OF WATER APPROPRIATION

(5 AF of less)

Name of Applicant NEZ PERCE COUNTY ROAD & BRIDGE Phone (208) 799-3060

Address 0105 33RD ST., LEWISTON, ID 83501

1. Source of water POTLATCH RIVER @ JULIAETTA Tributary to CLEARWATER RIVER

2. Location of point of diversion NW 1/4 NW 1/4 Sec. 35 Township 38N, Range 2W B.M.,
County NEZ PERCE

3. Location of place of use various 1/4 1/4 Sec. various Township various, Range various B.M.,
County Nez Perce

4. Proposed use of water Dust control & construction water

5. Amount of water: 50,000 GALLONS

Maximum rate of diversion .2 cfs or 90 gpm. 4 INCH PUMP

Maximum daily volume N/A AF; Total volume 0.153 AF. 134 CUBIC INCH
FORD 56 HP/2800 RPM

6. Duration of diversion: From MAY 1, 2006 to DECEMBER 31, 2006
Day-month Day-month

7. Proposed diverting works various

8. Who owns the property at the requested point of diversion? STATE OF IDAHO

9. Describe the arrangement allowing access to the water ROAD FOR ACCESS TO POTLATCH RIVER.


10. Remarks various

I hereby acknowledge that I assume all risk if the diversion and use of the water under this approval injures other water rights. I certify this is a temporary use and that I am not seeking a continuing right to use water.

3/7/06
Date

[Signature]
Applicant KEVIN POOLE, DIRECTOR

TOWNSHIP: T38NR3W - R2W



MAP 6




Legend


- JEEP
- DIRT
- GRAVEL
- PAVED
- SECTION LINES
- TOWNSHIP LINES
- MUNICIPAL BOUNDARIES
- RESERVATION BNDRY
- STREAMS
- RIVERS AND LAKES



0 0.25 0.5 1 1.5 2 2.5 3 Miles



MAP 1





State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 1910 Northwest Blvd. Suite 210, Coeur d'Alene, Idaho 83814-2615

Phone: (208) 769-1450

Fax: (208) 769-1454

Web Site: www.idwr.idaho.gov

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

05/11/2006

NEZ PERCE COUNTY ROAD & BRIDGE
0105 33RD ST
LEWISTON ID 83501

RE: Temporary Permit No. TP-86-27

Dear Applicant(s):

Your application for Temporary approval of Water Appropriation has been granted and assigned number TP-86-27.

Please be advised that THE PERMIT IS SUBJECT TO THE EFFECTIVE DATES AND CONDITIONS STATED ON PAGE TWO OF THE APPLICATION.

If you have any questions or if this office can be of further assistance, please contact us.

Sincerely,

A handwritten signature in black ink that reads "Robert G. Haynes". The signature is written in a cursive, flowing style.

Robert G. Haynes, P.E.
Regional Manager

Enclosure