

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

8/7/2020

Water Permit 47-8067

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	HARVEY MONTGOMERY , ZZ

Status: Relinquished

<u>Source</u>	<u>Tributary</u>
---------------	------------------

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
-----------------------	-------------	-----------	-----------------------	---------------

Source and Point(s) of Diversion

Place Of Use

Conditions of Approval:

Comments:

Dates and Other Information

Water District Number: TBD
Mitigation Plan: False

Combined Use Limits

N/A

SubCase:

N/A

Water Supply Bank:

N/A



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

December 10, 1990

RE: APPLICATION FOR PERMIT NO. 47-8067

Dear APPLICANT:

Due to the Swan Falls litigation, Department approval of the enclosed application may have been delayed. The Department is presently reviewing your application and may authorize the proposed development.

The purpose of this letter is to determine: (1) if you are still interested in developing the project, and (2) the extent of development, if any, that has already occurred under the application. Enclosed are two forms requesting information which will help the Department expedite the processing of the application.

1. If you have abandoned or have no interest in continuing with your plans for development of the project, please complete the enclosed withdrawal form and return it to the Department. If you request a withdrawal of the application and the application was not previously advertised, the department will refund your original filing fee.

2. If you wish to continue with your proposed development plans, or have completed all or a portion of the proposed development before October 1, 1984, then you must complete and return the enclosed questionnaire. You may use the questionnaire and enclosed application to make any comments &/or amendments concerning the application. Your completion of the questionnaire will expedite processing and help the department determine if the water diverted under the application is public water or trust water. Approved trust water applications may be subject to additional conditions.

Failure to return either of the above forms within thirty (30) days of the date of this letter is cause for the Department to void the application.

Please be further advised that if any undeveloped portion of your proposed project is greater than 200 acres, the department will issue a notice requesting additional information as required by Water Appropriation Rule 4,5. (copy enclosed). In particular, rules 4,5,3. through 4,5,3,5. apply to your project if it is more than 200 acres. If necessary, the rule 4,5. information notice will be sent to you after you return the questionnaire.

47-8067

Page 2

If you have questions concerning the content of this letter or about completing the forms, please contact Tim Luke at the address below or by calling directly at 327-7864. The enclosed forms and all other relative information must be returned within thirty (30) days to:

Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720-9000
Attn: Tim Luke

Please note that a copy of your application is enclosed. The application number is also shown on the enclosed questionnaire.

Sincerely,

A handwritten signature in dark ink, appearing to read "Tim Luke", with a stylized flourish at the end.

TIM LUKE
Sr. Water Resource Agent

Enclosures

REC'D
AUG 22 1988

Department of Water Resources

J. Allen Barton
Chief, Operations Bureau
80th. Regt.

Dear Sir:

Join July, 9th. R7#1
Aug. 18, 88-2-83301

I would like to be able to say
I could get a drill & drill a great way
times, but unable to do so. These guys
When I first started calling they ~~start~~
out of the yellow bags, they ~~start~~
talked like it would be a about while
I on to my call back might be to
better things after that meeting we
you were there? They began talking like
it might be a long time or never.
about all I can say is that I let you
know about 30 days ahead. When I find out
then I can get it all to gether. Thank you for calling
D.S. Allen could in late fall or spring.

FROM

Glen

DATE

8-16-88

TO

File 47-8067

SUBJECT

— the applicant called today & advised he is having difficulty in locating a well driller.

— He plans to submit a request to extend the drilling permit w/constr to hopefully start in the spring when drillers may be available.

SIGNATURE

RECEIVED

JUL - 3 1908

7-8067

Department of Water Resources

Hal Foster, Idaho

June 2 '88

Dept. Water Resources
Boise, Ida.

Mr. Glen Saxton
Chf. of Operations

Dear Sir,

In answer to your letter, May 18/88
I have paid Permit fee of \$100 long ago
I have staked the spot to drill.
I have at least 3 drillers all say their busy
just now, so will just have to stay after one.
Have contacted 2 insurance companies which
seem to be very slow, but am blaming on quitters.
We have the money waiting on it all.
Maybe I should take a post card, have
my picture, to show some drillers, help??
I'm trying, it will come I hope, Thanks to you.

Sincerely, Garley Montgomery
P.S. I have been checking folks in TRIN FALLS!



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

May 18, 1988

Harvey Montgomery
Rt. 1, Box 4451
Twin Falls, ID 83301

RE: Application for Permit No. 47-8067

Dear Mr. Montgomery:

This letter is a follow-up to my letter of October 27, 1987 to you in connection with the above referenced application.

Before the department can further consider the application, you need to submit a bond in the amount of \$5,000 as required by Section 42-233, Idaho Code, a drilling prospectus prepared by the well driller you have selected and a drilling permit application together with a \$100 drilling permit fee.

During the last session of the legislature, the bond requirement in Section 42-233, Idaho Code, was changed. Instead of having to maintain the bond throughout the life of the low temperature geothermal well (temperature between 85 degrees F. and 212 degrees F.), the bond only has to remain in place for one year after completion of the well or until released in writing by the Director of the department, whichever occurs first.

Please advise the department within 30 days of your plans for development of the proposed project and advise us of the time frame in which you will be submitting the required documents. If the department does not hear from you, the application will be voided from department files.

Feel free to contact the department if you have questions. We have an office in Twin Falls (phone 734-3578) which likely is the most convenient one to contact.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

c: Southern Region



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 27, 1987

Harvey Montgomery
Rt. 1, Box 4451
Twin Falls, Idaho 83301

RE: APPLICATION FOR PERMIT NO. 47-8067

Dear Mr. Montgomery:

The department has completed the advertising and preliminary review of the above referenced application and is ready to issue a permit upon your compliance with newly enacted sections of the Idaho Code which became effective July 1, 1987. The department has also received your letter dated October 15, 1987, in which you request delay in the processing of the application.

Section 42-233, Idaho Code, requires that in order to construct the proposed low temperature geothermal well, (a well having a bottom hole temperature greater than 85 degrees Fahrenheit but less than 212 degrees Fahrenheit), you must file a surety bond or cash bond with the Director of the department in an amount not less than \$5,000 nor more than \$20,000. For your proposed use the bond required will be \$5,000 and must remain in effect until the well is abandoned. Enclosed for your information and reference is a copy of the Code section and bond forms.

In addition to submitting the bond, the driller engaged to construct the well will have to submit a drilling prospectus to the department describing proposed construction, casing and sealing of the well for review and approval prior to actual construction of the well.

Based on your request to delay processing of the application until the spring of 1988, the department will grant a delay under provisions of Rule 4,1,4. of the Water Appropriation rules and regulations. By May 1, 1988, you need to submit the bond, and drilling prospectus to the department in

Page 2

order for the department to further consider your application. Failure to submit the required information will be cause for the department to void the record of the application pursuant to provisions of Section 42-204, Idaho Code.

If you have questions, please feel free to contact this office or our Southern Regional office, phone 734-3578.

Sincerely,

A handwritten signature in black ink, appearing to read "L. Glen Saxton". The signature is fluid and cursive, with the first name "L." being small and the last name "Saxton" being larger and more prominent.

L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

cc: Southern Region
G.W. Prot. Sec.

MEMO

To: 47-8067

From: John Beal *JB*

This proposed well is located 12 miles south of the TFGWMA. The approval should include the condition:

The well drilling permit will be approved when the following items are received and approved.

- ** - A drilling plan shall be submitted to the dept. showing the proposed casing, grouting and other proposed construction features.
- ** - As required by Section 42-233 IC, a \$5000 cash or surety bond shall be submitted by the owner to the Dept.

John Beal is holding drilling permit application in his area - kw 10/21/87

RECEIVED

OCT 19-1987

Holister, Idaho

10/15/87

Department of Water Resources

Water Resources of Idaho

Mr. John Beal

Dear Sir:

I am writing in on permit #P47-08067.

I had a permit several years ago; but I was in the Hospital; & have had very bad luck, I have 2 to 4 different kinds of Cancer; Doctors don't even know what it all is & this Well is coming at a bad time for me. But I did get it from several Blood transusions ^{IN 1971} & now I believe I have found 2 or 3 things that is curing this, I hope.

What I would like to do is put this off until spring, I have talked to several drillers all seem to be busy & I want to finish it all.

Also we go south in the winter & to leave

I can see now I should have started a lot sooner.

What I really want is good warm water. If I don't get it I'll probably Cap Well.

This would bring in money to hard hit Idaho, as we live on 93 Hi way & trying for Hot water pool, resort like affair.

I would certainly thank you, if we can make this come out better.

Yours Truly

Harvey Montgomery

L908-L7



State of Idaho

DEPARTMENT OF WATER RESOURCES

SOUTHERN REGION

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

2148 4th Ave. E.
Twin Falls, Idaho 83301
(208) 734-3578

August 18, 1987

Harvey Montgomery
Rt. 1, Box 4451
Twin Falls, ID 83301

Re: Application for Permit No. 47-8067

Dear Mr. Montgomery:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned identification No. 47-8067. Please refer to this number in all further correspondence.

This office will be advertising the application in the Times News on 9/3 & 9/10/87. The advertisement will be published correctly for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Loren O. Holmes, P. E.
Southern Region Supervisor

LOH:mb



State of Idaho
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

2148 4th Ave. E.
Twin Falls, Idaho 83301
(208) 734-3578

August 18, 1987

Gary R. Burkett
Idaho Dept. of Health & Welfare
P.O. Box 1626
Twin Falls, ID 83301

RE: Application for Water Permit No. 47-8067

Dear Mr. Burkett:

Enclosed for your information is a copy of an application for water permit which has been filed with this office.

If you have any questions or need additional information regarding this application, please feel free to contact this office.

Very truly yours,

Loren O. Holmes, P.E.
Southern Region Supervisor

LH:MB

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

SOUTHERN REGION

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

2148 4th Ave. E.
Twin Falls, Idaho 83301
(208) 734-3578

August 18, 1987

Times News
P.O. Box 548
Twin Falls, ID 83301

Re: 47-8067

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

Mary A. Baldwin
Sec/Office Coord.

Encl:

/8784 legl g-180,1641

005.0 IN 08/25 13:22

OK
MB
8/28/87

NOTICE OF
APPLICATION FOR
WATER PERMIT

The following applica-
tion (s) have been filed
to appropriate the public
waters of the State of
Idaho:

47-8067

Harvey Montgomery
Rt. 1, Box 4451; Twin
Falls Idaho 83301

SOURCE: Groundwater
Diversion Pt: SENE,
Sec. 28, T12S, R16E,
Twin Falls County; in
Hollister.

Use: Domestic (0.06CFS)
Commercial (2.00CFS)

Date Filed: July 14, 1987
In: SENE, Sec. 28, T12S,
R16E

The permit(s) will be
subject to all prior water
rights. Protests must be
filed with Director, Dept.
of Water Resources,
Southern Region, 2148
Fourth Avenue East,
Twin Falls, Idaho 83301
on or before September
21, 1987.

Norman C. Young, Ac-
ting Director

PUBLISH: Thursday,
September 3 and 10,
1987.

NOTICE OF APPLICATION FOR WATER PERMIT

The following application (s) have been filed to appropriate the public waters of the State of Idaho:

47-8067

Harvey Montgomery

Rt. 1, Box 4451; Twin Falls, ID 83301

SOURCE: Groundwater

Diversion Pt: SENE, Sec. 28, T12S, R16E, Twin Falls County; in Hollister.

Use: Domestic	(0.06 CFS)
Commercial	(2.00 CFS)

Date Filed: July 14, 1987

In: SENE, Sec. 28, T12S, R16E

The permit (s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 2148 Fourth Avenue East., Twin Falls, Idaho 83301 on or before September 21, 1987.

Norman C. Young, Acting Director

Published 9/3 & 9/10/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 47-8067

To appropriate the public waters of the State of Idaho

1. Name of applicant Harvey Montgomery Phone (208) 655-4312
Post office address Rt. 1 Box 4451, Twin Falls, ID 83301
2. Source of water supply ground water which is a tributary of N/A
3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of _____ $\frac{1}{4}$ Govt. Lot _____
Sec. 28 Township 12 S. Range 16 E. B.M. Twin Falls County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
- Amount .00 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 2.00 for commercial purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 2.00 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. N/A well and pump
- b. Height of storage dam N/A feet; active reservoir capacity N/A acre-feet; total
reservoir capacity N/A acre-feet; period of year when water will be diverted to storage:
N/A to N/A inclusive.
- c. Proposed well diameter is 4"-6" inches; proposed depth of well is 800'-900' feet.
- d. Is ground water with a temperature of greater than 90°F being sought? yes
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

47-8067

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in KW. N/A

b. Stockwatering; list number and kind of livestock. N/A

c. Municipal; show name of municipality. N/A

d. Domestic; show number of households. possibly 3; maybe 0

e. Other; describe fully. If hot water can be obtained, will be used primarily for commercial hot water baths and/or pool.

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
125	16E	28				D C													

Total number of acres to be irrigated 0

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N/A

12. Remarks: Driller will be Arnold Elsing Well Drilling, Addison Ave. W., Twin Falls, ID. Effluent will be handled in accordance with the Dept. of Environmental Quality, or other appropriate governmental body.

A hand-drawn map on a grid. The map shows a well, a road, and a river. The well is marked with a square and a dot, labeled "Well". A road is labeled "R 16 E". A river is labeled "R 16 E". The map includes a scale bar indicating 2 inches equal 1 mile.

Garvey Montgomery
(Applicant)

Received by M. Baldwin Date 7/14/87 Time 12:14 pm Preliminary check by TBFee \$ 65⁰⁰ Received by M. Baldwin # 45081 Date 7/14/87Publication prepared by M. Baldwin Date 8/18/87 Published in Times NewsPublication approved M. Baldwin Date 9/23/87**ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES**

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-8067, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Consumptive use of water under this permit shall not exceed 2.0 acre feet per day.

Return flow if discharged to a subsurface system must be authorized by a separate injection well permit, and return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.

A drilling plan shall be submitted to the department showing the proposed casing, grouting and other proposed construction features.

As required by Section 42-233, Idaho Code, a \$5000 cash or surety bond shall be submitted by the owner to the department.

Witness my hand this _____ day of October, 1987.

Director

11-2-87
23351
complever
vi/sec 42-233
442-235

NOTICE OF
APPLICATION FOR
WATER PERMIT

The following applica-
tion (s) have been filed
to appropriate the public
waters of the State of
Idaho:

47-8067

Harvey Montgomery
Rt. 1, Box 4451; Twin
Falls Idaho 83301

SOURCE: Groundwater
Diversion Pt: SENE,
Sec. 28, T12S, R16E,
Twin Falls County; in
Hollister.

Use: Domestic (0.06CFS)
Commercial (2.00CFS)
Date Filed: July 14, 1987
In: SENE, Sec. 28, T12S,
R16E

The permit(s) will be
subject to all prior water
rights. Protests must be
filed with Director, Dept.
of Water Resources,
Southern Region, 2148
Fourth Avenue East,
Twin Falls, Idaho 83301
on or before September
21, 1987.

Norman C. Young, Ac-
ting Director

PUBLISH: Thursday,
September 3 and 10,
1987.

Affidavit of Publication

RECEIVED

STATE OF IDAHO.

COUNTY OF TWIN FALLS

ss.

SEP 22 1987

No 17784

I, Belinda J. Caffee, Department of Water Resources, being first duly sworn upon

oath, depose and say that I am Notary Public of the TIMES-NEWS,
published daily, at Twin Falls, Idaho, and do solemnly swear that a copy of
the notice of advertisement, as per clipping attached, was published in the regular and
entire issue of said newspaper, and not in any supplement thereof, for Three

consecutive Weeks, commencing with the issue dated
Sept 3, 1987, and ending with the issue dated
Sept 10, 1987.

And I do further certify that said newspaper is a consolidation, effective February 16,
1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin
Falls News, published theretofore daily except Monday, both of which newspapers prior to
consolidation had been published under said names in said city and county continuously and
uninterruptedly during a period of more than twelve consecutive months, and said TIMES-
NEWS, since such consolidation, has been published as a daily newspaper except Saturday,
until July 31, 1978, at which time said newspaper began daily publication under said name
in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week
has been designated as the day on which legal notice by law or by order of any court of com-
petent jurisdiction within the state of Idaho, to be published weekly, will be published; and
that at the head of the editorial column of said combined newspapers, and in each issue there-
of, Thursday is announced as the day on which said legal notices will be published.

Subscribed and sworn to before me on this 15th day of

Sept

1987.

Dianna Kline

Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho

CLASSIFIED ADVERTISING INVOICE

TWIN FALLS TOWER NEWS
132 3RD ST W.
P. O. BOX 548
TWIN FALLS ID 83303

RECEIVED

SEP 22 1987

RETURN POSTAGE GUARANTEED

INVOICE NO.		CLASS	BILLING DATE	
177-4		48	9/17/87	
INDEXING TERM				
-7-8067				
START DATE		TELEPHONE NO.		ORDER NO.
9/10/87		774-137		
LINES/WORDS	TIMES	RATE	NET AMOUNT	GROSS AMOUNT
37	2		20.72	20.72
OK MB 9/23/87				
PAY THIS AMOUNT				

RETURN THIS PORTION WITH YOUR REMITTANCE

THIS SPACE FOR ADDRESS ONLY

IDAHO WATER RESOURCES
2148 4TH AVE EAST
TWIN FALLS ID 83301



The Times-News

P.O. Box 548 • Twin Falls, Id. 83303-0548

September 21, 1987

Idaho Water Resources
2148 4th Ave East
Twin Falls ID 83301

RECEIVED

SEP 22 1987

Department of Natural Resources
Southern Region Office

RIGHT #47-8067

Two Times

Sept. 3, 1987, 37 lines @ .32- - \$11.84
Sept. 10, 1987, 37 lines @ .24- - \$ 8.88

\$20.72

I hereby certify that the above account is correct and that the supplies were actually furnished and/or that the services were actually rendered as charged, and that I have not received payment therefor.

WITNESSED: The Times-News - Magic Valley Newspapers, Inc.

BY: *Janice Coops McQuinn*
INVOICE

OK
MB
9/23/87

STAFF ANALYSIS SUPPLEMENT

1) Water District _____ Basin # 47

2) Local Description: (of one P/D)

☐

At the above street address

☐_____ miles N/S _____ and _____ miles E/W _____
of _____ (City or landmark).☒Other (describe) Appears to be in Hollister

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: T. Blau APPLICATION NUMBER: 47-8067

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

- ☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: 8/18/87 MB Date: 8/18/87

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. CC-72
☒ Yes ☐ No Other rights on same place of use. 47-7330
☒ Yes ☐ No* In form for advertising.
Final date for protests: _____
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: _____
☐ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
7/14/87 Date of priority recommended.
Special conditions of approval or cover letter. 26, 43,

allow 3 yrs. for B/U development

not within a g.w. mgmt. area or critical
gw area

~~drilling permit~~

By: AD

Date: 9/25/87

STATE OFFICE REVIEW:

~~drilling permit~~
123, 103, 117

09C 2 conditions on J.B.'s
016 46 26 32

- ☐ See attached sheet for more information.

By: KW

Date: 10/21/87

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

RECEIVED

AUG 22 1988

Twin Falls, Idaho RT#1

Aug-18, 88Z-85501

Department of Water Resources

L. Glen Saxton
Chief, Operations Bureau
80th Reg.

RECORDED

Aug 22 1988

Department of Water Resources
Southern Region Office

Dear Sir:

I Would like to be able to say
I could get a drill & drillers most any
time; but unable to do so.
When I first started calling these guys
out of the yellow page, they ~~never~~
talked like it could be a short while
& on to say, Call back; might be a
better price; & "after that meeting w/
you were there" they began talking like
it might be a long time or never.
about all I can say is, that let you
know approx 30 days ahead, when I find out.
then I can get it all to-gether. Thanks for holding
Yours Truly Garney Montgomery,
D.S. May could in late fall or spring.

47-8067

FROM Glen

DATE 8-16-88

TO File 47-8067

SUBJECT — the applicant called today & advised he is having difficulty in locating a well driller.

— He plans to submit a request to extend the drilling permit w/constr to hopefully start in the spring when drillers may be available.

KZf

SIGNATURE

RECEIVED

JUN - 3 1988

7-8067

Department of Water Resources

Hal Oster, Idaho

June 2/88

Dept. Water Resources
Boise, Ida.

Mr. Glen Saxton
Chief of Operations

Dear Sir,

In answer to your letter, May 18/88
I have paid Permit fee of \$100 long ago
I have staked the spot to drill.
I have at least 3 drillers all say their busy
just now, so will just have to stay after one.
Have contacted 2 insurance companies which
seem to be very slow, but am blaming on quitters.
We have the money waiting on it all -
maybe I should take a fast anger, have
my picture, to show some drillers, help??
I'm trying, it will come I hope. Thanks to you.

Sincerely, Harley Montgomery
P.S. I have been checking folks in TWIN FALLS!



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

May 18, 1988

Harvey Montgomery
Rt. 1, Box 4451
Twin Falls, ID 83301

RE: Application for Permit No. 47-8067

Dear Mr. Montgomery:

This letter is a follow-up to my letter of October 27, 1987 to you in connection with the above referenced application.

Before the department can further consider the application, you need to submit a bond in the amount of \$5,000 as required by Section 42-233, Idaho Code, a drilling prospectus prepared by the well driller you have selected and a drilling permit application together with a \$100 drilling permit fee.

During the last session of the legislature, the bond requirement in Section 42-233, Idaho Code, was changed. Instead of having to maintain the bond throughout the life of the low temperature geothermal well (temperature between 85 degrees F. and 212 degrees F.), the bond only has to remain in place for one year after completion of the well or until released in writing by the Director of the department, whichever occurs first.

Please advise the department within 30 days of your plans for development of the proposed project and advise us of the time frame in which you will be submitting the required documents. If the department does not hear from you, the application will be voided from department files.

Feel free to contact the department if you have questions. We have an office in Twin Falls (phone 734-3578) which likely is the most convenient one to contact.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

c: Southern Region



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

RECEIVED

October 27, 1987

OCT 30 1987

Department of Water Resources
Southern Region Office

Harvey Montgomery
Rt. 1, Box 4451
Twin Falls, Idaho 83301

RE: APPLICATION FOR PERMIT NO. 47-8067

Dear Mr. Montgomery:

The department has completed the advertising and preliminary review of the above referenced application and is ready to issue a permit upon your compliance with newly enacted sections of the Idaho Code which became effective July 1, 1987. The department has also received your letter dated October 15, 1987, in which you request delay in the processing of the application.

Section 42-233, Idaho Code, requires that in order to construct the proposed low temperature geothermal well, (a well having a bottom hole temperature greater than 85 degrees Fahrenheit but less than 212 degrees Fahrenheit), you must file a surety bond or cash bond with the Director of the department in an amount not less than \$5,000 nor more than \$20,000. For your proposed use the bond required will be \$5,000 and must remain in effect until the well is abandoned. Enclosed for your information and reference is a copy of the Code section and bond forms.

In addition to submitting the bond, the driller engaged to construct the well will have to submit a drilling prospectus to the department describing proposed construction, casing and sealing of the well for review and approval prior to actual construction of the well.

Based on your request to delay processing of the application until the spring of 1988, the department will grant a delay under provisions of Rule 4,1,4. of the Water Appropriation rules and regulations. By May 1, 1988, you need to submit the bond, and drilling prospectus to the department in

47-8067

Page 2

order for the department to further consider your application. Failure to submit the required information will be cause for the department to void the record of the application pursuant to provisions of Section 42-204, Idaho Code.

If you have questions, please feel free to contact this office or our Southern Regional office, phone 734-3578.

Sincerely,

A handwritten signature in black ink, reading "L. Glen Saxton". The signature is written in a cursive, flowing style. The first letter "L" is large and loops around the first part of the name. The last name "Saxton" is written in a similar cursive style.

L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

cc: Southern Region
G.W. Prot. Sec.



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

Governor

R. KEITH HIGGINSON

~~A. KENNETH DUNN~~

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 22, 1987

Harvey Montgomery
Rt. 1, Box 4451
Twin Falls, Idaho 83301

RE: APPLICATION FOR PERMIT NO. 47-8067

Dear Mr. Montgomery:

The department has completed the advertising and preliminary review of the above referenced application and is ready to issue a permit upon your compliance with newly enacted sections of the Idaho Code which became effective July 1, 1987.

Section 42-233, Idaho Code, requires that in order to construct the proposed low temperature geothermal well, (a well having a bottom hole temperature greater than 85 degrees Fahrenheit but less than 212 degrees Fahrenheit), you must file a surety bond or cash bond with the Director of the department in an amount not less than \$5,000 nor more than \$20,000. For your proposed use the bond required will be \$5,000 and must remain in effect until the well is abandoned. Enclosed for your information and reference is a copy of the Code section and bond forms.

In addition to submitting the bond, the driller engaged to construct the well will have to submit a drilling prospectus to the department describing proposed construction, casing and sealing of the well for review and approval prior to actual construction of the well.

Please submit the bond, and drilling prospectus to the department within sixty (60) days in order for the department to further consider your application. Failure to submit the required information will be cause for the department to void the record of the application pursuant to provisions of Section 42-204, Idaho Code.

If you have questions, please feel free to contact this office or our Southern Regional office, phone 734-3578.

Sincerely,

L. Glen Saxton

L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

cc: Southern Region
G.W. Prot. Sec.

RECEIVED

OCT 26 1987

Department of Water Resources
Southern Region Office

47-8067

RECEIVED

OCT 19 1987

Hollister, Idaho

10/15/87

Department of Water Resources

Water Resources of Idaho
Mr. John Beal

Dear Sir:

I am writing in on Permit # P 47-08067.
I had a permit several years ago, but I
was in the Hospital, & have had very bad
luck, I have 2 to 4 different kinds of
Cancer; Doctors don't even know what it
all is & this Well is coming at a bad time for me.
Beal I did get it from ^{IN 1971} several Blood
transfusions & now I believe I have found
2 or 3 things that is curing this, I hope.
What I would like to do is put this off
until spring, I have talked to several doctors
all seem to be busy & I want to finish it all.
Also we go south in the winter & to leave
29 October, & it won't come out to gether.

I can see now I should have started
a lot sooner.

What I really want is good warm water.
If I don't get it I'll probably Cap Well.

This would bring in money to hard hit
Idaho, as we live on 73 Hwy & trying for
hot water pool resort like affair.

I would certainly thank you, if we
can make this come out better.

Yours Truly

Harvey Montgomery

MEMO

To: 47-8067

From: John Beal *JB*

This proposed well is located 12 miles south of the TFGWMA. The approval should include the condition:

The well drilling permit will be approved when the following items are received and approved.

- * - A drilling plan shall be submitted to the dept. showing the proposed casing, grouting and other proposed construction features.
- * - As required by Section 42-233 IC, a \$5000 cash or surety bond shall be submitted by the owner to the Dept.

John Beal is holding drilling permit application in his area - kw 10/21/87

DATE 10/5/87

FROM Leah Street

TO Loren Holmes *LL*

SUBJECT Montgomery Application #47-8007

Based on the wide spaced and limited number of wells in the vicinity, Montgomery would have to drill to at least 1100' to hit the thermal water. The system that Nat-Soo-Pah is in does not appear in these wells. I've looked at the shallower wells in the Hollister area and they all hit cold water.

It's also doubtful if the proposed well would flow at the surface. Water levels are \approx 400' feet below land surface. The temperature would probably be 100°F.

If he still wants to drill, I think that the well should be larger than the 6" he proposed, perhaps 10" surface \rightarrow 8".

If you need anything else, let me know.



SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 47-8067
RECEIVED

APR 27 1990

Department of Water Resources
Southern Region Office

To appropriate the public waters of the State of Idaho

1. Name of applicant Harvey Montgomery Phone (208) 655-4312
Post office address Rt. 1 Box 4451, Twin Falls, ID 83301

2. Source of water supply ground water which is a tributary of N/A

3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Govt. Lot
Sec. 28 Township 12 S. Range 16 E. B.M. Twin Falls County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.00 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 2.00 for commercial purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 2.00 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. N/A well and pump

b. Height of storage dam N/A feet; active reservoir capacity N/A acre-feet; total
reservoir capacity N/A acre-feet; period of year when water will be diverted to storage:
N/A to N/A inclusive.

c. Proposed well diameter is 4"-6" inches; proposed depth of well is 800'-900' feet.

d. Is ground water with a temperature of greater than 90°F being sought? yes

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

47-8067

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. N/A
- b. Stockwatering; list number and kind of livestock. N/A
- c. Municipal; show name of municipality. N/A
- d. Domestic; show number of households. possibly 3; maybe 0
- e. Other; describe fully. If hot water can be obtained, will be used primarily for commercial hot water baths and/or pool.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
125	16E	28				D C													

Total number of acres to be irrigated 0

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N/A

12. Remarks: Driller will be Arnold Elsing Well Drilling, Addison Ave. W., Twin Falls, ID. Effluent will be handled in accordance with the Dept. of Environmental Quality, or other appropriate governmental body.

A hand-drawn map on a grid. The map includes a well, a road, and a field. The well is represented by a small square with a dot inside, labeled "Well" with an arrow pointing to it. The road is a horizontal line labeled "Rd". The field is a large area labeled "Field". The map is drawn on a grid with a dashed line running horizontally across the middle.

7
12
5

28

Well

Rd

Field

Barney Montgomery
(Applicant)

Proposed Priority 7/14/87

Received by M. Baldwin Date 7/14/87 Time 12:14 pm Preliminary check by TB

Fee \$ 65⁰⁰ Received by M. Baldwin # 45081 Date 7/14/87

Publication prepared by M. Baldwin Date 8/18/87 Published in Times News

Publication approved M. Baldwin Date 9/23/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-8067, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Consumptive use of water under this permit shall not exceed 2.0 acre feet per day.

Return flow if discharged to a subsurface system must be authorized by a separate injection well permit, and return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.

A drilling plan shall be submitted to the department showing the proposed casing, grouting and other proposed construction features.

As required by Section 42-233, Idaho Code, a \$5000 cash or surety bond shall be submitted by the owner to the department.

Witness my hand this _____ day of October, 1987.

Director

10/2/87
47-8067
compliance
w/ Sec 42-233
9-2-235