

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

8/7/2020

Water Permit 47-8057

Owner Type **Name and Address**

Current Owner DIANE CAMPBELL
 , ZZ

Current Owner DONALD K CAMPBELL
 , ZZ

Status: Relinquished

Source

Tributary

Beneficial Use

From

To

Diversion Rate

Volume

Source and Point(s) of Diversion

Place Of Use

Conditions of Approval:

Comments:

Dates and Other Information

Water District Number: TBD

Mitigation Plan: False

Combined Use Limits

N/A

SubCase:

N/A

Water Supply Bank:

N/A

RECEIVED

OCT 26 1987

Dep. Water Resources
Region Office

October 21, 1987

John Rosholt
Nelson, Rosholt, et. al.
Attorneys at Law
P.O. Box 1906
Twin Falls, ID 83301

Dear John:

Phil Rassier referred your note to me in connection with application for permit 47-8057 which was filed with the department on December 19, 1986. The application proposes a point of diversion in Sec. 14, T9S, R14E, B.M. which is not within the boundaries of the moratorium area designated by the Director in connection with the CSI suit. The point of diversion is, however, within the boundaries of the Banbury Hot Springs Groundwater Management area.

Rule 7. of the Water Appropriation Rules and Regulations relative to moratoriums, does not prevent an applicant from submitting an application for permit to the department. The rule authorizes the Director to cease approving applications rather than to prohibit the filing of an application. Applicants who file within a moratorium area should be advised by department staff of the moratorium and its implications.

If the Swan Falls settlement ever gets to the point that the department can again process applications which have been held, the department will need to carefully screen out applications within the boundaries of the moratorium area which seek the use of the thermal aquifer in order to comply with the moratorium order of the Director.

Please feel free to contact me if you have questions.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

c: ~~8.~~ Region
Phil Rassier

47-8057



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

June 24, 1987

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

RE: Water Right Nos. 47-7705/8055/8056/8057

Donald K. &/or Diane Campbell
2297 E. 3300 S.
Jerome, ID 83338

RECEIVED
JUN 25 1987
Department of Water Resources
Southern Region Office

Dear Permit Holders:

Enclosed are copies of your approved Application for Permit Nos. 47-8055 and 47-8056. We direct your attention to the conditions of approval on the fourth pages of each permit. Please be advised that your plans for fish propagation under these two permits may be subject to regulations of the Idaho Department of Fish and Game. We suggest that you check with them before starting construction.

Note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permits were issued, and you must proceed diligently until the projects are completed. The enclosed blue cards must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permits were approved. We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop these permits into licenses.

Also enclosed is your approved Request for Extension of Time within which to submit proof of beneficial use under Permit No. 47-7705. Note that the time has been extended to May 1, 1988 and the priority date of the right has been advanced to February 17, 1981.

Finally, enclosed is a Withdrawal Form for you to sign and return within 30 days, withdrawing Application for Permit No. 47-8057.

If you have any questions regarding any of these matters, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosures

47-8057

RECEIVED

JUN 9 1987

Department of Water Resources
Southern Region Office

June 2, 1987

Donald K. &/or Diane Campbell
2297 East 3300 South
Jerome, Idaho 83338

Re: Applications for permit 47-8055, 47-8056, and 47-8057, and
permit 47-7562

Dear Mr. and Mrs. Campbell:

The department's regional office in Twin Falls recently forwarded the above referenced applications for permit to this office for further consideration. A review of the applications shows that the intended use is to pre-use or re-use the water diverted under prior permits 47-7705 and 47-7562.

Upon checking the status of permit 47-7705, I note that you have submitted a request for extension of time which presently is before the department for consideration. Permit 47-7562, however, is being held for cancellation. On March 2, 1987, the department sent to Glaser Land and Livestock, Inc. (Glaser) an order to show cause why permit 47-7562 should not be cancelled. Glaser has not responded to the order.

The purpose of this letter is to request information relative to the ownership of permit 47-7562. i.e. whether Glaser owns the permit or whether you do. If you own the permit, please provide appropriate evidence of ownership to the department within fifteen (15) days, since the cancellation order of the permit is presently pending.

Please feel free to contact this office or our office in Twin Falls if you have questions.

Sincerely,

L. GLEN SAXTON, Chief
Operations Bureau

cc: S. Region

47-8057

Memorandum

To : Gary Spackman
From : Allen Merritt

3/10/87

Subject : Conditions of Approval of Applications
47-8055, 47-8056 & 47-8057 in the
Name of Donald & Diane Campbell

Please find attached the above referenced files. Our office has completed processing of these applications with no protests being filed. It is recommended that these applications, being related to one facility, be processed jointly and that the following conditions of approval be considered for all three applications:

02, 04, 06, 07A, 09B, 26, 27

Additionally, in considering that 47-8057 involves thermal waters and the P/D's are within the Benary Groundwater Management Area, that 47-8057 have the additional conditions of 17F and a special condition like "The approval of this permit only allows for the pre-use or re-use of thermal waters from existing wells being diverted under permits 47-7705 or 47-7562. This permit is ~~specifically limited to the use of the thermal water~~ in that it can only be used when the water is being diverted under ^{the} other rights. If the other rights cease to be used or fail to be licensed this permit will become void."

47-8057

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 47-8057

To appropriate the public waters of the State of Idaho

1. Name of applicant Donald K. &/or Diane Campbell Home: 324-4284
Phone Bus: 543-6407
- Post office address 2297 East 3300 South Jerome, ID 83338
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 14 Township 9S Range 14E B.M. Twin Falls County; additional
points of diversion if any: NENSW, SWSNW, SESESW, NW NW SW
4. Water will be used for the following purposes:
- Amount 10 cfs for Fish Prop. purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 80 for Heating purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 10 cfs and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. 5 existing wells
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
- c. Proposed well diameter is existing inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 90°F being sought? yes
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. Warm water fish culture & heating of a home, hatchery building and shop building.

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9S	14E	14							H,F			H,F							

Key: H=Heating
F=Fish Prop.

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. Permit 47-7705

This filing is made to make additional use of flows for hydropower under 47-7705.

11. a. Who owns the property at the point of diversion? Applicant & Zion's Leasing (Zion's owns NW¼ NW¼ SW Sec. 14)


b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Heating flow based on the following:

Area= 8100 sq. ft., Average insulation (e=.67), Inside design temp=70°F; Outside design temp = 4°F, Temperature change in the water =2°F.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald K. Campbell
(Applicant)

Received by M. Baldwin Date 12/19/86 Time 2:20 p. Preliminary check by ADM
Fee \$ 225⁰⁰ Received by M. Baldwin # 40634 Date 12/19/86
1/15 & 1/22/87
Publication prepared by M. Baldwin Date 12/29/86 Published in Times News, Of Idaho
Post Register, Lewiston, ID
Publication approved M. Baldwin Date 2/18/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED

NOV 23 1987

Department of Water Resources

RECEIVED

NOV 30 1987

Department of Water Resources
Southwest Region Office

RELINQUISHMENT

TO WHOM IT MAY CONCERN:

I hereby relinquish to the State of Idaho,
all my right, title and interest in and to Permit to appropriate
the Public Waters of the State of Idaho, No. 47-8057.

Signed at _____ this 18 day
of November, 19 87.

Ronald K. Campbell
Permit Holder

Siame D Campbell

ATTEST:

47-8057

OK-KW
11/24/87