

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 22-14132

RECEIVED
JUL 15 2010
Department of Water Resources
Eastern Region

Priority: September 23, 2014

Maximum Diversion Rate: 0.60 CFS

Maximum Diversion Volume: 228.0 AF

The owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 22-14132

TETON RESERVE MASTER ASSOCIATION INC PO BOX 838 VICTOR ID 83455-0838

requests the permit be changed as follows:

Source : GROUND WATER

Beneficial Use

DOMESTIC

Period of Use

01/01 to 12/31

Rate of Diversion

0.60 CFS

Annual Volume

228.0 AF

Location of Point(s) of DiversionGROUND WATER NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 35, Twp 04N, Rge 45E, B.M. TETON CountyGROUND WATER NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 35, Twp 04N, Rge 45E, B.M. TETON CountyGROUND WATER NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 36, Twp 04N, Rge 45E, B.M. TETON County**Place of Use: DOMESTIC**

Twp	Rng	Sec	NE				NW				SW				SE				No QQ	Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
04N	45E	35	X	X	X	X														
04N	45E	36					X	X	X	X										

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed this 11 day of July, 2020.


(Signature)

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 22-14132

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$100 Received by CH # E046108 Date 7/15/2020

ACTION OF THE DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources hereby approves the above Application for Amendment for Permit No. 22-14132 with the following:

Conditions of Approval

1. Points of diversion and place of use is located within Teton Reserve Subdivision.
2. Domestic use is for 190 homes.
3. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
4. The irrigation occurring under this domestic use shall not exceed 1/2 acre within each platted subdivision lot upon which a home has been constructed. This right does not provide for irrigation of common areas or for irrigation of lots upon which homes have not been constructed.
5. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.

This amendment is issued pursuant to the provisions of Idaho Code § 42-211.

Signed this 22nd day of July, 20 20



JAMES CEFALO

Eastern Regional Manager

State of Idaho
Department of Water Resources
Water Right License
22-14132



- Point of Diversion
- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters

0 0.15 0.3 0.6 Miles



RECEIVED

JUL 15 2020

Department of Water Resources
Eastern Region

Teton Reserve Management Company

PO Box 838

Victor, ID 83455

619-887-9986

treasurer@tetonreserve.org

July 11, 2020

Mr. Blake Jordan

IDWR Eastern Region

900 N Skyline Drive Ste:A

Idaho Falls, ID 83402-1718

Dear Mr. Jordan,

Enclosed you will find the amended application for Water Right 22-14132. The added point of diversion is correct and we are fine with the place of use changes in the section grid. However, your drawing needs to be extended to the west along Reserve Drive to abut Water Right 22-13244. There is an existing point of use that is excluded in your drawing and I have pencilled that in on the map.

Sincerely,



Chuck Rudolph

Treasurer, Teton Reserve Master Assn.



Brad Little
Governor

State of Idaho

DEPARTMENT OF WATER RESOURCES

Eastern Region • 900 N SKYLINE DR STE A • IDAHO FALLS, ID 83402-1718

Phone: (208)525-7161 • Fax: (208)525-7177 • Website: www.idwr.idaho.gov

RECEIVED

JUL 15 2020

Department of Water Resources
Eastern Region

Gary Spackman
Director

July 1, 2020

TETON RESERVE MASTER ASSOCIATION INC
PO BOX 838
VICTOR ID 83455-0838

RE: Water Right Permit No. 22-14132

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit(s) referenced above prior to issuing water right license(s). By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit.

The examiner who verified your water use reported that certain elements of the permit(s) have been developed differently than described on your permit(s). Changes that do not increase the authorized use of water under the permit(s) can be requested and approved in accordance with Idaho Code § 42-211. Before license(s) can be issued, your permit(s) must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit(s):

☒ Point(s) of Diversion

☐ Place(s) of Use

☐ Other

The enclosed Application for Amendment form(s) depicts the elements of the water right(s) as they will appear on the license(s) when issued. Please review the amendment form(s) carefully. If you concur with the information presented, please sign and return the form(s) with the filing fee of \$100.00 within fourteen (14) days.

If you have any questions, please call me at (208) 497-3777.

Sincerely,

Blake Jordan
Water Rights Supervisor

Enclosure(s): Application for Amendment

cc: Wilder System Solutions- Allen Wilder