Form 202A 07/1RECEIVEL						RECEIN D ID No. 772-63-219													
APR 0 8 2016 STATE OF IDAHOPR 1 5 2019 DEPARTMENT OF WATER RESOURCES												an anti-ann ann a							
WATER RESOURCES WESTERN REGION																			
APPLICATION FOR TEMPORARY APPROVAL OF WATER APPROPRIATION (For a use not intended to become an established water right, not to exceed a total diverted volume of five (5) acre-feet,																			
	(For a u and not															ne of f	five (5) acre-	feet,
Name of applicant: Robert R. Fritz Phone: 208-989-2655 Mailing address: 24509 Hwy 19 B City: Wilder																			
Mailing address: 24504 HWY 19 Berger City: Wilder																			
State <u>Tdaho</u> ZIP <u>83676</u> Email: 1. Source of water: <u>EIK CreeK</u> tributary to <u>Morse Creek</u>																			
 2. Loca 	ation of	point(s)	of div	version							_ 1104	liary io	<u> </u>			CEN	·		
2. Location of point(s) of diversion:												or tag #							
						-				Source				Local name of tag #					
1061	NOSE		E NE SW				Boise			EIK Creek				~ 600151					
3 Loc	ation of	nlace of	Fuse.						C Talan a chuire						900.00 and		Charles and a second	C. STORE THE	
5. Loca	Location of place of use:				NW					SW					SE				
TWP	RGE	SEC	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
06N	05E	1									X								
L																			
4. Desc	cribe pro	posed ı	ise of v	water .	+1:	gh F	bank	cin	9										
5. Amc	ount of y	votor																	
	imum ra		versio	n			(rfs or				ar	m						
	imum d																		
														-0	Hob	er	20	160	lay-month).
7. Describe proposed diverting works: pump out of Creek to High Banker 8. a. Who owns the property at the requested point of diversion? Idaho Department of Lands																			
b. Who owns the land to be irrigated or place of use?																			
c. I	f the pro	perty is	owne	d by a	perse	on other	than t	he ap	plicant	, desci	ibe th	e arran	gemer	nt allow	wing a	ccess t	to the	water:	
-																			
9. Add	itional r	emarks:																	
										 -									
I hereb rights.																pprov	al inji	ures o	ther water
		-								-		<u> </u>	-						
Signatu	re of ap	Blicant	P	F	-le	2	7			Ē	Date	1-8		/ 4					

Date 4/8/16 # W044042

		_
Received by	a, L	-
\$50.00 fee receipted by	Ø	
Watermaster comments rec	eived?	In

4/8/16

4/n/16

Time

Date

Date

Indent. No. 72-63-2/9

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that the department has examined this application for temporary approval to use water under the provisions of Section 42-202a, Idaho Code, and has determined that:

_____ A. The application for temporary approval should be denied.

Z B. The application for temporary approval should be approved, since

- 1. The temporary approval can be properly administered.
- 2. Other water sources are not readily available.
- 3. The approval is in the public interest.
- 4. The approval will not injure known public values associated with the water source or any known water rights.

This application is therefore hereby:

_ A. DENIED

 $\stackrel{\checkmark}{\sim}$ B. APPROVED, subject to the following conditions:

- 1. Diversion and use of water under this approval is subject to all valid existing water rights.
- 2. The applicant assumes all risk the use of the water under this approval may injure other water rights.
- 3. This authorizes a maximum diversion of A AF and a maximum rate of diversion of 150 CFS or GPM.
- 4. This approval does not grant a right-of-way across the land of another, does not create a continuing right to use the water and may not be used in connection with a use which requires a continuing water supply.
- 5. The department may cancel this approval at any time if the department identifies injury to other water rights.
- 6. This approval does not create a continuing right to use water.
- 7. The holder of this temporary permit shall not divert at a rate or in a manner that will significantly reduce the flow in the water source or otherwise adversely affect fish, wildlife or other public values.
- 8. A ¹/₄ inch mesh screen shall be installed on the pump intake.
- 9. Direct discharge of waste water/slurry into rivers, creeks, or streams is not authorized.
- 10. All equipment involved with transporting water shall be treated/sterilized prior to use to avoid spread of invasive aquatic species and may require inspection. Contact the Idaho State Department of Agriculture (<u>www.agri.idaho.gov</u>) for specific recommendations at 208-332-8500 or by email to <u>info@agri.idaho.gov</u>.
- 11. This temporary use of water remains subject to control of the Boise River Watermaster.
- 12. This approval is subject to the availability of Boise River Rental Pool water to mitigate water losses and injury to existing water rights. This authorization will require the rental of ______ AF of water from the Boise River Rental Pool (2 AF minimum). Contact Boise River Watermaster, 208-908-5480.

13. This approval expires on <u>Nugust</u> 1³⁰, 2016 Signed this _____ day of _____ , 20 / 6 For the Director



State of Id __o DEPARTMENT OF WATER RESOURCES

Western Region • 2735 Airport Way • Boise, Idaho 83705-5082 Phone: (208) 334-2190 • Fax: (208) 334-2348 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER Governor GARY SPACKMAN Director

April 12, 2016

ROBERT FRITZ 24509 HWY 19 WILDER ID 83676

RE: Temporary Approval of Water Appropriations-TP-63-219

Dear Applicant:

Your application for Temporary Approval of Water Appropriation has been granted.

Please be advised, this permit is subject to the effective dates and conditions stated on page 2 of the application. Water sufficiency for senior water rights along with associated public values must be protected during summer-fall low flows. Elk Creek is the primary water source for Idaho City. Therefore the approval expires on <u>August 1, 2016</u>.

Also, note the condition requiring the **purchase of storage water from the Boise River Rental pool** to mitigate injury to downstream water right holders below Lucky Peak.

See the enclosed rental pool lease agreement to contact Boise River Watermaster Rex Barrie at 208-908-5480 for the required follow up before diverting water under this temporary approval.

If you have any questions concerning the enclosed information, please feel free to contact this office at 208-334-2190.

Sincerely,

Nick Miller Manager Western Regional Office

Enclosures