

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

7/24/2020

Water Permit 47-7976

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	JOE KINYON 3203 N 900 E CASTLEFORD, ID 83321 (208) 731-6535

Status: Lapsed

Source

Tributary

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
-----------------------	-------------	-----------	-----------------------	---------------

Source and Point(s) of Diversion

Place Of Use

Conditions of Approval:

Comments:

Dates and Other Information

Water District Number: TBD
Mitigation Plan: False

Combined Use Limits

N/A

SubCase:

N/A

Water Supply Bank:

N/A



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Joe Kinyon Phone 537-6545

Post office address Castleford, ID 83321

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 14 Township 6S

Range 12E B.M. Twin Falls County, additional points of diversion if any: _____

NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 14 T. 6S R. 12E

4. Water will be used for the following purposes:

Amount 0.37cfs for Heating purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.37cfs for Recreation purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.37 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Two hot-water artesian wells, pipelines

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: N $\frac{1}{2}$ of NW $\frac{1}{4}$ of Section 14 Township 6S

Range 12E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: Heating of 2 homes, barn, small greenhouse.

Recreation use in small swimming pool and hot tub

47-7976

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Two homes of average insulation at 45 btu/sq ft/hr x 3800 sq ft = 171000 btu.


With 5° temp. drop = 68 gpm = 0.15 cfs

Barn & small greenhouse (poor insulation) at 73 btu/sq ft/hr x 3500 sq ft =

255500 btu/hr. With 5° temp. drop = 102 gpm = 0.22 cfs Total 0.37 cfs.

Water is assumed to be 85° F (temp. of nearest warmwater well).

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Joe Kimyon
(Applicant)

Proposed Priority 3/6/84

Received by J Date 3-6-84 Time 3:58 pm

Preliminary check by T.G.B. Fee \$ 45.00

Receipted by J Date 3-6-84 #33015

Publication prepared by marry Date 3/20/84

Published in times news

Publication dates 3/20 + 4/5/84

Publication approved marry Date 4/13/84

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ADN kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-7976, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 1989.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Return flow if discharged to a subsurface system must be authorized by a separate injection well permit, and return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.

An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Permit holder shall submit to the Department a drilling prospectus which includes proposed casing and grouting procedures for review and approval prior to drilling of the well.

The Director retains jurisdiction of this permit and may require reinjection of the water if determined to be necessary for protection of the resource or other water rights.

Use of water under this permit shall be non-consumptive.

Witness my hand this 3rd day of May., 1984.

J. Glen Saxton
Chief, Operations Bureau