

TP-98-16

Received by CP Date 4/20/06 Time 12:30
 \$50.00 fee received by CP # N017509 Date 4/20/06
 Watermaster Comments received? _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that the department has examined this application for temporary approval to use water under the provisions of Section 42-202a, Idaho Code, and has determined that:

- _____ a) The application for temporary approval should be denied.
- _____ b) The application for temporary approval should be approved, since
1. The temporary approval can be properly administered.
 2. Other water sources are not readily available.
 3. The approval is in the public interest.
 4. The approval will not injure known public values associated with the water source or any known water rights.

This application is, therefore, hereby:

- _____ a) DENIED
- _____ b) APPROVED, subject to the following conditions:
1. Diversion and use of water under this approval is subject to all valid existing water rights.
 2. The applicant assumes all risk the use of the water under this approval may injure other water rights.
 3. This approval authorizes a maximum diversion of 1.34 cfs and a maximum rate of diversion of 5 cfs.
 4. This approval does not grant a right-of-way across the land of another, does not create a continuing right to use the water and may not be used in connection with a use which requires a continuing water supply.
 5. The department may cancel this approval at any time if the department identifies injury to other water rights.
 6. This approval expires on 10/15/06.
 7. This approval does not create a continuing right to use water.
 8. The holder of this temporary permit shall not divert at a rate or in a manner that will significantly reduce the flow in the water source or otherwise adversely affect fish, wildlife or other public values.
 9. Other: Water intakes should be screened to prevent entrainment or impingement of fish or other aquatic life. The maximum screen mesh size should be 0.25 inches; approach velocities should not exceed 0.5 ft/second.
 10. Contact the DEPARTMENT OF WATER RESOURCES prior to diversion of water from streams.

DATED this 24 day of April, 2006.



Idaho Department of Water Resources

10th Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814-2615

AL BEARDSLEE
 SENIOR WATER RESOURCE AGENT
 NORTHERN REGIONAL OFFICE

PHONE (208) 769-1456

FAX (208) 769-1454

albeardslee@idwr.idaho.gov

For the Director

Robert B. Haynes

RECEIVED
 APR 20 2006
 IDWR/North

Form 202a 11/99

Basin 98

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Incent. No.

TP-98-14

RECEIVED

APR 28 2006

DEPARTMENT OF
WATER RESOURCESData Entered 4/24/06
KJ

APPLICATION FOR TEMPORARY APPROVAL OF WATER APPROPRIATION

(5 AF or less)

Name of Applicant KEEWIT PACIFIC CO Phone 208-267-1838Address 105 HWY 95 NORTH EASTART, IDAHO 838261. Source of water MOYIE RIVER Tributary to ROOTENAL RIVER2. Location of point of diversion SW 1/4 SE 1/4 Sec. 10 Township 74N Range 8E B.M.County BONNERY

65N R2E

3. Location of place of use 3 1/2 3 1/4 Sec. 3 Township 74N Range 8E B.M.County BONNERY

65N R2E

4. Proposed use of water DUST ABATEMENTSOIL CONDITIONING5. Amount of water: 5 ACRE FEETMaximum rate of diversion 1.34 cfs or 600 gpm.Maximum daily volume 0.0614 AF; Total volume 5.0 AF.6. Duration of diversion: From 4-1-06 to 10-15-06

Day-month

Day-month

7. Proposed diverting works 4" DRY PIPE - 4" SUCKER HOSE (FISH BOX) SCREEN8. Who owns the property at the requested point of diversion? DONDHUE ENTERPRISES INC9. Describe the arrangement allowing access to the water ALLES ROAD ESTABLISHEDTHROUGH PRIVATE PROPERTY - WILL MAINTAIN

10. Remarks

I hereby acknowledge that I assume all risk if the diversion and use of the water under this approval injures other water rights. I certify this is a temporary use and that I am not seeking a continuing right to use water.

4-14-06
Date

Applicant

Edward Schep

Contact is Tim.

b 5/2/06

0.06
2.0 CFS
2.0 CFS