

TP-95-53

Received by CP Date 4/27/06 Time 12:40  
 \$50.00 fee receipted by CP # N017521 Date 4/27/06  
 Watermaster Comments received? \_\_\_\_\_ Date \_\_\_\_\_

# ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that the department has examined this application for temporary approval to use water under the provisions of Section 42-202a, Idaho Code, and has determined that:

- ☐ a) The application for temporary approval should be denied.
- ☒ b) The application for temporary approval should be approved, since
1. The temporary approval can be properly administered.
  2. Other water sources are not readily available.
  3. The approval is in the public interest.
  4. The approval will not injure known public values associated with the water source or any known water rights.

This application is therefore hereby:

- ☐ a) DENIED
- ☒ b) APPROVED, subject to the following conditions:
1. Diversion and use of water under this approval is subject to all valid existing water rights.
  2. The applicant assumes all risk the use of the water under this approval may injure other water rights.
  3. This approval authorizes a maximum diversion of 5 AF and a maximum rate of diversion of 0.5 cfs.
  4. This approval does not grant a right-of-way across the land of another, does not create a continuing right to use the water and may not be used in connection with a use which requires a continuing water supply.
  5. The department may cancel this approval at any time if the department identifies injury to other water rights.
  6. This approval expires on 12/31/06.
  7. This approval does not create a continuing right to use water.
  8. The holder of this temporary permit shall not divert at a rate or in a manner that will significantly reduce the flow in the water source or otherwise adversely affect fish, wildlife or other public vaules.
  9. Other: Water intakes should be screened to prevent entrainment or impingement of fish or other aquatic life. The maximum screen mesh size should be 0.25 inches; approach velocities should not exceed 0.5 ft/second.
  10. Contact the DEPARTMENT OF WATER RESOURCES prior to diversion of water from streams.

DATED this 9<sup>th</sup> day of May, 2006.

Robert G Haynes  
 For the Director



State of Idaho

**DEPARTMENT OF WATER RESOURCES**

Northern Region, 1910 Northwest Blvd. Suite 210, Coeur d'Alene, Idaho 83814-2615

Phone: (208) 769-1450

Fax: (208) 769-1454

Web Site: [www.idwr.idaho.gov](http://www.idwr.idaho.gov)

DIRK KEMPTHORNE  
Governor

KARL J. DREHER  
Director

05/11/2006

LAKES HIGHWAY DISTRICT  
PO BOX 460  
HAYDEN ID 83835

RE: Temporary Permit No. TP-95-53

Dear Applicant(s):

Your application for Temporary approval of Water Appropriation has been granted and assigned number TP-95-53.

Please be advised that THE PERMIT IS SUBJECT TO THE EFFECTIVE DATES AND CONDITIONS STATED ON PAGE TWO OF THE APPLICATION.

If you have any questions or if this office can be of further assistance, please contact us.

Sincerely,

A handwritten signature in black ink that reads "Robert G. Haynes". The signature is written in a cursive, flowing style.

Robert G. Haynes, P.E.  
Regional Manager

Enclosure

Form 202a

**RECEIVED**Ident. No. TP-95-53

APR 27 2006

STATE OF IDAHO  
IDWR/North DEPARTMENT OF WATER RESOURCES**APPLICATION FOR TEMPORARY APPROVAL OF WATER APPROPRIATION**  
(5 AF or less)Name of Applicant Lakes Highway District Phone 208-772-7527Post Office address PO Box 460, Hayden Idaho 838351. Source of water Various Lakes & streams in Lakes Hwy District Tributary to \_\_\_\_\_2. Location of point of diversion \_\_\_\_\_ 1/4 \_\_\_\_\_ 1/4, Sec. Various Township 51, 52 & 53 N, Range 2, 3 & 4 WB.M., County Kootenai

3. Location of place of use \_\_\_\_\_ 1/4 \_\_\_\_\_ 1/4, Sec. \_\_\_\_\_ Township \_\_\_\_\_, Range \_\_\_\_\_

Various Roads in Kootenai Lakes Hwy District  
B.M., County Kootenai4. Proposed use of water Water will be used to stabilize gravel roads, dust emission & for road construction

## 5. Amount of water:

Maximum rate of diversion .5 cfs or 244 gpm.

Volume:

Max. daily vol. .10 AF, Total vol. 5 AF.6. Duration of diversion: From April 25, 2006 to December 31, 2006  
Day-month Day-month7. Proposed diverting works 3,000 gallon Tanker Truck8. Who owns the property at the requested point of diversion? State of Idaho and Lakes Hwy District9. Describe the arrangement allowing access to the water Access is from Lakes Hwy DistrictRight of Way

10. Remarks \_\_\_\_\_

I hereby acknowledge that I assume all risk if the diversion and use of the water under this approval injures other water rights. I certify this is a temporary use and that I am not seeking a continuing right to use water.

04/25/06  
DateBonny A. Hagg  
Applicant