RECEIVED

ID No. 79-02-37

JUL 29 2015 DEPARTMENT OF WATER RESOURCES

WATER RESOURCES

APPLICATION FOR TEMPORARY APPROVAL OF WATER APPROPRIATION


(For a use not intended to become an established water right, not to exceed a total diverted volume of five (5) acre-feet, and not to exceed one (1) year duration in accordance with Section 42-202A, Idaho Code.)

Adding address: P.O. Box 57 City: Cottonwood	Name o	f applica	_{ınt:} Seı	ubert Ex	cavat	ors, Inc								Pl	none:	(208)	962-3	314	
Email: acrehder@q.com Source of water: Little Valley Irrigation Canal Source Water vibutary to N/A																			
Source of water: Little Valley Irrigation Canal Street Lave tributary to M/A Location of point(s) of diversion: TWP RGE SEC GOTT 1/4 1/4 1/4 County Source Local name or tag # 68 4E 111 3 6W NE NW Owyhee Snake River Location of place of use: TWP RGE SEC NE NE NW SW SE NE NW SW S					_{ZIP} 83	522			Ema	nil: ac	rehde	er@q.c	om	_					*
2. Location of point(s) of diversion: TWP RGE SEC GOVT 1/4 1/4 County Source Local name or tag # 16S 4E 141 3 SW NE NW NE NW Owyhee Snake River 3. Location of place of use: TWP RGE SEC NE NE NW SW SE NE NW S																			*
6S 4E +++ 3 GW NE NW Owyhee Snake River 3. Location of place of use: TWP RGE SEC NE NE NW SW SE NE NW SW SE NE NW SW SE NE NE NE NW SW SE NE NE NW SW SE NE NE NE NE NW SW SE NE NE NE NW SW SE NE												,					NO APPORT		
As Location of place of use: TWP RGE SEC NE NE NW SW SE NE NW SW SE NE NW SW SE NE NW SW SE NE	TWP	RGE			1/4	1/4			Co	unty		Source					Local name or ta		or tag #
3. Location of place of use: TWP RGE SEC NE NE NE NW SW SE NE NE NW SW SE NE NW SW SE NE NW SW SE NE NW SW SE NE NE NE NW SE NE NE NW SW SE NE NE NW SW SE NE NE NE NW SW SE NE NE NW SW SE	6S	4E			-				Owyhee			Snake River							
TWP RGE SEC NE NW SW SE NE NE NW SW SE NE NW SW SE NE NW SW SE NE NE NW SW SE NE NE NW SW									, and a										
A. Describe proposed use of water Material Loss Los	3. Loc	ation of	place of	use:															
A. Describe proposed use of water water will be used for dust control to meet EPA and DEQ regulations. Dust Control will also be used for Mine Safety and Health Administration regulations. 5. Amount of water: Maximum rate of diversion	TWP	RGE																	Totals
4. Describe proposed use of water Water will be used for dust control to meet EPA and DEQ regulations. Dust Control will also be used for Mine Safety and Health Administration regulations. 5. Amount of water: Maximum rate of diversion	65	1E		NE I	NW S	N SE		NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
also be used for Mine Safety and Health Administration regulations. 5. Amount of water: Maximum rate of diversion		71	- 11		_														
Seubert Excavators, Inc. is under contract to crush rock for Owyhee Cnty on property leased from the BLM. Additional remarks: Water will be pumped from an Irrigation canal operated by Little Valley Mutual Irrigation District. If You have any questions in regards to this permit please contact Chris Rehder at Seubert Excavators, Inc. (208) 962-3314 I hereby acknowledge that I assume all risk if the diversion and use of the water under this approval injures other waterights. I certify this is a temporary use and that I am not seeking a continuing right to use water. O7/27/2015 Signature of applicant Date Date Time 12.35 Date 1/29/15	Max Max 6. Dur 7. Des 8. a. Y	kimum rakimum dation of cribe pro	ate of di aily vol- diversion oposed of the pins the la	on: from diverting roperty a and to be	As so works at the re-	Diesel quested placed or placed	Pump point of see of us	d w/ 8" diver e? Bl	suction? _M	(d on line BLM	ay-mo	onth) to ling wa	Sept ater tru	ucks f	or dus	st con			lay-month).
You have any questions in regards to this permit please contact Chris Rehder at Seubert Excavators, Inc. (208) 962-3314 I hereby acknowledge that I assume all risk if the diversion and use of the water under this approval injures other waterights. I certify this is a temporary use and that I am not seeking a continuing right to use water. 07/27/2015 Signature of applicant Date Date Time 12:35 Date 7/29/15		Seuber	t Excav	ators, li	nc. is u	nder co	ntract t	o cru	sh ro	ck for	Owyh	iee Cn	ty on	prope	erty le	ased f	rom th	ne BLI	
I hereby acknowledge that I assume all risk if the diversion and use of the water under this approval injures other water rights. I certify this is a temporary use and that I am not seeking a continuing right to use water. O7/27/2015 Signature of applicant Date Date Date Date Date Date Date Date Date																			istrict. If
I hereby acknowledge that I assume all risk if the diversion and use of the water under this approval injures other water rights. I certify this is a temporary use and that I am not seeking a continuing right to use water. O7/27/2015 Signature of applicant Date	Yo	u have	any que	estions	in rega	rds to th	is perr	nit ple	ease (contac	t Chr	is Reh	der a	t Seul	oert E	xcava	tors, I	nc.	
rights. I certify this is a temporary use and that I am not seeking a continuing right to use water. 107/27/2015	(20	8) 962-	3314													-		,	
	Signatu Received	I certifully a contract of ap	y this is	a temp	orary (m not	t seeki	ng a c	ontini 07/27	uing ri	ght to	use w	ater.		al inj	ures o	ther water
THE THE PARTY OF T		-				ba Pho	nei	#		>>-			1945	-	20/1	<u>۲۱۵</u>			


ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that the department has examined this application for temporary approval to use water under the provisions of Section 42-202A, Idaho Code, and has determined that: A. The application for temporary approval should be denied. B. The application for temporary approval should be approved, since 1. The temporary approval can be properly administered. 2. Other water sources are not readily available. 3. The approval is in the public interest. 4. The approval will not injure known public values associated with the water source or any known water rights. This application is therefore hereby: A. DENIED B. APPROVED, subject to the following conditions: 1. Diversion and use of water under this approval is subject to all valid existing water rights. 2. The applicant assumes all risk the use of the water under this approval may injure other water rights. 3. This approval authorizes a maximum diversion of 1.0 cfs. 4. This approval does not grant a right-of-way across the land of another, does not create a continuing right to use the water and may not be used in connection with a use which requires a continuing water supply. 5. The department may cancel this approval at any time if the department identifies injury to other water rights. 6. This approval does not create a continuing right to use water. 7. The holder of this temporary permit shall not divert at a rate or in a manner that will significantly reduce the flow in the water source or otherwise adversely affect fish, wildlife or other public values. 8. Other: 9. This approval expires on <u>09/15/15</u>.

For the Director







OWYHEE COUNTY 2015 AGGREGATE CRUSHING PROJECT COVE REC PIT

Scale: N.T.S.

Date: 10/23/2014

Project Number: 013-14-003

Drawing: P:\Projects\Owyhee County 013-14\013-14\013-14\013 FY-15 Aggregate\CADD\2015 Crushing Project.dwg



157 W. 4th Street Kuna, Idaho 83634 PH: (208) 922-9138 FX: (208) 922-9168



State of Idamo DEPARTMENT OF WATER RESOURCES

Western Region • 2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER Governor

GARY SPACKMAN Director

July 30, 2015

SEUBERT EXCAVATORS INC PO BOX 57 COTTONWOOD ID 83522

RE: Temporary Permit No. TP-02-37

Dear Applicant(s):

Your application for Temporary Water Appropriation has been approved and is enclosed.

Please be advised the approval only authorizes the temporary use of water. It does not grant trespass or other activity on public land or on private property.

Please note the conditions of approval to understand the limitations associated with the temporary use of water. The expiration date cannot be extended under this temporary approval.

If you have any questions regarding this matter, please call me at 208-334-2190.

Sincerely,

Nick Miller Manager

Western Regional Office

Enclosures