

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

7/17/2020

Water Permit 45-7094

Owner Type Name
Current Owner JOHN HILLING

Status: **Lapsed**

Source

Tributary

Beneficial Use

From

To

Diversion Rate

Volume

Source and Point(s) of Diversion

Place Of Use

Conditions of Approval:

Combined Use Limits

N/A

SubCase:

N/A

Water Supply Bank:

N/A

Identification No. 45-7094
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

- owner John Hilling owner Wayne May David A. Besel, EIT Deb.
post office address 526 13th, Rupert 10W 200S, Burley 1925 Oakley, Burley
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 32 Township 10
Range 23 E B.M. Boise Meridian Cassia County; additional points of diversion if any: none
- b. If water is not consumed, it will be discharged into None at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.4 for Domestic purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.4 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 10 HP submersible Turbine Pump
500 gal. reserve (Pressure Tanks) 20 PSI min. delivery
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 12 inches; proposed depth of well is 250 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years. Service date June 1, 1972
b. Estimated construction cost is \$ 7500.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 32 Township 10
Range 23 E B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
- (4) Name of municipality to be served Park Hill Mobile Home development, or number of families to be supplied with domestic water 92.
- (5) If water is to be used for other purposes describe: Potable drinking water only
Development is One mile from Burley - present city system
judged inadequate to serve development

45-7094

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated_____

c. Describe any other water rights used for the same purposes as described above.

Describe any other water rights used for the same purposes as described above.

Present service from Burley Irrigation District sufficient to supply water for maintenance of grounds

9. a. Who owns the property at the point of diversion Wayne May, John Hilling

b. Who owns the land to be irrigated or place of use

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks This is a Residencial Development of 92 Mobile Home spaces requiring a central water system to distribute Potable Drinking Water. All installations will be made in accordance with Idaho State Health Regulations. Sewage Service will be contracted with the City of Burley. It is unlikely that the City of Burley would be able to deliver sufficient water at a pressure which would be useable. The economics involved in bringing the city system to a useable delivery would furthermore be prohibitive.

Well Driller: Rex Weech
632 E. 42nd Street
Burley, Idaho


THE DEVELOPMENT OF THIS PROJECT IS DEPENDENT UPON AN ADEQUATE SUPPLY OF WATER. PROMPT CONSIDERATION OF THIS PERMIT IS NECESSARY. YOUR CO-OPERATION IS REQUESTED.

RALPH C. BESEL, PE.

DAVID A. BESEL, ETC.

engineers for the Project

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

FEE ENCLOSED

\$25.00

Wayne M. May
(Applicant)
John E. Dilling

Let # 8-62

Received by _____ Date _____ Time _____
Preliminary check by T. S. Fee \$ 15.00
Receipted by W. J. Date 4-6-72
Publication prepared by D. L. Date 5-12-72
Published in SOUTH IDAHO PRESS
Publication dates 5-23 & 5-30-72
Publication approved _____ Date 4-12
Priority ~~XXXXXX~~ 4-5-72 Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by BDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 45 7094, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- SUBJECT TO ALL PRIOR WATER RIGHTS.
- Proof of construction of works and application of water to beneficial use shall be submitted or before July 1, 19 73.
- Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 27 day of June, 19 72.


Deputy Director

C July 21, 1972

O John Hilling
526 13th
Rupert, Idaho

P Dear Mr. Hilling:

Enclosed is a copy of your approved Application for Permit No. 45-7094. We direct your attention to the conditions of approval as listed on the fourth page.

P Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Y Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:cr

Enclosures:

C
O
P
Y
July 21, 1972

Wayne May
10 West 200 South
Burley, Idaho

Dear Mr. May:

Enclosed is a copy of your approved Application for Permit No. 45-7094. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:cr

Enclosures:

May 17, 1972

Re: Application No. 45-7094 - John Hilling & Wayne May

Mr. Vaughn Anderson
Environmental Improvement
Department of Health
Boise, Idaho

Dear Mr. Anderson:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, please submit them to our Department as soon as possible. We normally complete the processing of an application within a 6-week period and we are required to take final action shortly thereafter.

If we may be of further assistance, please contact us.

Sincerely,

Bob Haynes
Water Resource Inv. Adm.
Southern Division

BH/BL

Enclosure

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse — Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

May 12, 1972

Re: Claim No. 45-4041 - W. B. Whiteley
Application No. 45-7091 - Bureau of Land Management
" " 45-7094 - John Hilling & Wayne May
Transfer No. 1096 - John H. Peterson

South Idaho Press
Box 190
Burley, Idaho 83318

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(signature of claimant)

Very truly yours,

Bob Haynes
Water Resource Inv. Adm.
Southern Division

BH/BL
Enc: legal notices (4)

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that John Hilling, 526 13th, Rupert, and Wayne May,
10W, 200S, Burley, Idaho
have ~~has~~ on April 5, 1972 submitted Application No. 45-7094
for a permit to appropriate 0.4 cubic feet per second ~~acre feet per annum~~
of water from a groundwater source
by means of pump and pressure tanks
within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 32, T. 10S, R. 23E, B.M., Cassia County

to be used from Jan. 1 to Dec. 31
for domestic purposes for 92 families

within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 32, T. 10S, R. 23E, B.M.,

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before June 9, 1972.

R. KEITH HIGGINSON

Director

Published in the South Idaho Press, Burley, Idaho
on May 23 and May 30, 1972

April 27, 1972

Donain Clay
Water Resources Examiner

RECEIVED

Department of Water Administration

Dear Sir,

My name appears on application 45-7094 only because I have been acting as an engineering consultant to the gentleman signing the application. In returning the application, I have removed my name from Line 1. I hope this will enable you to complete processing of this application.

Sincerely,

David A. Bessel, EIT