



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815
Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

July 30, 2014

West Company, Inc.
PO Box 519
Airway Heights, WA 99001

Re: Temporary Permit No. TP-94-148

Gentlemen:

Your application for Temporary approval of Water Appropriation has been granted and assigned number TP-94-148.

Please be advised that THE PERMIT IS SUBJECT TO THE EFFECTIVE DATES AND CONDITIONS STATED ON PAGE TWO OF THE APPLICATION.

The Idaho Department of Fish & Game requires a Special Use Permit in order to use their facility for the point of diversion. The contact for Fish & Game is Mary Terra Berns and she can be reached at 208-762-1414.

If you have any questions, feel free to contact me at this office.

Thank you.

Sincerely,

Keith E Franklin
Program Manager Northern Region

Enclosure

COPY

JUL 28 2014

Basin 94
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

ID No. JP 94-148

IDWR / NORTH

APPLICATION FOR TEMPORARY APPROVAL OF WATER APPROPRIATION

(For a use not intended to become an established water right, not to exceed a total diverted volume of five (5) acre-feet, and not to exceed one (1) year duration in accordance with Section 42-202A, Idaho Code.)

Name of applicant: West Company, Inc. Phone: (509) 468-8535
Mailing address: P.O. Box 519 City: Airway Heights
State WA ZIP 99001 Email: natem@westway.cc

1. Source of water: Coeur d'Alene River tributary to Lake Coeur d'Alene

2. Location of point(s) of diversion:

TWP	RGE	SEC	GOVT LOT	1/4	1/4	1/4	County	Source	Local name or tag #
48N	1W	4	<u>5</u>		<u>SE</u>	<u>NW</u>	Kootenai	Coeur d'Alene River	

3. Location of place of use:

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	1W	7						1/4											1/4

4. Describe proposed use of water Water will be used for construction of new bridge deck overlay planned for the bridge at MP 111.32. This project is for the Idaho Transportation Department and is known as SH-3, Bridge Deck Life Extensions. Water will be used to remove concrete from the bridges and bridge repair.

5. Amount of water:

Maximum rate of diversion _____ cfs or 500 gpm.

Maximum daily volume 0.12 AF; total volume 2.4 AF.

6. Duration of diversion: from 08/04/14 (day-month) to 09/30/14 (day-month).

7. Describe proposed diverting works: 3"-6" Trash pumps utilizing suction hoses equipped with fish screens.

8. a. Who owns the property at the requested point of diversion? Idaho Department of Fish & Game

b. Who owns the land to be irrigated or place of use? Idaho Transportation Department

c. If the property is owned by a person other than the applicant, describe the arrangement allowing access to the water:

9. Additional remarks: The location for the point of diversion is the boat launch for the Couer d'Alene River at Rose Lake on S. River Road.

I hereby acknowledge that I assume all risk if the diversion and use of the water under this approval injures other water rights. I certify this is a temporary use and that I am not seeking a continuing right to use water.

Nate Mueh Date 7/24/14
Signature of applicant

Received by do Date 7/28/14 Time _____
\$50.00 fee received by do # N030617 Date 7/28/14
Watermaster comments received? _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that the department has examined this application for temporary approval to use water under the provisions of Section 42-202A, Idaho Code, and has determined that:

- ☐ A. The application for temporary approval should be denied.
- ☒ B. The application for temporary approval should be approved, since
1. The temporary approval can be properly administered.
 2. Other water sources are not readily available.
 3. The approval is in the public interest.
 4. The approval will not injure known public values associated with the water source or any known water rights.

This application is therefore hereby:

- ☐ A. DENIED
- ☒ B. APPROVED, subject to the following conditions:
1. Diversion and use of water under this approval is subject to all valid existing water rights.
 2. The applicant assumes all risk the use of the water under this approval may injure other water rights.
 3. This approval authorizes a maximum diversion of 2.4 AF and a maximum rate of diversion of 1.15 cfs.
 4. This approval does not grant a right-of-way across the land of another, does not create a continuing right to use the water and may not be used in connection with a use which requires a continuing water supply.
 5. The department may cancel this approval at any time if the department identifies injury to other water rights.
 6. This approval does not create a continuing right to use water.
 7. The holder of this temporary permit shall not divert at a rate or in a manner that will significantly reduce the flow in the water source or otherwise adversely affect fish, wildlife or other public values.
 8. Water intakes should be screened to prevent entrainment or impingement of fish or other aquatic life. The maximum screen mesh size should be 0.25 inches; approach velocities should not exceed 0.5 ft/second.
 9. The Idaho Department of Fish & Game (IDFG) now requires a Special Use Permit if their property is to be used for a point of diversion. IDFG contact in Coeur d'Alene ~ 208-769-1414, and in Lewiston ~ 208-799-5010.
 10. This approval expires on 12/31/14, 2014.

Signed this 30 day of July, 2014.


 Manager, Northern Region
 For the Director



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

July 28, 2014

MARY TERRA BERNIS
IDAHO DEPARTMENT OF FISH & GAME
2885 KATHLEEN AVE.
COEUR D'ALENE, ID 83815

Re: Application For a Temporary Approval of a Water Appropriation

Dear MARY:

The Department of Water Resources is seeking comment and/or recommendation from your agency, regarding an application to temporarily appropriate 2.4 acre-feet of water from the Coeur d'Alene River, for bridge work by West Company, Inc. A copy of the application is attached for your reference.

Would you please submit your comments no later than August 5, 2014? If we do not hear from you by that date, we will assume that no comment from you means you have no objection to, concerns about, or conditions pertaining to the issuance of this permit.

You may send comments by regular mail to the above address, by FAX to 208-762-2819 or by e-mail to keith.franklin@idwr.idaho.gov.

If you have any questions, don't hesitate to contact me at this office.

Thank you.

Sincerely,

A handwritten signature in blue ink that reads "Keith". The signature is stylized with a large, flowing 'K' and a smaller 'eith'.

Keith E Franklin
Program Manager, Northern Region

Encl/kf

Franklin, Keith

From: Franklin, Keith
Sent: Monday, July 28, 2014 12:43 PM
To: 'Terra Berns, Mary'
Subject: Temporary Water Appropriation Permit
Attachments: DOC000.pdf

Mary,

Attached is an application for a temporary water appropriation from the Coeur d'Alene River by West Company, Inc. for your review and comment. If you have any questions, feel free to give me a call.

Thanks.

Keith.

Franklin, Keith

From: Terra Berns, Mary [mary.terra-berns@idfg.idaho.gov]
Sent: Wednesday, July 30, 2014 7:18 AM
To: Franklin, Keith
Subject: RE: Temporary Water Appropriation Permit
Attachments: 2013 IDFG Special Use Permit.pdf

Keith,

This permit will require an IDFG Special Use Permit since they will be drafting water from IDFG property.

Mary

From: Franklin, Keith [<mailto:Keith.Franklin@idwr.idaho.gov>]
Sent: Monday, July 28, 2014 12:43 PM
To: Terra Berns, Mary
Subject: Temporary Water Appropriation Permit

Mary,

Attached is an application for a temporary water appropriation from the Coeur d'Alene River by West Company, Inc. for your review and comment. If you have any questions, feel free to give me a call.

Thanks.

Keith.