RECEIVED

Form 202A 07/13 2 2 2014

Department of Water Resources Eastern Region

RECEIVED

JAN 2 7 2014

DEPAREMENTOF WATER RESOURCES

APPLICATION FOR TEMPORARY APPROVAL OF WATER APPROPRIATION

(For a use not intended to become an established water right, not to exceed a total diverted volume of five (5) acre-feet, and not to exceed one (1) year duration in accordance with Section 42-202A, Idaho Code.)

Name o	f applica	ant: Po	wer Cou	unty Hig	jhway D	istrict						P	hone:	208-2	26-26	61	
Mailing address: P.O. Box 513 3090 Lambweston Road											C	City: American Falls					
State Id				ZIP 832				nail: pc	wer4	@dcdi	.net	-					
1. Sour	ce of wa	ater: Ea	st Fork	Rock C	reek			-		itary to		ce Riv	er				
2. Loca									-						(4)		
TWP	P RGE SEC GOVT 1/4 1/4 1/4				1/4	1/4 County					Source				Local name or tag #		
T10S	R31E	6	LOT	NW	SW	/-	Power			East Fork Rock Cre							or eng "
				1			<u> </u>	01101				. 1 (00)	. 0100				
3. Loca	ation of	place of	use: L	arge	ple	ace	oF	use		S'66	G	t-1 a	che	e de	ma	₹P.	
TWP	RGE	SEC	NE I	NE NW SV	V SE	NE	NW NW SV	V SE	NE	SW		SE	NE	NW	E	SE	Totals
	Mirrors durant Albreit Enternadels an		112			112	TW BY	1 52	I I	1	5,,	512	142	1111	511	SE.	
4 Dear			C	Thi	s water	will be	used for	road b	uildin	a and	dust o	ontrol	of ne	w and	l exist	ina ro	ads
Max 6. Dura 7. Desc 8. a. V b. V c. I	imum ration of cribe pro Who ow Who ow f the pro	ate of di aily voludiversion oposed on the property is	ume in: from diverting roperty a and to be owned	.10 1-1-20 works: at the receiving at th	Portable quested performed or places	AF; to e pump oint of our e of use r than th	fs or tal volun os are us diversion ? Powe he applica /ersions	ne(d sed to p ? Diver r Count	5.0 ay-mo ump sion p	onth) to into wa points hway [AF. 12-3 ater tra are or Distric	ucks n road t	l right			crossi	lay-month). ngs
9. Add	itional r	emarks:	The m	ajority	of this w	ater is	used in	April an	d Ma	y to ap	ply m	ag-clo	oride t	o grav	el roa	ads.	
In a	ddition	water	will be u	ised for	new ro	ad cons	struction										
Signatu Received	I certif	y this is	e that I	assume orary u	e all risk se and th	k if the	diversion not see	king a c	ontin	the wuing ri	ght to	use w	this a	approv	ral inj	ures o	ther water
	•	a by nents recei	ved?	7	R	#		15)40	10	2	Date Date		1/21	2/19	1		


ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that the department has examined this application for temporary approval to use water under the provisions of Section 42-202A, Idaho Code, and has determined that:

A. The application for temporary approval should be denied.
B. The application for temporary approval should be approved, since
1. The temporary approval can be properly administered.
2. Other water sources are not readily available.
3. The approval is in the public interest.
4. The approval will not injure known public values associated with the water source or any known water rights.
This application is therefore hereby:
A. DENIED
B. APPROVED, subject to the following conditions:
1. Diversion and use of water under this approval is subject to all valid existing water rights.
2. The applicant assumes all risk the use of the water under this approval may injure other water rights.
3. This approval authorizes a maximum diversion of 5.0 AF and a maximum rate of diversion of 0.78 cfs
4. This approval does not grant a right-of-way across the land of another, does not create a continuing right to use the
water and may not be used in connection with a use which requires a continuing water supply.
5. The department may cancel this approval at any time if the department identifies injury to other water rights.
6. This approval does not create a continuing right to use water.
7. The holder of this temporary permit shall not divert at a rate or in a manner that will significantly reduce the flo
in the water source or otherwise adversely affect fish, wildlife or other public values.
8. Other: <u>See etteched</u> aditional sheet
9. This approval expires on 12/31/2014.
Signed this 3rd day of February, 2014.
For the Director

ADDITIONAL CONDITIONS OF APPROVAL FOR TEMPORARY PERMIT NOs. TP-41-04, TP-41-05 and TP-41-06

- Diversion must be screened to meet IDF&G requirements. Please call 208-324-4359 for specifications.
- All equipment involved with transporting water shall be treated/sterilized to avoid spread of invasive aquatic species prior to use. If equipment involved with transporting water has been moved into Idaho from another state (Particularly from NV, CO, UT, AZ, CA or TX) contact ISDA for an inspection. We recommend contacting ISDA (Amy Ferriter @ 208-332-8686) for treatment recommendations.
- Subject to regulation by watermaster of Water District 41.



MEMORANDUM

Date:

January 28, 2014

To:

Power County Highway District Temporary Permit File

From:

Jim Bitzenburg

Re:

Watermaster comments on Power County Highway District Temporary Water Permits

I spoke by phone today with James Robinson, watermaster for Water District 41, regarding three applications for Temporary Water Permits by the Power County Highway District in the Rockland area. He said that he was familiar with the locations the District pumped from last year, and that the pumping was usually concluded before he started measuring water. He noted that if the Highway District was pumping later in the season, after he had to start cutting flows, he didn't know what effect the pumping would have on downstream users.

MEMORANDUM

Date:

January 31, 2014

To:

Power County Temporary Water Permit File

From:

Jim Bitzenburg

Re:

Idaho Department of Fish and Game Comments on Power County Highway District

Temporary Water Permits

I spoke by phone yesterday with Jerome Hanson from the Idaho Department of Fish and Game regional office in Jerome about the Power County Highway District Temporary Permits near Rockland. He wanted to know what we had done with the permits from the Fish and Game perspective last year. I told him what the memo from my conversation with him last year said and read the additional conditions of approval placed on last year's permits. He said that he would be agreeable to the permits if they were conditioned as they were last year.