

FEB 19 2014

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
DEPT. OF WATER RESOURCES
SOUTHERN REGION

APPLICATION FOR TEMPORARY APPROVAL OF WATER APPROPRIATION

(For a use not intended to become an established water right, not to exceed a total diverted volume of five (5) acre-feet, and not to exceed one (1) year duration in accordance with Section 42-202A, Idaho Code.)

Name of applicant: Braun-Jansen Inc Phone: 208-550-2684
 Mailing address: 509 5 9th street City: Payette
 State Idaho ZIP 83661 Email: dbraun@braun-jansen.com
 1. Source of water: Snake River tributary to Columbia River

2. Location of point(s) of diversion:

| TWP | RGE | SEC | GOVT LOT | 1/4 | 1/4 | 1/4 | County | Source | Local name or tag # |
|-----|-----|-----|----------|-----|-----|-----|------------|--------|---------------------|
| 8S | 13E | 1 | 9 | | BW | SE | Twin Falls | | |

3. Location of place of use:

| TWP | RGE | SEC | NE | | | | NW | | | | SW | | | | SE | | | | Totals |
|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------|
| | | | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | |
| 8S | 13E | 1 | | | | | | | | | | | | | | X | X | | |
| | | | | | | | | | | | | | | | | 11 | 2 | | |

4. Describe proposed use of water Construction Water For Bridge Repair on US-30 Snake Rv. Gerdleby Br. Near Hagerman Id

5. Amount of water:

Maximum rate of diversion 780 # See Memo cfs or 100 gpmMaximum daily volume .06 AF; total volume 1.5 AF.6. Duration of diversion: from March 3 (day-month) to May 30 (day-month).7. Describe proposed diverting works: Up to 3" pump to supply water to construction Act.8. a. Who owns the property at the requested point of diversion? Idaho Transportation Departmentb. Who owns the land to be irrigated or place of use? Idaho Transportation Department

c. If the property is owned by a person other than the applicant, describe the arrangement allowing access to the water:

N/A9. Additional remarks: Actual work will only take 18-20 working daysThis job is located between M.P. 185.265 - M.P. 185.579 US30

I hereby acknowledge that I assume all risk if the diversion and use of the water under this approval injures other water rights. I certify this is a temporary use and that I am not seeking a continuing right to use water.

Signature of applicant [Signature]Date 2/18/14Received by HA Date 2-19-2014 Time 4:31 PM\$50.00 fee received by HE # 5033820 Date 2-19-2014Watermaster comments received? Yes Date 2-20-2014

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that the department has examined this application for temporary approval to use water under the provisions of Section 42-202A, Idaho Code, and has determined that:

- ☐ A. The application for temporary approval should be denied.
- ☒ B. The application for temporary approval should be approved, since
1. The temporary approval can be properly administered.
 2. Other water sources are not readily available.
 3. The approval is in the public interest.
 4. The approval will not injure known public values associated with the water source or any known water rights.

This application is therefore hereby:

- ☐ A. DENIED
- ☒ B. APPROVED, subject to the following conditions:
1. Diversion and use of water under this approval is subject to all valid existing water rights.
 2. The applicant assumes all risk the use of the water under this approval may injure other water rights.
 3. This approval authorizes a maximum diversion of 1.5 AF and a maximum rate of diversion of 0.22 cfs.
 4. This approval does not grant a right-of-way across the land of another, does not create a continuing right to use the water and may not be used in connection with a use which requires a continuing water supply.
 5. The department may cancel this approval at any time if the department identifies injury to other water rights.
 6. This approval does not create a continuing right to use water.
 7. The holder of this temporary permit shall not divert at a rate or in a manner that will significantly reduce the flow in the water source or otherwise adversely affect fish, wildlife or other public values.
 8. Other: See attached conditions for additional conditions.
 9. This approval expires on 6/1/2014.

Signed this 20th day of February, 20 14.


For the Director

ADDITIONAL CONDITIONS OF APPROVAL FOR TEMPORARY
PERMIT NO. TP-02-32

- The pump intake shall be screened with ¼" mesh or smaller to avoid entraining juvenile fish.
- All equipment involved with transporting water shall be treated/sterilized to avoid spread of invasive aquatic species prior to use. If equipment involved with transporting water has been moved into Idaho from another state (Particularly from NV, CO, UT, AZ, CA or TX) contact ISDA for an inspection. We recommend contacting ISDA (Amy Ferriter @ 208-332-8686) for treatment recommendations.
- Use is subject to Control of Watermaster of Water District 02. Watermaster requests to be informed by phone (208-731-0435) when pump is placed in river and when pump is removed from river.

Memorandum

Date: February 20, 2014

To: Allen Merritt

From: Bill Mills

RE: Application for Temporary Approval of Water Appropriation

Application proposes to divert up to 100 gpm for a daily maximum 0.06 acre feet (19,551 gallons) and a total volume of 1.5 AF from the Snake River for repairs to the Gridley Bridge south of Hagerman. The project is estimated to take 20 days and will start March 3rd and should be completed by May 30th. Place of use is located in the NWSE GL9; NWSE; SWSE GL9 and SWSE of Section 1, Twp 8S, Rng 13E. Water will be pumped using a 3" pump from the river on the southwest side of the bridge in the SWSE, GL 9. The place of use is within Water District 02 and Watermaster comments have been solicited.

On Section 5 of the application, the applicant listed the maximum rate of diversion as 780 cfs or 100 gpm. I called the applicant and he indicated the 780 cfs was listed in error and that the 100 gpm requested is accurate.



Mills, William

From: Knowles, Corbin
Sent: Thursday, February 20, 2014 9:51 AM
To: Mills, William
Subject: RE: Tempoary Appropriation in WD 2

I do not see any issues with this temporary application to use Snake River Water for the period and use described. I would like to be informed by phone 208-731-0435 when the pump goes into the river and when they remove the pump if possible.

Thanks

Corbin
Water District 02 watermaster

From: Mills, William
Sent: Thursday, February 20, 2014 9:16 AM
To: Knowles, Corbin
Subject: Tempoary Appropriation in WD 2

Corbin,
I've attached an application and memo regarding a temporary appropriation of water from the Snake River for repair work on the Gridley Bridge south of Hagerman. Please provide Watermaster comments,
Thanks,
Bill Mills



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, Idaho 83301-3380

Phone: (208) 736-3033 • Fax: (208) 736-3037 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

February 20, 2014

BRAUN-JENSEN INC.
509 S 9TH ST
PAYETTE, ID 83661

RE: Copy of Temporary Water Right Application: TP-02-32

Dear Applicant(s):

Enclosed is a copy of the above referenced approved Application for Temporary Approval of Water Appropriation Permit.

If you have any questions, please feel free to contact this office, and any of our agents will be able to assist you.

Sincerely,

Denise Maline
Administrative Assistant

Enclosure

cc: Corbin Knowles, Water District 02