



**State of Idaho**

**DEPARTMENT OF WATER RESOURCES**

**Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815**

**Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: [www.idwr.idaho.gov](http://www.idwr.idaho.gov)**

**C. L. "BUTCH" OTTER**  
Governor

**GARY SPACKMAN**  
Director

04/08/2013

N. A. DEGERSTROM, INC  
PO BOX 770  
VERADALE WA 999037

RE: Temporary Permit No. TP-96-95

Dear Applicant(s):

Your application for Temporary approval of Water Appropriation has been granted and assigned number TP-96-95.

Please be advised that THE PERMIT IS SUBJECT TO THE EFFECTIVE DATES AND CONDITIONS STATED ON PAGE TWO OF THE APPLICATION.

If you have any questions or if this office can be of further assistance, please contact us.

Sincerely,

A handwritten signature in blue ink that reads "Keith E. Franklin". The signature is written in a cursive, flowing style.

Keith E. Franklin  
Program Manager

Enclosure – Copy of Temporary Permit TP-96-95  
Receipt No. N029670

MAR 06 2013

ID No. TP-96-95

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

IDWR / NORTH

**APPLICATION FOR TEMPORARY APPROVAL OF WATER APPROPRIATION**

(For a use not intended to become an established water right, not to exceed a total diverted volume of five (5) acre-feet, and not to exceed one (1) year duration in accordance with Section 42-202A, Idaho Code.)

Name of applicant: N.A. Degerstrom, Inc. Phone: 509-928-3333

Address: P.O. Box 770 Veradale, WA 99037 Email: nelscox@nadinc.com

1. Source of water: Sand Creek tributary to Pend Oreille Lake.

2. Location of point(s) of diversion:

TWP	RGE	SEC	GOVT LOT	¼	¼	¼	County	Source	Local name or tag #
57N	2W	15		SW	NE		Bonner	Sand Creek	

3. Location of place of use:

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	2W	15			X														1

4. Describe proposed use of water use of high pressure water to remove concrete bridge deck, the bridge deck prior to installing the concrete deck overlay and for misc. cleaning after the overlay is completed.

5. Amount of water:

Maximum rate of diversion \_\_\_\_\_ cfs or 33 gpm.

Maximum daily volume .03 AF; total volume .77 AF.

6. Duration of diversion: from 04/22/13 to 06/30/13  
Day-month Day-month

7. Describe proposed diverting works: A geotextile fabric wrapped steel cage with a suction hose to be placed in Sand Crk.

8. a. Who owns the property at the requested point of diversion? Idaho Department of Transportation

b. Who owns the land to be irrigated or place of use? Idaho Department of Transportation

c. If the property is owned by a person other than the applicant, describe the arrangement allowing access to the water:

N.A. Degerstrom, Inc. is under contract with ITD to repair the Sand Crk. Bridge; ITD Contract No. 7737

9. Additional remarks: Approximately 250,000 gallons of water to be used. During the duration shown water withdrawal will be over two episodes of about 1 week each.

I hereby acknowledge that I assume all risk if the diversion and use of the water under this approval injures other water rights. I certify this is a temporary use and that I am not seeking a continuing right to use water.

[Signature]  
Signature of applicant

03/05/13  
Date

Received by [Signature] Date 3/16/13 Time \_\_\_\_\_  
\$50.00 fee receipted by [Signature] # 17829670 Date 3/16/13  
Watermaster Comments received? \_\_\_\_\_ Date \_\_\_\_\_

**ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES**

This is to certify that the department has examined this application for temporary approval to use water under the provisions of Section 42-202A, Idaho Code, and has determined that:

       A. The application for temporary approval should be denied.

MS. B. The application for temporary approval should be approved, since

1. The temporary approval can be properly administered.
2. Other water sources are not readily available.
3. The approval is in the public interest.
4. The approval will not injure known public values associated with the water source or any known water rights.

This application is therefore hereby:

       A. DENIED

MS. B. APPROVED, subject to the following conditions:

1. Diversion and use of water under this approval is subject to all valid existing water rights.
2. The applicant assumes all risk the use of the water under this approval may injure other water rights.
3. This approval authorizes a maximum diversion of 0.77 AF and a maximum rate of diversion of 0.07 cfs.
4. This approval does not grant a right-of-way across the land of another, does not create a continuing right to use the water and may not be used in connection with a use which requires a continuing water supply.
5. The department may cancel this approval at any time if the department identifies injury to other water rights.
6. This approval does not create a continuing right to use water.
7. The holder of this temporary permit shall not divert at a rate or in a manner that will significantly reduce the flow in the water source or otherwise adversely affect fish, wildlife or other public vaules.
8. Other: Water intakes should be screened to prevent entrainment or impingement of fish or other aquatic life. The maximum screen mesh size should be 0.25 inches; approach velocities should not exceed 0.5 ft/second.
9. This approval expires on ~~7/7/13~~ 6/30/13

Signed this 8 day of April, 2013.

Keith E. Franklin  
For the Director





Memo

To: File TP-96-95

From: Greg Taylor



Re: Temporary Water Right

I e-mailed both June Bergquist and Mary Terra-Berns regarding this temporary water right and they had no issues regarding this application.

Therefore we are issuing this Temporary Permit for N.A. Degerstrom Inc that will expire on December 31, 2013.

Greg Taylor

208-762-2805

**N.A. DEGERSTROM, INC.**  
TRANSMITTAL

N. 3303 Sullivan Rd.  
Spokane, WA 99216-1676  
P.O. Box 770  
Spokane, WA 99037-0770

Phone (509) 928-3333  
FAX (509) 927-2010

**TO:**  
ID Dept. of Water Resources  
7600 Mineral Dr., Suite 100  
Coeur d'Alene, ID 83815

RECEIVED  
MAR 06 2013  
IDWR / NORTH

**DATE:** 03/05/13

---

<u>COPIES</u>	<u>DATE</u>	<u>DESCRIPTION</u>
2	03/05/13	Form 202 A; Application for Temporary Approval of Water Appropriation
1	03/05/13	\$50.00 Application Fee

<input checked="" type="checkbox"/> For Approval	<input type="checkbox"/> General Information
<input type="checkbox"/> Approved As Noted	<input type="checkbox"/> Per Your Request

Signed: Nels Cox

*An Equal Employment Opportunity Employer*