



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

05/23/2013

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

NORTH LATAH COUNTY HIGHWAY DISTRICT
1132 WHITE AVE
MOSCOW ID 83843

RE: Temporary Permit Nos. TP-86-45 and TP-87-40

Dear Applicant(s):

Your applications for Temporary approval of Water Appropriations have been granted and assigned numbers TP-86-45 and TP-87-40.

Please be advised that THE PERMITS ARE SUBJECT TO THE EFFECTIVE DATES AND CONDITIONS STATED ON PAGE TWO OF THE APPLICATIONS.

If you have any questions or if this office can be of further assistance, please contact us.

Sincerely,

A handwritten signature in blue ink that reads "Keith E. Franklin". The signature is written in a cursive, flowing style.

Keith E. Franklin
Program Manager

Enclosure Receipt No. N029836 and Copy of TP-86-45 and TP-87-40

MAY 10 2013

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

IDWR / NORTH

APPLICATION FOR TEMPORARY APPROVAL OF WATER APPROPRIATION

(For a use not intended to become an established water right, not to exceed a total diverted volume of five (5) acre-feet, and not to exceed one (1) year duration in accordance with Section 42-202A, Idaho Code.)

Name of applicant: North Latah County Highway District Phone: (208)882-7490Address: 1132 White Ave, Moscow, ID 83843 Email: nlchd@nlchd.com1. Source of water: Palouse River/S. Fork Palouse River tributary to Palouse River/Snake River

2. Location of point(s) of diversion:

TWP	RGE	SEC	GOVT LOT	¼	¼	¼	County	Source	Local name or tag #
41N	5W	12		NE	NE		Latah	Palouse River	
39N	5W	21		NE	SE		Latah	S. Fork Palouse River	

3. Location of place of use:

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

4. Describe proposed use of water Water to be used in Dust Abatement and Road Stabilization operations throughout the North Latah County Highway District

5. Amount of water:

Maximum rate of diversion _____ cfs or 150 gpm.Maximum daily volume 0.2 AF; total volume 4.0 AF.6. Duration of diversion: from June 1 to October 1
Day-month Day-month7. Describe proposed diverting works: trash pump8. a. Who owns the property at the requested point of diversion? Public right-of-wayb. Who owns the land to be irrigated or place of use? public right-of-way

c. If the property is owned by a person other than the applicant, describe the arrangement allowing access to the water:

9. Additional remarks: _____

I hereby acknowledge that I assume all risk if the diversion and use of the water under this approval injures other water rights. I certify this is a temporary use and that I am not seeking a continuing right to use water.

Signature of applicant

05/07/2013

Date

Received by

Date

Time

\$50.00 fee received by

#

Date

Watermaster Comments received?

Date

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that the department has examined this application for temporary approval to use water under the provisions of Section 42-202A, Idaho Code, and has determined that:

- ☐ A. The application for temporary approval should be denied.
- ☒ B. The application for temporary approval should be approved, since
1. The temporary approval can be properly administered.
 2. Other water sources are not readily available.
 3. The approval is in the public interest.
 4. The approval will not injure known public values associated with the water source or any known water rights.

This application is therefore hereby:

- ☐ A. DENIED
- ☒ B. APPROVED, subject to the following conditions:
1. Diversion and use of water under this approval is subject to all valid existing water rights.
 2. The applicant assumes all risk the use of the water under this approval may injure other water rights.
 3. This approval authorizes a maximum diversion of 4.0 AF and a maximum rate of diversion of 0.33 cfs.
 4. This approval does not grant a right-of-way across the land of another, does not create a continuing right to use the water and may not be used in connection with a use which requires a continuing water supply.
 5. The department may cancel this approval at any time if the department identifies injury to other water rights.
 6. This approval does not create a continuing right to use water.
 7. The holder of this temporary permit shall not divert at a rate or in a manner that will significantly reduce the flow in the water source or otherwise adversely affect fish, wildlife or other public values.
 8. Other: Water intakes should be screened to prevent entrainment or impingement of fish or other aquatic life. The maximum screen mesh size should be 0.25 inches; approach velocities should not exceed 0.5 ft/second.
9. This approval expires on 10/31/13.

Signed this 27 day of May, 2013.

Keith E. Sandalmir
For the Director



TP 87-40



point of diversion

PALOUSE RIVER



TP-87-40



Point of Diversion

S. FORK PALOUSE RIVER

Franklin, Keith

From: Franklin, Keith
Sent: Monday, May 13, 2013 2:37 PM
To: 'Hennekey, Ray'
Attachments: DOC003.pdf

Ray,
Attached are two applications for temporary water appropriations from the Spring Valley Reservoir, the Palouse River and the South Fork of the Palouse River for road construction water by the North Latah County Highway District for your review and comment.
Thanks.
Keith.



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

May 13, 2013

RAY HENNEKEY
IDAHO DEPARTMENT OF FISH & GAME
3316 16TH ST.
LEWISTON, ID 83501

Re: Application For a Temporary Approval of a Water Appropriation

Dear RAY:

The Department of Water Resources is seeking comment and/or recommendation from your agency, regarding two applications to temporarily appropriate a total of 6 acre-feet of water from Spring Valley Reservoir, Palouse River and the South Fork of the Palouse River for road construction water by North Latah County Highway District. A copy of the applications are attached for your reference.

Would you please submit your comments no later than May 20, 2013? If we do not hear from you by that date, we will assume that no comment from you, means you have no objection to, concerns about, or conditions pertaining to the issuance of this permit.

You may send comments by regular mail to the address above, by FAX to 762-2819 or by e-mail to keith.franklin@idwr.idaho.gov.

If you have any questions, don't hesitate to contact me at this office.

Thank you.

Sincerely,

Keith E. Franklin
Interim Program Manager

Encl/kf

No comments received as of 5/22/13. kf

Franklin, Keith

From: Franklin, Keith
Sent: Monday, May 13, 2013 2:47 PM
To: 'john.cardwell@deq.idaho.gov'
Attachments: DOC.pdf

Mr. Cardwell,

Attached is an application for a temporary water appropriation from the Spring Valley Reservoir by the North Latah County Highway District for road construction water for your review and comment.

Thanks.

Keith Franklin

Program Manager



STATE OF IDAHO
DEPARTMENT OF
ENVIRONMENTAL QUALITY

1118 F Street • Lewiston, Idaho 83501 • (208) 799-4370

C.L. "Butch" Otter, Governor
Curt Fransen, Director

May 17, 2013

Keith Franklin
Idaho Department of Water Resources
7600 N. Mineral Drive, Suite 100
Coeur d'Alene, Idaho 83815

RECEIVED
MAY 20 2013
IDWR/NORTHERN

Dear Mr. Franklin:

We received your letter requesting our comments on the application for a temporary approval of water appropriation by the North Latah County Highway District to draw a total of 2.0 acre-feet of water from Spring Valley Reservoir, Latah County. The water will be used for dust abatement and road stabilization operations from June 1 to October 1. Assuming all federal, state and local permits have been obtained, regulations met, and reviews completed, we offer the following comment.

Spring Valley Reservoir is included in water body ID 17060306CL060_02, and is protected for cold water aquatic life, salmonid spawning, and secondary contact recreation beneficial uses. The beneficial use support status for Spring Valley Reservoir is currently unassessed in the Idaho 2010 Integrated Report. DEQ believes the flow at the point of diversion within Spring Valley Reservoir is significant enough that the beneficial uses should not be impacted by the temporary water appropriation.

Thank you for the opportunity to comment on your application. If you have any questions regarding the Idaho Water Quality Standards or the conditions listed above, please call us at (208) 799-4370.

Sincerely,

A handwritten signature in black ink, appearing to read "John Cardwell".

John Cardwell
Surface Water Manager

c: Clayton Steele, Regional Administrator
North Latah County Highway District, Moscow
Ray Hennekey, IDFG



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

May 13, 2013

John Cardwell
Idaho Department of Environmental Quality
1118 F St.
Lewiston, ID 83501

Re: Application For a Temporary Approval of a Water Appropriation

Dear Mr. Cardwell:

The Department of Water Resources is seeking comment and/or recommendation from your agency, regarding an application to temporarily appropriate a total of 2.0 acre-feet of water from the Spring Valley Reservoir, by the North Latah County Highway District, for road construction water. A copy of the application is attached for your reference.

Would you please submit your comments no later than May 20, 2013? If we do not hear from you by that date, we will assume that no comment from you, means you have no objection to, concerns about, or conditions pertaining to the issuance of this permit.

You may send comments by regular mail to the address above, by FAX to 762-2819 or by e-mail to keith.franklin@idwr.idaho.gov.

If you have any questions, don't hesitate to contact me at this office.

Thank you.

Sincerely,

A handwritten signature in blue ink that reads "Keith E. Franklin". The signature is written in a cursive, flowing style.

Keith E. Franklin
Program Manager Northern Region

Encl/kf