



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815
Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

August 8, 2013

IDAHO DEPARTMENT OF TRANSPORTATION
600 W PRAIRIE AVE.
COEUR D'ALENE, ID 83815-8764

RE: Temporary Permit *TP-94-142*

Dear Applicant:

Your application for Temporary approval of Water Appropriation has been granted.

Please be advised that THE PERMIT IS SUBJECT TO THE EFFECTIVE DATES AND CONDITIONS STATED ON PAGE TWO OF THE APPLICATION.

The Idaho Department of Fish & Game now requires a Special Use Permit if their property is to be used for a point of diversion. Their contact person is Mary Terra Berns at 208-769-1414.

If you have any questions, feel free to contact me at this office.

Sincerely,

Keith E Franklin
Program Manager Northern Region

Enclosure Permit Copy

COPY

RECEIVED

JUL 30 2013

Basin 94

ID No. TF-94-142

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

IDWR/NORTHERN

APPLICATION FOR TEMPORARY APPROVAL OF WATER APPROPRIATION

(For a use not intended to become an established water right, not to exceed a total diverted volume of five (5) acre-feet, and not to exceed one (1) year duration in accordance with Section 42-202A, Idaho Code.)

Name of applicant: Idaho Transportation Department Phone: 208-772-1200
 Mailing address: 600 W. Prairie Ave City: Coeur d'Alene
 State ID ZIP 83815-8764 Email: bill.capaul@itd.idaho.gov

1. Source of water: Cd'A River tributary to Cd'A Lake

2. Location of point(s) of diversion:

TWP	RGE	SEC	GOVT LOT	1/4	1/4	1/4	County	Source	Local name or tag #
48N	3W	31		NW	NE		Kootenai	Cd'A River	Cd'A River

3. Location of place of use:

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	3W	31		X															1

4. Describe proposed use of water Drilling fluid for instrumentation installation around the abutments of the bridge over the Coeur d'Alene River north of Harrison. Usage based upon maximum 5250 gpd, 4 days per week. Water will be pumped directly to the drilling location or to a tender for transfer to the drilling location.

5. Amount of water:

Maximum rate of diversion _____ cfs or 35 gpm.

Maximum daily volume 0.012 AF; total volume 0.25 AF.

6. Duration of diversion: from August 5, 2013 (day-month) to December 31, 2013 (day-month).

7. Describe proposed diverting works: Portable pump or truck mounted pump with 0.25" screen and footvalve.

8. a. Who owns the property at the requested point of diversion? State of Idaho

b. Who owns the land to be irrigated or place of use? State of Idaho

c. If the property is owned by a person other than the applicant, describe the arrangement allowing access to the water:

9. Additional remarks: Administrative Basin 94; spill protection on-site; diversion pump only used during drilling hours and will be removed from the site overnight and on weekends.

Drilling contacts: Bill Capaul, District Geologist 772-1211 or Dan Boston Driller 772-1257

I hereby acknowledge that I assume all risk if the diversion and use of the water under this approval injures other water rights. I certify this is a temporary use and that I am not seeking a continuing right to use water.

Bill Capaul
Signature of applicant

7/25/13
Date

Received by db Date 7/30/13 Time _____

\$50.00 fee receipted by _____ # _____ Date _____

Watermaster comments received? _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that the department has examined this application for temporary approval to use water under the provisions of Section 42-202A, Idaho Code, and has determined that:

- A. The application for temporary approval should be denied.
- B. The application for temporary approval should be approved, since
1. The temporary approval can be properly administered.
 2. Other water sources are not readily available.
 3. The approval is in the public interest.
 4. The approval will not injure known public values associated with the water source or any known water rights.

This application is therefore hereby:

- A. DENIED
- B. APPROVED, subject to the following conditions:
1. Diversion and use of water under this approval is subject to all valid existing water rights.
 2. The applicant assumes all risk the use of the water under this approval may injure other water rights.
 3. This approval authorizes a maximum diversion of 0.25 AF and a maximum rate of diversion of 0.08 cfs.
 4. This approval does not grant a right-of-way across the land of another, does not create a continuing right to use the water and may not be used in connection with a use which requires a continuing water supply.
 5. The department may cancel this approval at any time if the department identifies injury to other water rights.
 6. This approval does not create a continuing right to use water.
 7. The holder of this temporary permit shall not divert at a rate or in a manner that will significantly reduce the flow in the water source or otherwise adversely affect fish, wildlife or other public values.
 8. Other: Water intakes should be screened to prevent entrainment or impingement of fish or other aquatic life. The maximum screen mesh size should be 0.25 inches; approach velocities should not exceed 0.5 ft/second.
9. This approval expires on 12/31/13.

Signed this 8 day of August, 2013.

Keth W. Thompson
For the Director

Ball, Dianne

From: Marston, Sascha
Sent: Wednesday, July 31, 2013 11:52 AM
To: Ball, Dianne; Sutcliffe, Lorna
Cc: Franklin, Keith
Subject: RE: Inter-agency billing request from ITD

Dianne,

I am forwarding this on to Lorna Sutcliffe for processing. You can send any future requests to her.

Have a great day!

Sascha

From: Ball, Dianne
Sent: Wednesday, July 31, 2013 12:46 PM
To: Marston, Sascha
Cc: Franklin, Keith
Subject: Inter-agency billing request from ITD

Hi, Sascha,

Attached is request for interagency billing from ITD – for a temporary water right permit (number not yet assigned).

Our PCA code for Water Right permits is 65103.

Copy attached includes their letter with billing information as well as copy of application.

If you need additional information please call me or e-mail reply.

Please send me the billing number and also please advise when the funds are received.

Dianne Ball

Administrative Assistant
Idaho Department of Water Resources
7600 N Mineral Dr., Ste. 100
Coeur d'Alene, ID 83815
208-762-2800 Fax 208-762-2819



IDAHO TRANSPORTATION DEPARTMENT

600 W. Prairie Ave.
Coeur d'Alene, ID 83815-8764

(208) 772-1200
itd.idaho.gov

July 25, 2013

RECEIVED
JUL 30 2013
IDWR / NORTH

Mr. Keith Franklin
Idaho Department of Water Resources
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815

RE: Basin 94 Temporary Appropriation Application

Dear Mr. Franklin;

Enclosed is the completed Form 202a, *Application for Temporary Approval of Water Appropriation*. The request is for the taking of water from Coeur d'Alene River near the SH-97 Bridge approximately 1.3 miles north of the city of Harrison. The purpose of the appropriation is to provide drilling water during instrumentation installation around the existing bridge abutments.

Please provide interagency billing information to:

Jenny Klein, TRS
Idaho Transportation Department
600 W. Prairie Ave.
Coeur d'Alene, ID 83815-8764
208-772-1204
jenny.klein@itd.idaho.gov

Sincerely,

A handwritten signature in blue ink that reads 'Bill'.

Wm. Capaul, P.G.
District One - Geologist
Coeur d'Alene, ID 83815-8764
208.772.1211 voice
bill.capaul@itd.idaho.gov



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Interim Director

July 31, 2013

MARY TERRA BERNIS
IDAHO DEPARTMENT OF FISH & GAME
2885 KATHLEEN AVE.
COEUR D' ALENE, ID 83815

Re: Application For a Temporary Approval of a Water Appropriation

Dear MARY:

The Department of Water Resources is seeking comment and/or recommendation from your agency, regarding an application to temporarily appropriate approximately 0.25 acre-feet of water from the Coeur d'Alene River, for bridge work, by the Idaho Department of Transportation. A copy of the application is attached for your reference.

Would you please submit your comments no later than August 7, 2013? If we do not hear from you by that date, we will assume that no comment from you, means you have no objection to, concerns about, or conditions pertaining to the issuance of this permit.

You may send comments by regular mail to the address above, by FAX to 762-2819 or by e-mail to keith.franklin@idwr.idaho.gov.

If you have any questions, don't hesitate to contact me at this office.

Thank you.

Sincerely,

Keith E. Franklin
Program Manager, Northern Region

Encl/kf

Franklin, Keith

From: Franklin, Keith
Sent: Wednesday, July 31, 2013 4:08 PM
To: 'mary.terra-berns@idfg.idaho.gov'
Subject: Temporary Water Appropriation, Idaho Department of Transportation
Attachments: DOC005.pdf

Mary,
Attached for your review and comment is an application to temporarily appropriate water from the Coeur d'Alene River for bridge work by the Idaho Department of Transportation. If you have any questions, don't hesitate to give me a call.
Thanks.
Keith.