

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

7/2/2020

Water Permit 72-7369

Owner Type Name and Address

Current Owner NICK PIVA
PO BOX 718
CHALLIS, ID 83226
(208) 879-2274

Current Owner JANETTE A PIVA
PO BOX 718
926 9TH ST
CHALLIS, ID 83226
(208) 879-2274

Status: Lapsed

Source

Tributary

Beneficial Use

From

To

Diversion Rate

Volume

Source and Point(s) of Diversion

Place Of Use

Conditions of Approval:

Comments:

Dates and Other Information

Water District Number: TBD
Mitigation Plan: False

Combined Use Limits

N/A

SubCase:

N/A

Water Supply Bank:

N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Nick ^{And} /r Javette Piva Phone 879-2274

Post office address Box 397, Challis ID. 83226

2. Source of water supply Waste water which is a tributary of SINKS

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 27 Township 14 N.

Range 19E B.M. Cluster County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.12cfs for Irrigation purposes from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.12cfs cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Earth dam and ditch

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M.


(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____


(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

72-7369



Mark Kiva
(Applicant)



Nick Kira
(Applicant)

Proposed Priority 4/20/84 ~~Proposed Priority 6-26-83~~

Received by NOB Date 4-20-84 Time 9:00

Preliminary check by JP Fee \$ 30 ^{ad} 32805

Receipted by Mary A Date 6/30/83

Publication prepared by manya Date 5/8/84

Published in eurbin publishing co

Publication dates 5/17 + 5/24/84

Publication approved mary a Date 6/15/84

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ADW KW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 72-7369, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
Use of water under this permit is subject to control by the watermaster of State Water District No. 72B, Garden Creek.

Witness my hand this 26th day of September, 1984.

J. Glen Saxton
Chief, Operations Bureau