

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

6/29/2020

Water Application 45-7666

Owner Type **Name and Address**
Current Owner LAMBERT PRODUCE CO INC
 PO BOX 793
 BLACKFOOT, ID 83221-0793
 (208) 785-4334

Priority Date: 10/24/1989

Status: Denied

Source **Tributary**
GROUND WATER

Beneficial Use	From	To	Diversion Rate	Volume
IRRIGATION	3/15	11/15	5.000 CFS	
	Total Diversion		5.000 CFS	

Source and Point(s) of Diversion

GROUND WATER NENENW Sec. 21, Twp 12S, Rge 23E, CASSIA County

Place Of Use

IRRIGATION within CASSIA County

			NE				NW				SW				SE				Totals
Twp	Rng	Sec	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
12S	23E	29	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	40.0	640.0

POU Total Acres: 640.0

Conditions of Approval:

Comments:

1. MBALDWIN 6/6/2000 OAKLEY-KENYON CRITICAL
GROUNDWATER AREA
Application is within the Oakley-Kenyon Critical Groundwater Area
2. MBALDWIN 8/8/2000 ADDRESS UPDATE
Address update on 8/7/00 per US Post Office.

Dates and Other Information

Application Received Date: 10/24/1989
Number of Protests: 0
Water District Number: TBD
Application Type: New Appropriation
Mitigation Plan: False

Combined Use Limits

N/A

Page 3 of 13

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

6/29/2020

SubCase:

N/A

Water Supply Bank:

N/A

NOV 08 2000

MEMO

FROM: Allen Merritt *AM*

DATE November 7, 2000

TO: Permit No:

45-07607

45-07665

45-07666

45-07667

Lambert Produce Inc

Lambert Produce Inc

Lambert Produce Inc

Lambert Produce Inc

Subject: Review and Recommendation

The above applications for permit have been filed for development of ground water in an established critical ground water area. In reviewing the history of why these applications were filed it appears that they were filed shortly after the Swan Falls agreement and the intention was to obtain the benefits of subordination of Idaho Powers' water rights to existing or proposed developments. In many but not all instances, the lands covered by the above filings were subsequently covered by expansion claims in the SRBA process.

This block of applications in critical ground water areas was identified in July of 2000. It appears that these applications cannot and will not ever be processed due to the critical ground water designation. In early August a letter was sent providing the applicants opportunity to withdraw their application and get a refund of the fees that have been paid. A few applications were withdrawn but the remaining applications listed above have not been withdrawn.

RECOMMENDATION

I recommend that the above listed applications be denied. Denial should be in the form of a preliminary order. The reason for denial is that they all propose ground water development in a critical ground water area which is not allowed.

45-07666

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Lambert Produce Company ^{Inc.} Phone 862-2480 ³³⁴⁶
Post office address Route 1, Box 44A, Oakley, Idaho, 83346 ^{Rt 2 Box 2430} Burley Id 83318
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 21 Township 12 S Range 23 E B.M. Cassia County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 5 for irrigation purposes from Mar. 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 5 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well, pump into pipeline to
sprinkler system.

b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 24 inches; proposed depth of well is approx. 600 feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
five (5) years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
125	23E	29	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	640

Total number of acres to be irrigated 640

10. Describe any other water rights used for the same purposes as described above. _____

45-04007, 45-04009, 45-04258, 45-00701

11. a. Who owns the property at the point of diversion? Lambert Produce, Inc.

b. Who owns the land to be irrigated or place of use? Lambert Produce, Inc.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____


12. Remarks: Proposed Well Driller: Bill Chesley

Existing rights do not provide enough water for proper irrigation of this land.

We understand this is a critical groundwater area, but still want to file.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R. 23E



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Spencer Roden, Inc.
(Applicant)

Received by J. E. Stanten Date 10-24-89 Time 10:05 am Preliminary check by J. L. Hunsberger
Fee \$ 125.00 Receipted by JES # 5010275 Date 10-24-89
Publication prepared by _____ Date _____ Published in _____
Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1341 Fillmore Street, Suite 200
Twin Falls, Idaho 83301-3380

RETURN SERVICE REQUESTED

RECEIVED

AUG - 7 2000

Department of Water Resources
Southern Region

LAMBERT PRODUCE INC
RT 2 BOX 2430
BURLEY ID 83318

203 E. 1100 S.



NOT DELIVERABLE
AS ADDRESSED -
UNABLE TO FORWARD



State of Idaho

DEPARTMENT OF WATER RESOURCES

1341 Fillmore Street, Suite 200, Twin Falls, ID 83301-3380

Phone: (208) 736-3033 FAX: (208) 736-3037

SOUTHERN REGION

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

October 3, 2000

LAMBERT PRODUCE INC
203 E 1100 S
BURLEY ID 83318

RE: Applications for Permit in Critical Ground Water Area: No. 45-07607, 45-07665, 45-07666, 45-07667

Dear Applicant:

Our office was recently notified by the US Post Office of your address change. Changes have been made to our database to reflect the change. Unfortunately, the above referenced files do not clearly indicate that our correspondence of August 2, 2000 was re-sent to your new address; therefore, the Department is making another request as follows:

Please be advised that our office has initiated a review of applications for permits to appropriate the public waters of the State of Idaho that have been held without action for many years. One type of application being held is those which propose development of ground water within an established critical ground water area. Our records indicate you have filed four (4) such applications as referenced above.

Our office intends to dispose of all applications seeking ground water development in critical areas by denying the applications. Before initiating this action, our office intends to provide you opportunity to withdraw your applications and request a refund of the filing fees that have been paid.

Please review these matters by using the enclosed computer printouts describing your applications and if you wish to withdraw your applications, please complete the withdrawal forms also enclosed.

If our office does not receive a withdrawal by November 3, 2000 your applications will be forwarded to the IDWR State Office with a recommendation for them to be denied. Any denial will be in the form of a preliminary order which you may request reconsideration or judicial review pursuant to procedural rules.

If you have questions, please feel free to contact this office.

Yours truly,

Mary A. Baldwin
Administrative Assistant

mb
Enclosures

8/2000

REQUEST FOR WITHDRAWAL OF APPLICATION FOR PERMIT

To: State of Idaho Department of Water Resources
1341 Fillmore Street
Suite 200
Twin Falls, ID 83301-3380

Gentlemen:

I/We wish to withdraw Application for Permit to Appropriate the Public Waters of the State of Idaho, No. **45-07666**.

The application is filed in the name of Lambert Produce Inc.

I also request a refund of the initial filing fee.

Dated this _____ day of _____, 2000.

(Signature of Applicant)

(Title)

(Address)

MEMO

FROM: Allen Merritt 

DATE September 26, 2000

TO: Permit No:	43-07208	In the Name of:	Scott Knudsen
	43-07211		Kirtland Yates
	43-07212		Warr Brothers
	43-07299		Interstate Feeders Inc
	45-07576A		Conrad Land & Livestock
	45-07576B		Ida-Gold Farms
	45-07578		Cummins Farms Inc
	45-07579		Ron Hepworth / Hepworth Farms
	45-07607		Lambert Produce Inc
	45-07665		Lambert Produce Inc
	45-07666		Lambert Produce Inc
	45-07667		Lambert Produce Inc

10/3/00 correspondence
see

Subject: Review and Recommendation

The above applications for permit have been filed for development of ground water in an established critical ground water area. In reviewing the history of why these applications were filed it appears that they were filed shortly after the Swan Falls agreement and the intention was to obtain the benefits of subordination of Idaho Powers' water rights to existing or proposed developments. In many but not all instances, the lands covered by the above filings were subsequently covered by expansion claims in the SRBA process.

This block of applications in critical ground water areas was identified in July of 2000. It appears that these applications cannot and will not ever be processed due to the critical ground water designation. In early August a letter was sent providing the applicants opportunity to withdraw their application and get a refund of the fees that have been paid. A few applications were withdrawn but the remaining applications listed above have not been withdrawn.

RECOMMENDATION

I recommend that the above listed applications be denied. Denial should be in the form of a preliminary order. The reason for denial is that they all propose ground water development in a critical ground water area which is not allowed.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1341 Fillmore Street, Suite 200, Twin Falls, ID 83301-3380

Phone: (208) 736-3033 FAX: (208) 736-3037

SOUTHERN REGION

DIRK KEMPTHORNI
GOVERNOR

KARL J. DREHER
DIRECTOR

August 2, 2000

LAMBERT PRODUCE INC
RT 2 BOX 2430
BURLEY ID 83318

RE: Application for Permit in Critical Ground Water Area

Dear Applicant:

Our office has initiated a review of applications for permits to appropriate the public waters of the State of Idaho that have been held without action for many years. One type of application being held is those which propose development of ground water within an established critical ground water area. Our records indicate you have filed such an application. (Please find attached a computer printout describing your application)

Our office intends to dispose of all applications seeking ground water development in critical areas by denying the applications. Before initiating this action our office intends to provide you opportunity to withdraw your application and request a refund of the filing fees that have been paid.

Please review this matter and if you wish to withdraw your application please complete the enclosed form. If our office does not receive a withdrawal by September 1st, 2000 your application will be forwarded to the IDWR State Office with a recommendation it be denied. Any denial will be in the form of a preliminary order which you may request reconsideration or judicial review pursuant to procedural rules.

If you have questions, please feel free to contact this office.

Sincerely,

Allen Merritt, PE
Southern Region Manager



ate of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

03-Apr-1991

R. KEITH HIGGINSON
Director

Lambert Produce Inc.
Rt. 1 Box 44A
Oakley, ID 83346

Re: Applications for permit 45-0765, 45-0766, 45-0767

Gentlemen:

On October 29, 1989, you filed the above referenced applications to appropriate groundwater.

As you are undoubtedly aware, the area in which diversion is proposed is within the Oakley-Kenyon Critical Groundwater Area. This designation was ordered by the director in 1963 based on a finding that the area met the definition set forth in Section 42-233a of the IDAHO CODE in that available groundwater in the basin is insufficient to provide a reasonably safe supply at current rates of withdrawal.

Section 42-233a further provides that the director may deny applications to appropriate groundwater within a critical groundwater area.

This office is forwarding the applications for the director's action with a recommendation that they be denied due to insufficient availability of groundwater for appropriation.

You will have the right to appeal the director's decision to the district court as provided for in section 42-237e of the IDAHO CODE.

Sincerely,

Loren O. Holmes, P. E.
Southern Region Manager

c: Laird Stone

RECEIVED

JAN 29 1990

Department of Water Resources
Southern Region Office

January 24, 1990

Cory L. King
Lambert Produce
Rt. 1, Box 44A
Oakley, ID 83346

RE: WATER RIGHTS IN THE NAME OF LAMBERT PRODUCE

Dear Mr. King:

This letter is a follow-up to your letter dated January 4, 1990 and your and Ray Coyle's visit with Norm Young and me on January 18, 1990 in connection with the above referenced water rights.

Based on our conversation on January 18, my understanding is that the main purpose of your January 4 letter was to inquire whether there might be drought relief of some nature available this year since the water supply so far is below normal. As we indicated, drought relief in the form of allowing additional wells to be drilled in a critical ground water area is highly improbable.

Since you indicated you may visit our Twin Falls office in connection with the water rights of Lambert Produce, I have forwarded a brief memo to that office which highlights our discussion.

Please feel free to contact the department if we can be of further assistance or if you have additional questions.

Sincerely,

L. GLEN SAXTON, Chief
Water Allocation Bureau

c: IDWR - S. Region

Form No. 202a
1/87STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

Swainfall 4661 file

INITIAL REVIEW BY A. J. Sunderburg DATE 10/26/89 APPLICATION NUMBER 45-07665

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp, partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☒ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- Field check by _____
- ☐ Yes ☒ No Field report attached
- ☒ Yes ☐ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☒ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☒ Yes ☐ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Name of Cor. Dir.Date Requested

SEND COPIES TO _____ Idaho Dept. of Health & Welfare _____ U.S. BLM
 _____ Idaho Dept. of Fish & Game _____ U.S. Forest Service
 _____ Idaho Dept. of Lands _____ Water District
 _____ Adjudication Bureau Unit _____ Other _____

☐ Yes ☐ No Affidavit of publication received
☐ Yes ☐ No Application published correctly. If not, record action taken.

Date of priority recommended _____ See below for additional information
By AD _____ Date 9/27/00 Deny
DATE OFFICE REVIEW 11/7/00

By _____ See below for additional information
Date _____

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper appears to be from a notebook or a set of legal pads. There is no handwriting or other markings on the page.

LOCAL PUBLIC INTEREST

Comments received from:

<input type="checkbox"/> City	<input type="checkbox"/> Idaho Fish & Game	<input type="checkbox"/> Irrigation District
<input type="checkbox"/> County	<input type="checkbox"/> Idaho Health & Welfare	<input type="checkbox"/> Canal Company
<input type="checkbox"/> Reservations	<input type="checkbox"/> Division of Environment	<input type="checkbox"/> Other _____

Project impacts/implications report

COMMENTS
