

RECEIVED

JUN 08 2020

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

Ident. No. _____

1. Name of applicant(s) Randy Hopkins Phone 208-467-5467
 Name connector (check one): ☐ and ☐ or ☐ and/or
 Mailing address 1390 E. Mallory Ln. City Meridian
 State ID _____ ZIP 83642 Email randyh@hopkinsfinancial.com
2. Name of representative, if any SPF Water Engineering Phone 208-383-4140
 Mailing address 300 E. Mallard Dr., Ste. 350 City Boise
 State ID _____ ZIP 83706 Email lgraves@spfwater.com
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☒ Send original correspondence to the applicant and copies to the representative.
- b. ☒ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply GROUND WATER which is a tributary of _____
4. Location of point(s) of diversion:

| Twp | Rge | Sec | Govt Lot | 1/4 | 1/4 | 1/4 | County | Source | Local name or tag # |
|-----|-----|-----|----------|-----|-----|-----|--------|--------------|---------------------|
| 2N | 1E | 7 | | | NE | SE | Ada | Ground Water | D0019061 |
| 2N | 1E | 7 | | | NE | SE | Ada | Ground Water | Proposed |
| | | | | | | | | | |
| | | | | | | | | | |

5. Water will be used for the following purposes:
- Amount 0.14 cfs for Irrigation purposes from 3/1 to 11/15 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount 0.14 cfs for Diversion to Storage purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount 8.5 afa for Aesthetic/Recreation Storage purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) 0.14 cubic feet per second (cfs) and/or (b) 6.0 acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. One existing well, one proposed well, pumps, pressurized irrigation system, approximately one acre of pond area
- b. Height of storage dam _____ feet; active reservoir capacity 6.0 acre-feet; total reservoir capacity 6.0 acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate [Application for Construction or Enlargement of a New or Existing Dam](#). Application required? ☐ Yes ☐ No
- c. Proposed well diameter is 6 - 8 inches; proposed depth of well is 250 feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
- e. If well is already drilled, when? 9/13/2001; drilling firm SOS Well drilling;
 well was drilled for (well owner) Bruno Development; Drilling Permit No. see attached report

For Department Use

Received by LE Date 06/08/2020 Time 12:00pm Preliminary check by _____
 Fee \$ 100 Received by LE Receipt No. W048361 Date 06/08/2020

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in kW. _____
 - Stockwatering; list number and kind of livestock. _____
 - Municipal; must complete and attach the Municipal Water Right Application Checklist.
 - Domestic; show number of households _____
 - Other; describe fully. Recreation storage for fishing and swimming
9. Description of place of use:
- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 - If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

| TWP | RGE | SEC | NE | | | | NW | | | | SW | | | | SE | | | | TOTALS |
|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------|
| | | | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | |
| 2N | 1E | 7 | | | | | | | | | | | | | 7 | | | | 7 |
| | | | | | | | | | | | | | | | AS | | | | |
| | | | | | | | | | | | | | | | RS | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |

Total number of acres to be irrigated: 7

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? Boise-Kuna Irrigation District surface water for primary irrigation
11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____
12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. Total pond storage volume is based on 1 acre of pond area, steep side slopes and 12 feet maximum depth. Seepage is not a factor since the pond areas have been double lined with bentonite. Calculation for the evaporative loss resulting from the ponds is attached.
- Water bearing zone for the wells is from 150 to 250 feet.
13. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).
14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

Print Name (and title, if applicable)

Signature of Applicant

Print Name (and title, if applicable)



- 
- Proposed Pond Area - 1 acre



300 East Mallard Drive, Suite 350
Boise, Idaho 83706
Tel (208) 383-4140 Fax (208) 383-4156

Randy Hopkins
Application for Permit

1390 E Mallory Ln, Meridian, ID

DATE: 5/25/2020

CREATOR: Igraves

PROJECT: 1457.0010



Absolute Scale: 1:1,500

0 100 200 Feet

Seepage Loss Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total annual seepage losses from a pond.

| | |
|-------------|-----------|
| FILE NUMBER | XX-XXXXX |
| REVIEWER | SPF |
| DATE | 5/22/2020 |

| |
|----------------------|
| User Input |
| Calculated value |
| Formula Explanations |

INPUTS

| | | |
|-------------------------|---|-----|
| Pond Surface Area (AC.) | 1 | AC. |
|-------------------------|---|-----|

| | | |
|-----------------------------|-------|---------|
| Pond Surface Area (SQ. FT.) | 43560 | SQ. FT. |
|-----------------------------|-------|---------|

| | | |
|---|----------------------|---------|
| I used the following method to obtain my Soil Classification information: | NRCS Web Soil Survey | |
| My Soil Classification is | Lined | |
| Suggested Seepage Rate (FT./DAY) | 0.0000 | FT./DAY |

| |
|--|
| Formula: (Surface Area X Seepage Rate) X 7.48 = Gallons Per Day Loss |
|--|

| | | |
|----------------|---|-----|
| Convert to GPD | 0 | GPD |
|----------------|---|-----|

| | | |
|--------------------------|-----|-----|
| Total Seepage Loss (AFA) | 0.0 | AFA |
|--------------------------|-----|-----|

Though sand and gravel seepage rates may actually be higher, the maximum allowable rate is 0.2 ft/day, pursuant to Administrative Memo "Seepage Loss Standards for Ponds and Reservoirs."

| Suggested Seepage Rates for Different Soil Types: |
|---|
| GW, GP, GM, GC, SW, SP and SM (silty sand, sand silt mixtures and gravel mixtures) = 0.2 ft per day |
| OL and ML (inorganic silts - very fine sands, silty, or clayey fine sands) = 0.02 ft per day |
| SC (clayey sands, sand clay mixtures) = 0.007 ft per day |
| CL (Low to medium plasticity clays) = 0.003 ft per day |
| MH, OH, PT and CH (high plasticity clays) = 0.0003 ft per day |
| LINED PONDS (liners can be chemical, fabric, or bentonite) = 0 ft per day |
| Ponds Intercepting Groundwater (excavated ponds filled by ground water) = 0 ft per day |

PLEASE NOTE: The initial basis for the Suggested Seepage Rates in the table above is found on Page 16 of Seepage from Fish Ponds, Bulletin 599, August 1989 Alabama Agricultural experiment Station, Auburn University, Auburn University Alabama. If you don't know the soil type, please refer to the map provided at the NRCS Web Soil Survey (Tab #1), an ArcMap Soil Classification Map (Tab #1.1), or published NRCS Soil Survey (Tab #1.2). Use "0" if the pond fill relies on the water table.

Evaporation Loss Calculations

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the annual evaporation losses from a pond.

| | |
|-------------|-----------|
| FILE NUMBER | XX-XXXXX |
| REVIEWER | SPF |
| DATE | 5/22/2020 |

| |
|----------------------|
| User Input |
| Calculated value |
| Formula Explanations |

| |
|--|
| The acronyms used on the Kimberly Research Center website are defined below: |
| P = Precipitation |
| ET= Evapotranspiration |
| P _d = Precipitation deficit |
| P _d =ET-P |

USING THIS SPREADSHEET

Use the link below to access the Kimberly Research Center website. This website provides the Precipitation Deficit for a station most representative of the pond under examination. The Precipitation Deficit is the total amount of free water surface evaporation minus the precipitation for a given area, which gives the total amount of evaporative losses incurred by the pond. There are several weather sites that are used throughout the state. IDWR staff can find the nearest site using Arc Map. The shape file containing the sites can be found at X:/Spatial/Climate/ETIdahostations.shp.

Instructions:

1. Use the link below to navigate to ET Idaho 2012.
2. Select the station which is most representative to your pond location.
3. Click Submit Query.
4. Under "Land Covers with Evapotranspiration Estimates," select "Open Water - Shallow Systems (ponds, streams)" or "Open Water - small stock ponds" depending on the pond size.
5. Click the link to "Precipitation Deficit."
6. Reference and copy (ctrl + C) the first subheading "Mean" values.
7. Click the "Paste Values from ET Idaho" button. The table will automatically enter a zero (0) for any negative precipitation deficit values.

Found at: <http://data.kimberly.uidaho.edu/ETIdaho/>

Precipitation Deficit

Station: Kuna (NWS -- USC00105038)

| Month | mm/day ¹ | Days per month | mm/Month |
|-----------|---------------------|----------------|----------|
| Jan | -0.48 | 31 | 0.00 |
| Feb | 0.37 | 28 | 10.36 |
| March | 1.47 | 31 | 45.57 |
| April | 2.61 | 30 | 78.30 |
| May | 3.34 | 31 | 103.54 |
| June | 4.17 | 30 | 125.10 |
| July | 4.72 | 31 | 146.32 |
| August | 3.88 | 31 | 120.28 |
| September | 2.71 | 30 | 81.30 |
| October | 1.81 | 31 | 56.11 |
| November | -0.03 | 30 | 0.00 |
| December | -0.30 | 31 | 0.00 |

PLEASE NOTE: The seasonal average for precipitation deficit should not be used for calculations because precipitation often exceeds evaporation during wetter months of the year. If the pond is kept full, excess precipitation during wetter months does not serve to refill the pond during drier months.

For example, see Sandpoint KSPT (NWS -- 108137), the annual precipitation deficit is -106 mm. However, April through September have positive precipitation deficit values. To properly estimate the annual volume of water necessary to refill a pond due to evaporation losses, the table will automatically enter a zero (0) for each month that the precipitation value is reported as a negative value.

As described above, precipitation offsets evaporation in winter months, so the net effect is that wintertime precipitation deficit is usually zero.

Total mm/year = 766.88

$$[(\text{mm/yr}) \div (\text{convert to feet})] \times (\text{Surface area of pond, in acres}) = \text{Evaporation Loss in Acre Feet}$$

(766.88 ÷ 304.8) X 1.00 = 2.5 AFA

Total Storage Calculations

| | |
|-------------|-----------|
| FILE NUMBER | XX-XXXXX |
| REVIEWER | SPF |
| DATE | 5/22/2020 |

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

| |
|----------------------|
| User Input |
| Calculated value |
| Formula Explanations |

| | | |
|--|-----|---|
| Surface Area (AC.) | 1 | "Surface Area" is automatically carried over from the "Seepage Loss" sheet. |
| Average Pond Depth (FT.) | 6 | "Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth. |
| Pond Capacity (AF) | 6 | Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use. |
| Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF) | 0 | The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space. |
| Estimated Seepage Loss (AF) | 0.0 | The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet. |
| Estimated Evaporation Loss (AF) | 2.5 | The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet. |
| Total Volume Required (AF) | 8.5 | The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required. |

IDAHO DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

771025

Office Use Only

Inspected by _____

Twp _____ Rge _____ Sec _____

Lat: _____ 1/4 _____ 1/4 _____ 1/4 _____


Long: _____ : _____ : _____

1. DRILLING PERMIT NO. _____
Other IDWR No. D0019061

2. OWNER:
Name **BRUNO DEVELOPMENT**
Address **1595 VIA ROBERTO**
City **MERIDIAN** State ID Zip **83642**

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location

W  E

Twp. 2 North ☒ or South ☐
Rge. 1 East ☒ or West ☐
Sec. 7 $\frac{1}{4}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$
10 acres 40 acres 160 acres

S Gov't lot County ADA

Lat: : : Long: : :

Address of Well Site 1390 E MALLORY LANE
City MERIDIAN
(Give at least name of road + Distance to Road or Landmark)

Lt. 2 **Blk. 1** **Sub. Name ROARK**

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other

5. TYPE OF WORK check all that apply (Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other

6. DRILL METHOD

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other

7. SEALING PROCEDURES

| SEAL/FILTER PACK | | | AMOUNT | METHOD |
|------------------|------|----|-----------------|----------|
| Material | From | To | Sacks or Pounds | |
| BENTONITE | 0 | 48 | 24 SACKS | OVERBORE |
| | | | | |

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 188'

Was drive shoe seal tested? ☐ Y ☒ N How?

8. CASING/LINER:

| Diameter | From | To | Gauge | Material | Casing | Liner | Welded | Threaded |
|----------|------|-----|-------|----------|-------------------------------------|--------------------------|-------------------------------------|--------------------------|
| 6 | +2 | 188 | 250 | STEEL | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| | | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| | | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Length of Headpipe 11 Length of Tailpipe

9. PERFORATIONS/SCREENS

☐ Perforations Method _____☒ Screens Screen Type telescoping

| From | To | Slot Size | Number | Diameter | Material | Casing | Liner |
|------|-----|-----------|--------|----------|----------|--------------------------|--------------------------|
| 190 | 200 | 018 | | 5 | ST ST | <input type="checkbox"/> | <input type="checkbox"/> |
| | | | | | | <input type="checkbox"/> | <input type="checkbox"/> |
| | | | | | | <input type="checkbox"/> | <input type="checkbox"/> |

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

Depth flow encountered _____ ft. Artesian Pressure _____ lb
Describe access port or control devices: _____

11. WELL TESTS:

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

| Yield gal/min. | Drawdown | Pumping Level | Time |
|----------------|----------|---------------|-----------|
| 30 | | 100 | 1 1/2 HR. |
| | | | |
| | | | |

Water Temp. _____ Bottom hole temp. _____

Water Quality test or comments:

Depth first Water Encountered 95

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Water

[illegible]

Completed Depth: 202 (Measurable)

Date: Started 9/21/01 Completed 9/13/01

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name SOS Welldrilling & Pump Co Firm No. 212

Firm Official L. J. Schinner Date 9/50/

Supervisor or Operator [Signature] Date 9-14-01
(Sign once if Firm Official & Operator)

Date: 9/14/01 Time:3:22 PM



RECEIVED

JUN 08 2020

WATER RESOURCES
WESTERN REGION

June 5, 2020

Patrick Kelly
Water Rights Supervisor
Idaho Department of Water Resources
2735 Airport Way
Boise, ID 83705

Subject: Application for Permit – Randy Hopkins

Dear Patrick,

On behalf of Randy Hopkins, enclosed please find an Application for Permit seeking 0.14 cfs of groundwater for supplemental irrigation and diversion to aesthetic/recreation storage. Irrigation will be supplemental to Boise-Kuna Irrigation District surface water. Storage will occur in a series of ponds with a total surface area of 1.0 acres and an average depth of 6 feet. One existing well and one future well are proposed. Check No. 1298 for the \$100 filing fee is included.

Please contact me with any questions.

Sincerely,

A handwritten signature in blue ink, appearing to read "Terry M. Scanlan", is written over a horizontal line.

Terry M. Scanlan, P.E., P.G.

Enclosure: Permit Application and Filing Fee

Cc: Randy Hopkins



Brad Little
Governor

State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN Region • 2735 W AIRPORT WAY • BOISE, ID 83705-5082

Phone: (208)334-2190 • Fax: (208)334-2348 • Website: www.idwr.idaho.gov

Gary Spackman
Director

June 26, 2020

RANDY HOPKINS
1390 E MALLORY LN
MERIDIAN, ID 83642-7264

RE: Application for Permit No. 63-34929

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the IDAHO STATESMAN on 7/2/2020 and 7/9/2020. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Kensie Thorneycroft
Administrative Assistant

Thorneycroft, Kensie

From: Thorneycroft, Kensie
Sent: Friday, June 26, 2020 10:42 AM
To: 'BOI Legals'
Subject: Ada Legal Notices
Attachments: CoverLetter.docx; LegalNotice.docx

Follow Up Flag: Follow up
Flag Status: Flagged

Good Morning Legal Clerk,

I am sending you the new legal notices, please send confirmation to my email.

Please see the attached ad for publication on 07/02/2020 and 07/09/2020.

Please confirm these are okay to publish as shown.

Kensie Thorneycroft
Administrative Assistant
IDWR Western Region
208-334-2190



Brad Little
Governor

State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN Region • 2735 W AIRPORT WAY • BOISE, ID 83705-5082
Phone: (208)334-2190 • Fax: (208)334-2348 • Website: www.idwr.idaho.gov

Gary Spackman
Director

June 26, 2020

LEGAL NOTICE DEPARTMENT
IDAHO STATESMAN
PO BOX 40
BOISE, ID 83707

RE: Application for Permit No. 63-34912, 63-34926, 63-34929
Transfer No. 84173
Water Right No(s). 63-199B, 63-200B

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 7/20/2020. Your cooperation is appreciated.

Sincerely,

Kensie Thorneycroft
Administrative Assistant

Enclosure(s)

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-34912

UTAHNA LLC

PO BOX 1281

EAGLE, ID 83616-1281

Point of Diversion NWSW S14 T04N R01E ADA County Source GROUND WATER

Point of Diversion SWNW S14 T04N R01E ADA County Source GROUND WATER

Use: DOMESTIC 01/01 to 12/31 0.11 CFS

Total Diversion: 0.11 CFS

Date Filed: 05-14-2020

Place Of Use: DOMESTIC

T04N R01E S14 NWSW,SWNW

Water bearing zone to be appropriated is from 80 to 100 feet.

63-34926

CITY OF BOISE DEPT OF PARKS & RECREATION

1104 ROYAL BVLD

BOISE, ID 83706

Point of Diversion NWSWSW S4 T03N R02E ADA County Source BOISE RIVER Tributary SNAKE RIVER

Point of Diversion NESESE S5 T03N R02E ADA County Source BOISE RIVER Tributary SNAKE RIVER

Use: AESTHETIC 01/01 to 12/31 35 CFS

Use: RECREATION 01/01 to 12/31 35 CFS

Total Diversion: 35 CFS

Date Filed: 05-26-2020

Place Of Use: AESTHETIC, RECREATION

T03N R02E S4 NWNW,L6(NWSW),SWNW

Place Of Use: AESTHETIC,RECREATION

T03N R02E S5 NENE,L11(NESE)

63-34929

RANDY HOPKINS

1390 E MALLORY LN

MERIDIAN, ID 83642-7264

(2) Point of Diversion NESE S7 T02N R01E ADA County Source GROUND WATER Tributary

Use: DIVERSION TO STORAGE 01/01 to 12/31 0.14 CFS

Use: IRRIGATION 03/01 to 11/15 0.14 CFS

Use: AESTHETIC STORAGE 01/01 to 12/31 8.5 AF

Total Diversion: 0.14 CFS, 6.0 AF

Date Filed: 06-08-2020

Place Of Use: AESTHETIC STORAGE,DIVERSION TO STORAGE,IRRIGATION

T02N R01E S7 NESE

Total Acres: 7

Water bearing zone to be appropriated is from 95 to 250 feet.

**NOTICE OF PROPOSED CHANGE OF WATER RIGHT
TRANSFER NO. 84173**

NAMPA & MERIDIAN IRRIGATION DISTRICT, C/O SAWTOOTH LAW OFFICES PLLC, 1101 W RIVER ST STE 110

PO BOX 7985, BOISE, ID 83701 has filed Application No. 84173 for changes to the following water rights within ADA, BOISE County(s): Right No(s). 63-199B, 63-200B; to see a full description of these rights and the proposed transfer, please see <https://research.idwr.idaho.gov/apps/waterrights/querynewtransfers>. The purpose of the transfer is to change a portion of the above rights as follows: The purpose of the transfer is to convert an 11.00 cfs portion of the applicant's water rights from Irrigation to Industrial (3.00 cfs) and Groundwater Recharge (8.00 cfs). Irrigation use will be reduced within the Nampa & Meridian Irrigation District service boundary and appropriated for the proposed changes on a pre-determined amount each season. Diversion of the proposed uses will occur at Surprise Valley located within the NWNE, 2 North, 3 East, Sec. 4, Ada County, B.M. The rate of flow diverted under water rights 63-198AJ, 63-199B, 63-200B and 63-30181 at the Surprise Valley location shall not exceed a combined total of 26.00 cfs.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Western office at (208)334-2190; or for a full description of the right(s), please see <https://idwr.idaho.gov/apps/ExtSearch/WRAApplicationResults/>. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 W AIRPORT WAY, BOISE ID 83705-5082 together with a protest fee of \$25.00 for each application on or before 7/20/2020. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 7/2/2020 and 7/9/2020

Huelse, Kate

From: Lori Graves <LGraves@spfwater.com>
Sent: Wednesday, June 24, 2020 3:26 PM
To: Huelse, Kate
Subject: RE: Randy Hopkins- Application for Permit

Kate, below are answers to your questions:

1. Yes, 5 ponds.
2. The existing well is cased to 188 feet and screened from 190 to 200 feet. We asked for a water-bearing zone of 150 to 250 feet (to accommodate a second well of unknown depth). Based on this information, the WBZ should remain as proposed.

Please let me know if you have additional questions. Thanks Kate.

From: Huelse, Kate <Kate.Huelse@idwr.idaho.gov>
Sent: Wednesday, June 24, 2020 2:02 PM
To: Lori Graves <LGraves@spfwater.com>
Subject: RE: Randy Hopkins- Application for Permit

Hi Lori,

I can interpret your map but wanted to reach out and confirm that Mr. Hopkins will be applying for 5 ponds. The surface area was mentioned in the application, however the specific number of ponds was not. This is important because the number of ponds will carry over to condition 219 on the permit.

Additionally, the well log you submitted states that the static water level is 71 feet, however the water bearing zone you submitted is 95 to 200 feet.

In order to continue processing we require an amended water bearing zone.

All the best,
Kate

From: Huelse, Kate
Sent: Tuesday, June 23, 2020 10:47 AM
To: 'Lori Graves' <LGraves@spfwater.com>
Subject: Randy Hopkins- Application for Permit

Hi Lori,

I hope you are well, I am currently working on processing Randy Hopkin's application for permit. I see that you have specified the series of ponds to add up to 1 acre in surface area. Can you please further specify the how many ponds you are applying for in that series.