

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 75-14865

Priority: May 22, 2017

Maximum Diversion Rate: 0.08 CFS

The owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 75-14865

RUTH ANDERSEN
14 BEEHAVEN LN
SALMON, ID 83467-5029

requests the permit be changed as follows:

Source : SALMON RIVER

Tributary: SNAKE RIVER

Beneficial Use

IRRIGATION

Period of Use

04/01 to 10/31

Rate of Diversion

0.08 CFS

Annual Volume

9.1 AF

Location of Point(s) of Diversion


SALMON RIVER NW¼ SE¼, Sec. 34, Twp 19N, Rge 21E, B.M. LEMHI County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				No QQ	Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
19N	21E	34														0.4	1.2			1.6
																L5	L8			
19N	21E	34														0.7	0.3			1.0

Total Acres: 2.6

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed this 4th day of June, 2020

(Signature)

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 75-14865

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$100 Received by Ch # E045991 Date 6/9/2020

ACTION OF THE DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources hereby approves the above Application for Amendment for Permit No. 75-14865 with the following:

Conditions of Approval

1. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
2. Prior to the diversion and use of water under this approval, the right holder shall comply with all fish screening and/or fish passage requirements of the Idaho Department of Fish and Game.
3. Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide the watermaster suitable control of the diversion.
4. The right holder shall install or construct a straight length of conduit or ditch suitable for installation of a device for measuring the entire flow of water being diverted in connection with this right. If the right holder uses conduit, the straight length of conduit shall be at least fifteen times the diameter of the conduit and shall be above ground or otherwise easily accessible.
5. Upon specific notification by the Department, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion, in accordance with Department specifications.
6. When notified by the Department or by a watermaster with regulatory authority over this right, the right holder shall report the amount of water diverted in connection with this right. The report shall be submitted in the manner and frequency specified by the Department or the watermaster.
7. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the place of use.
8. Place of use is located within Lot 2, Omohundro Subdivision.

This amendment is issued pursuant to the provisions of Idaho Code § 42-211.

Signed this 22nd day of June, 2020



JAMES CEFALO
Eastern Regional Manager



State of Idaho

DEPARTMENT OF WATER RESOURCES

Eastern Region • 900 N SKYLINE DR STE A • IDAHO FALLS, ID 83402-1718
Phone: (208)525-7161 • Fax: (208)525-7177 • Website: www.idwr.idaho.gov

Brad Little
Governor

Gary Spackman
Director

RECEIVED
JUN 09 2020

Department of Water Resources
Eastern Region

May 28, 2020

RUTH ANDERSEN
14 BEEHAVEN LN
SALMON ID 83467-5029

RE: Water Right Permit No. 75-14865

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit(s) referenced above prior to issuing water right license(s). By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit.

The examiner who verified your water use reported that certain elements of the permit(s) have been developed differently than described on your permit(s). Changes that do not increase the authorized use of water under the permit(s) can be requested and approved in accordance with Idaho Code § 42-211. Before license(s) can be issued, your permit(s) must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit(s):

☒ Point(s) of Diversion

☒ Place(s) of Use

☐ Other

The enclosed Application for Amendment form(s) depicts the elements of the water right(s) as they will appear on the license(s) when issued. Please review the amendment form(s) carefully. If you concur with the information presented, please sign and return the form(s) with the filing fee of \$100.00 within fourteen (14) days.

If you have any questions, please call me at (208) 497-3778.

Sincerely,

Brian Normandeau
Associate Engineer

Enclosure(s): Application for Amendment

cc: Patrick N Naylor; Rocky Mountain Environmental Associates