

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 25-14199

RECEIVED
JUN 23 2020
Department of Water Resources
Eastern Region

Priority: September 04, 2007

Maximum Diversion Rate: 0.83 CFS

Maximum Diversion Volume: 156.0 AF

The owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 25-14199

MORNINGVIEW WATER CO INC PO BOX 598 RIGBY ID 83442

requests the permit be changed as follows:

Source : GROUND WATER

Beneficial Use

DOMESTIC

Period of Use

01/01 to 12/31

Rate of Diversion

0.83 CFS

Annual Volume

156.0 AF

Location of Point(s) of Diversion

GROUND WATER NW¼ NE¼, Sec. 30, Twp 04N, Rge 39E, B.M. JEFFERSON County

GROUND WATER NW¼ NE¼, Sec. 30, Twp 04N, Rge 39E, B.M. JEFFERSON County

GROUND WATER L1 (NW¼ NW¼), Sec. 30, Twp 04N, Rge 39E, B.M. JEFFERSON County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				No QQ	Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
04N	39E	30	X	X			X	X L1												

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed this 23rd day of June, 2020.


(Signature)

#100-CH-6/23/2020
E046045

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 25-14199

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$100 Received by CH #E046045 Date 6/23/20

ACTION OF THE DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources hereby approves the above Application for Amendment for Permit No. 25-14199 with the following:

Conditions of Approval

1. Domestic use is for 130 homes.
2. Rights 25-14199, 25-14236 and 25-7593 when combined shall not exceed a total diversion rate of 0.83 cfs for in-house non-consumptive purposes for 152 homes, and 0.46 cfs and 92 AFA for the irrigation of 152 lots.
3. The irrigation occurring under this domestic use shall not exceed 1/2 acre within each platted subdivision lot upon which a home has been constructed. This right does not provide for irrigation of common areas or for irrigation of lots upon which homes have not been constructed.
4. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
5. Prior to diversion and use of water under this right, the right holder shall install and maintain acceptable measuring device(s) at the authorized point(s) of diversion, in accordance with Department specifications.
6. Upon specific notification of the Department, the right holder shall install and maintain data loggers to record water usage information at the authorized point(s) of diversion in accordance with Department specifications.
7. Use of water under this right may be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 120.

This amendment is issued pursuant to the provisions of Idaho Code § 42-211.

Signed this 25th day of June, 2020.



JAMES CEFALO
Eastern Regional Manager