

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

11/15/2019

Water Application 37-7096

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	MAXINE HAZEN , ZZ

Status: Denied

Source

Tributary

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
------------------------------	--------------------	------------------	------------------------------	----------------------

Source and Point(s) of Diversion

Place Of Use

Conditions of Approval:

Comments:

Dates and Other Information

Number of Protests: 0
Water District Number: TBD
Application Type: New Appropriation
Mitigation Plan: False

Combined Use Limits


N/A

SubCase:

N/A

Water Supply Bank:

N/A



RECEIVED

FEB 26 1973

Department of Water Administration
Southern District Office

February 23, 1973 CERTIFIED MAIL

Re: Application for Permit No. 37-7096

**Maxine Hazen
Box 345
Hailey, Idaho 83333**

Dear Mrs. Hazen:

Enclosed you will find a copy of your Application for Permit No. 37-7096 which has been DENIED by this Department. Also enclosed is the Memorandum Decision and Order.

If you have any questions regarding this matter, please contact us.

Sincerely,

**BOBBY D. FLEENOR
Assistant Director**

BDF:DR

**Enc: Copy of application
Memorandum Decision & Order**

**cc: City of Hailey
Reid Newby
Enc: Copy of Memorandum
Decision & Order**

bc: Southern District Office ✓

DENIED

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

Identification No. 37-7096
Application No. _____



1. Name of applicant Maxine Hazen
post office address Box 345 Hailey, Idaho 83333
2. Source of water supply Affluence of City of Hailey which is a tributary of Big Wood River
Sewer System
3. a. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 26 Township 2N
Range 18E B.M. Blaine County; additional points of diversion if any: None
- b. If water is not consumed, it will be discharged into Big Wood River at a point in SE $\frac{1}{4}$
of SE $\frac{1}{4}$ of Section 26 Township 2N Range 18 B.M.
4. Water will be used for the following purposes:
Amount 2.00 for Irrigation purpose from Apr. 1 to Oct. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 2.00 cubic feet per second and/or actual discharge into Big Wood River at
b. _____ acre feet per annum. total capacity of sewer plant.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Diversion dam in river. Steel head
gates set in concrete; gravity flow.
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

37-7096

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	18E	25							x										6.70
2N	18E	25											x						22.45
2N	18E	26				0.5									x				37.73
2N	18E	26																x	28.13
2N	18E	26								x									1.57


Total number of acres to be irrigated 96.58

c. Describe any other water rights used for the same purposes as described above. 150 inches
of 1883 - March 10

9. a. Who owns the property at the point of diversion _____
b. Who owns the land to be irrigated or place of use applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks The above indicated is an overflow of the sewerage plant now being installed at Hailey, Idaho. Please accept this application for this water. I realize final word cannot come from the Water Administration dept until the sewerage system is complete. I have 150 inches of deeded water now and have checked with the water master about this additional water. As much gravel as I'm trying to irrigate with 150 inches, this additional water will not be too much. I feel the water should be allowed to run with no restrictions in decrees since the water is a never ending flow. As the City of Hailey has a 131 inch intake from Indian Creek and also an electric pump I feel that this 100 inches I'm asking for is not too much.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Margaret Lozen
(Applicant)

Received by ly Date 4-27-71 Time 9:30A
Preliminary check by ly Fee \$ 250
Receipted by ly Date 4-22-71
Publication prepared by dr Date 5-5-71
Published in Wood River Journal Correction notice
Publication dates 5-13 & 5-20, 1971 6-10 & 6-17, 1971
Publication approved ly Date 7-8-71
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by ly

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 37-7096, and said application is hereby DENIED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. Other: _____

2. Denial of said application is for the following reasons: _____

Pursuant to Memorandum Decision and Order of this date.

Witness my hand this 21st day of February 19 73.

DENIED

L. Keith Higgins
Director

BEFORE THE DEPARTMENT OF WATER ADMINISTRATION

OF THE

STATE OF IDAHO

IN THE MATTER OF Application for Permit)
No. 37-7096 in the name of MAXINE HAZEN)

MEMORANDUM DECISION
AND ORDER

On April 27, 1971, Maxine Hazen filed with the Department of Water Administration an application for permit to appropriate 2.00 cfs of water from the effluence of the City of Hailey's sewer system, tributary to the Big Wood River, from a point within the SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 26, Twp. 2 N, Rge. 18 E, B.M., Blaine County, to be used for irrigation purposes in Sections 25 and 26, Twp. 2 N, Rge. 18 E, B.M.

The applicant proposes to divert water from the Big Wood River at the point where water is injected into the River from the City of Hailey's sewage treatment plant. The applicant has no control or possession of the water before it enters into the Big Wood River; therefore, the discharge from the sewage treatment plant after it enters the River must be considered as Big Wood River water and used to satisfy water rights according to their priority.

The applicant diverts 3.00 cfs of water from the Big Wood River for the irrigation of the land named as the place of use in the above numbered application. Sufficient justification for the diversion of an additional 2.00 cfs of water has not been shown.

IT IS, THEREFORE, HEREBY ORDERED that Application for Permit No. 37-7096 be and is DENIED.

Dated this 21st day of February, 1973.


R. KEITH HIGGINSON
Director