

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

ID No. TP-37-99
RECEIVED
JUN 22 2020
DEPT. OF WATER RESOURCES
SOUTHERN REGION

APPLICATION FOR TEMPORARY APPROVAL OF WATER USE

For a use not intended to become an established water right and not to exceed one (1) year in duration in accordance with [Idaho Code § 42-202A](#).

Name of applicant Katrina Jankowski Phone (415) 240-2456
Mailing address 203 Meadowbrook Road City Hailey
State ID Zip 83333 Email _____

1. Source of water Ground Water tributary to N/A
2. Location of point(s) of diversion. If more than two, attach a [Point of Diversion/Place of Use Supplement](#). ☐

TWP	RGE	SEC	GOVT LOT	1/4	1/4	1/4	County	Source	Local name or tag #
03N	18E	35		SW	NE	SW	BLAINE	GROUND WATER	DOMESTIC WELL
04N									

3. Location of place of use. If more rows are needed, attach a [Point of Diversion/Place of Use Supplement](#). ☐

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N	18E	35									2.6							2.6	
04N																			

Per 6/23/20 Email exchange w/ Zach Latham

4. Proposed use of water:
- a. ☐ Prevention of flood damage ☐ Ground water recharge ☐ Ground water or surface water remediation
☒ Other (Limited to a diverted volume of 5 acre-feet.) Describe: Irrigation of disturbed area associated with residence.
- b. Attach a detailed description of how the proposal will accomplish the intended objective, such as prevention of flood damage.
5. Amount of water. Complete all three:
- a. Maximum rate of diversion: 0.06 cfs; or 27 gpm.
b. Maximum daily volume: 0.041 AF; or 13,246 gallons.
c. Maximum volume over the duration of the request: 5.0 AF; or 1,629,255 gallons.
6. Duration of diversion: from July 1st (month-day) to October 31st (inclusive) (month-day).
7. Describe proposed diverting works: Existing domestic well and pressurized irrigation system owned by applicant.
8. a. Who owns the property at the requested point of diversion? Applicant.
b. Who owns the facilities that will convey water to the place of use? Applicant.
c. Who owns the land to be irrigated or place of use? Applicant.
d. If any of the items above is owned by a person or entity other than the applicant, describe the arrangement allowing access and attach written evidence of the arrangement. N/A.
9. Attach an 8 1/2" x 11" map identifying the water source, point(s) of diversion, place(s) of use and conveyance system.

I hereby acknowledge that I assume all risk of the diversion and use of the water under this approval. I certify this is a temporary use and is not intended to become an established water right.

Signature of Applicant _____

Title, if any _____

Date 6/14/2020

Received by SG

Date 6/22/20

Time _____

\$50.00 fee receipted by SG

5037996

Date 6/22/20

Watermaster comments received? yes

Date 6-23-20

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources ("Department") has examined this application for temporary approval to use water under the provisions of Idaho Code § 42-202A and has determined that:

 A. The application for temporary approval should be denied because _____

- ☒ B. The application for temporary approval should be approved, since
1. The temporary approval can be properly administered.
 2. Other water sources are not readily available.
 3. The approval is in the public interest.
 4. The approval will not injure known public values associated with the water source or any known water rights.
 5. If the temporary approval is within a water district, the Department has sought and considered the recommendations of the watermaster.

This application is therefore hereby:

 A. DENIED

- ☒ B. APPROVED, subject to the following conditions:
1. Diversion and use of water under this approval is subject to all valid existing water rights.
 2. The applicant assumes all risk of the use of the water under this approval.
 3. This approval authorizes a maximum diversion volume of 5.0 AF and a maximum diversion rate of 0.06 cfs.
 4. This approval does not grant a right-of-way across the land of another.
 5. The Department may cancel or reduce the rate of flow or volume authorized by this approval. For example, the Department may cancel or reduce this approval if it concludes the water use is injuring other water rights or adversely affecting fish, wildlife or other public values.
 6. The applicant shall not divert water when downstream minimum flow water rights are not being satisfied.
 7. This approval does not create a continuing right to use water.
 8. A temporary approval for ground water recharge or prevention of flood damage shall be an opportunistic use of surplus water and shall not interfere with the filling of surface water reservoirs.
 9. For a temporary approval authorizing ground water recharge or ground water or surface water remediation, the applicant shall measure and record the weekly quantity of water diverted and report the diversion data to the Department upon request.
 10. This temporary approval is not an authorization for the described water use to be used as mitigation or credit for any other purpose.
 11. Other: see attached sheet for additional conditions
 12. This approval expires on 10/31/2020.


Signed this 23rd day of June, 20 20.


For the Department

ADDITIONAL CONDITIONS OF APPROVAL FOR TEMPORARY
APPROVAL NO. TP-37-99

- Subject to regulation by watermaster of Water District 37.
- This temporary approval is authorized pursuant to Section 42-202A, Idaho Code. Section 42-202A(5) states that a temporary approval shall only be granted for a use not intended to become an established water right. **NOTE that no additional temporary approval will be issued for vegetation establishment beyond October 31, 2020. If water is needed beyond October 31, 2020 water must be sought through other means which may include rental of water through the Idaho Water Resource Board Water Bank.**

Path: F:\Projects\Jankowski and Dean\ArcMap\TempPermit.mxd






0 60 120 240 Feet

TEMPORARY IRRIGATION APPLICATION

KATRINA JANKOWSKI
203 MEADOWBROOK ROAD
T3N R18E SEC 35 NESW
NAIP 2019 AERIAL

BROCKWAY ENGINEERING, PLLC.
GEP - Date: 6/19/2020

-  Well
-  Temporary Irrigation
-  203 Meadowbrook Rd





State of Idaho

DEPARTMENT OF WATER RESOURCES

SOUTHERN REGION • 650 ADDISON AVE W STE 500 • TWIN FALLS ID 83301-5858

Phone: (208) 736-3033 • Fax: (208) 736-3037

Website: www.idwr.idaho.gov • Email: southerninfo@idwr.idaho.gov

BRAD LITTLE
Governor

GARY SPACKMAN
Director

June 25, 2020

KATRINA JANKOWSKI
203 MEADOWBROOK RD
HAILEY ID 83333

RE: Application for Temporary Approval of Water Use: TP-37-99

Dear Applicant(s):

Enclosed is a copy of the above referenced approved Application for Temporary Approval of Water Use.

If you have any questions, please feel free to contact this office, and any of our agents will be able to assist you.

Sincerely,

Denise Maline

Denise Maline
Administrative Assistant 1

Enclosure

c: Kevin Lakey, Water District 37
Brockway Engineering PLLC

Bitzenburg, James

From: Zach Latham <zach.latham@brockwayeng.com>
Sent: Tuesday, June 23, 2020 9:26 AM
To: Bitzenburg, James
Subject: RE: Katrina Jankowski Temporary WR application

Jim-

Yes, my mistake, I read the Township to the south. The correct township should be 4N.
Thanks again and please let me know if there's anything else you need-

Zach Latham

Hydrologist
Brockway Engineering, P.L.L.C.
2016 Washington Street North, Suite 4
Twin Falls, ID 83301
t. 208-736-8543
c.208-721-2114
f. 208-736-8506

zach.latham@brockwayeng.com

All information, calculations, maps, drawings, or other documents transmitted via e-mail are preliminary unless explicitly stated in the e-mail text or in the documents themselves.

From: Bitzenburg, James [mailto:James.Bitzenburg@idwr.idaho.gov]
Sent: Tuesday, June 23, 2020 8:23 AM
To: Zach Latham
Subject: Katrina Jankowski Temporary WR application

Zach-

I am working on the Jankowski Temporary Application which you submitted to our office this week, and it looks pretty good overall, but the township listed in both the location of point of diversion and the location of place of use does not match the map. I believe the map is correct in that the township should be 04N, instead of 03N. How do you feel about that? Let me know and I can proceed with processing. Thanks,

Jim

Jim Bitzenburg
Water Resource Agent
Idaho Department of Water Resources
Southern Regional Office
Phone (208)-736-3033
james.bitzenburg@idwr.idaho.gov

Bitzenburg, James

From: watermanager@cableone.net
Sent: Tuesday, June 23, 2020 11:42 AM
To: Bitzenburg, James
Subject: RE: Application for Temporary Approval of Water Use

Jim,
I'm good with the application. I have no questions or concerns at this time.

Kevin Lakey
Water District 37

From: Bitzenburg, James <James.Bitzenburg@idwr.idaho.gov>
Sent: Tuesday, June 23, 2020 9:42 AM
To: watermanager@cableone.net
Subject: Application for Temporary Approval of Water Use

Kevin-

I'm processing the attached Temporary Application and would like to solicit your comments on the application. It's up the East Fork, almost to Triumph. Thanks,

Jim

Jim Bitzenburg
Water Resource Agent
Idaho Department of Water Resources
Southern Regional Office
Phone (208)-736-3033
james.bitzenburg@idwr.idaho.gov



BROCKWAY
ENGINEERING
P.L.L.C.

Hydraulics

Hydrology

Water Resources

RECEIVED

JUN 22 2020

DEPT OF WATER RESOURCES
SOUTHERN REGION

June 18th, 2020

Mr. Corey Skinner
Idaho Department of Water Resources
650 Addison Ave W, Ste 500.
Twin Falls, ID 83301-3380

RE: Application of Temporary Approval of Water Use- Jankowski.

Dear Corey,

On behalf of Ms. Katrina Jankowski, Brockway Engineering is filing an application for temporary approval of water use for the irrigation of 2.6 acres of disturbed area associated with the recent 2020 remodel of the Jankowski residence and avalanche mitigation measures located at 203 Meadowbrook Rd. in East Fork of the Big Wood River, north and east of Hailey, ID.

The temporary permit seeks to allow for the irrigation of 2.6 acres using 5.0 acre-feet of water during the 2020 irrigation season, on land owned by the applicant that was disturbed by construction activities associated with the remodel of the applicant's residence and avalanche mitigation berms required by Blaine County. This 2.6 acre area will be re-seeded with native vegetation that requires to be sprinkled for a growing season in order to become established.

Please copy our office on all correspondence regarding this temporary permit application. Don't hesitate to call our office should you have any further questions or comments. Thanks for your time and assistance on this matter.

Regards,

Shirley Davis on behalf of
Zach Latham, M.S., Hydrologist.

Enclosures: (1) Application for Temporary Approval of Water Use and Map.
(1) Client Check # 3472.

Cc: Ms. Katrina Jankowski

CHARLES E.
BROCKWAY,
PH.D., P.E.

CHARLES G.
BROCKWAY,
PH.D., P.E.

2016 NORTH
WASHINGTON
STREET • SUITE 4

TWIN FALLS,
IDAHO 83301

208•736•8543

FAX: 736•8506