6/17/2020

IDAHO DEPARTMENT OF WATER RESOURCES Proof Report

Water Permit 47-7410

Owner Type Current Owner Name and Address
WT WILLIAMS INC

C/O COLEMAN RITCHIE & CLUFF

DAVID A COLEMAN

PO BOX 525

TWIN FALLS, ID 83303-0525

(208) 734-1224

Status: Lapsed

Source

Tributary

To

Beneficial Use

From

Diversion Rate

Volume

Source and Point(s) of Diversion

Place Of Use

Conditions of Approval:

Comments:

Dates and Other Information

Water District Number: TBD Mitigation Plan: False

Combined Use Limits

N/A

SubCase:

N/A

Water Supply Bank:

N/A





Identification No.	
Application No	47-7410

STATE OF IDAHO **DEPARTMENT OF WATER RESOURCES** APPLICATION FOR PERMIT APPROVED

To Appropriate the Public Waters of the State of Idaho (TYPE OR PRINT IN INK)

1.,	Name of applicantW. T. Williams, IncPhone: 733-8509
	post office address Route #2, Twin Falls, ID 83301
2.	Source of water supply _groundwater which is a tributary of
	a. Location of point of diversion is SE ¼ of SW ¼ of Section 16 Township 12S
	Range 17E., B.M. Twin Falls County; additional points of diversion if any:
	Goothy, additional politics of diversion in unity.
	b. If water is not consumed, it will be discharged into at a point in
	of
4,	Water will be used for the following purposes:
	Amount 3.0cfs for irrigation purpose from Mar. 15 to Nov. 15 (both dates inclusive)
	Amount for purpose from to (both dates inclusive)
	Amount for purpose from to (both dates inclusive) (cfs or acre-feet per annum)
5.	(cfs or acre-feet per annum) Total quantity to be appropriated:
	a cubic feet per second and/or
	b acre feet per annum.
6.	Proposed diverting works:
	a Description of ditches, flumes, pumps, headgates, etc. well, motor & sprinkler system
	are best priorities, memos, peringe, medagates, etc.
	b. Height of storage dam feet, active reservoir capacity acre feet; total reservoir
	capacity acre feet, materials used in storage dam:
	Period of year during which storage will occur to inclusive. (Mo. Day) c. Proposed well diameter is 14 inches; proposed depth of well is 500 feet.
7	
/ ;=:	a. Time required for the completion of the works and application of the water to the proposed beneficial use
	is5years
0	b. Estimated construction cost is \$ 15,000.00
8	Description of proposed uses:
	a. If water is not for irrigation:
	(1) Give the place of use of water: /4 of Section Township
	Range B _a M _a
	(2) Amount of power to be generated: hp under feet of head
	(3) List number of each kind of livestock to be watered
	(4) Name of municipality to be served , or number of families to be
	supplied with domestic water
	(5) If water is to be used for other purposes describe:

 b_{x_0} If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP

RANGE

SEC

NW1/4

NE14 NW14 SW14 SE14 NE14 NW14 SW14 SE14 NE14 NW14 SW14 SE14 NE14 NW14 SW14 SE14

TOTALS

s	17E	16	40	40	40	40	40	40	40	40	40			40	40	40	40		520
		9								17.5%				40			40	40	120
-		9					-							40			40	40	120
			i																
										=									
-																			
					ļ														
											-,,								
-													-						
	c. Desci	ribe an	y othe	r wate	er rigl	hts us	sed fo	or the	same	purp	oses		lescrib					-	_Reservo
9	a. Who	owns	the pr	operty	y at th	he pa	int of	f dive	rsion	A ₁	ppli	cant						and the last	
	b. Who										ppli	cant							
														ne th					ling the
,		icant to																CHILD	ing the
	appli																		
	- '	rearn ro	make	11115 1	iling_														
			таке	inis i	iling_											-11712-1712-1			
3																			
3 3																			
9 9 0, 1																			
9 9 0 ₂ I																			
0 ₂ I																			
0 ₂ I																	5,144		
Og I																			
0 J																			
0 N I																			
0 J																			
O																			
0 0 1																			
0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1																			

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

	TOTTLDET					,						
										į		
	1					<u> </u>		<u> </u>	ļ	ļ	ļ	ļ
					1					ļ.		
			ental asse					 	ļ	ļ	ļ	1
					1					į .		
	1									i		
	2 3	i	K	178				İ		!		
	l l					i	1					İ
							4-4-			ļ +		ļ
		i						į .		!		-
	<u> </u>)			+H-	1				ļ
-								1 =		į		14
		1					1//-	†		1		
			40	40	40					1		
		40	40	40	40		N			İ		l l
										ļ 		ļ
	T	40	40	40	40	İ				1		
				9								
li li	12		40	40	40	1				i		
	S				WINDS ARMED							
			40	40								
1		ļ	< 1	Point	tof	Diversion	^			Ĺ		
l				 		+				i +		!
		į		1		-						
	-											ļ
		ľ		i		Ī						
		L										
				I								
		į		į		= (1/			
		i		1								
		t										
		ļ		İ	l							
				i			<u> </u>					
		į										1
Scale: 2 inches e												

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

Proposed Priority___7/11/77

Received by (24F Date 7-11-72 Time 9:30 AM
Preliminary check by W. Fee \$ 45 00 #8627
Receipted by In Date 7/1/77
Publication prepared by Date 7/3/77
Published in Dine Theres
Publication dates 7/21 + 7/28/17
Publication approved Date 8 1 7
Priority reduced to Reason
Protests filed by:
Copies of protests forwarded by
Hearing held by Date
Recommended for approval denial by ADM
ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
This is to certify that I have examined Application for Permit to appropriate the public waters of the State o
Idaho No47-7410, and said application is herebyAPPROVED
1. Approval of said application is subject to the following limitations and conditions:
a. SUBJECT TO ALL PRIOR WATER RIGHTS.
b. Proof of construction of works and application of water to beneficial use shall be submitted on or
before September 1 , 19 82.
c. Other: For licensing purposes a scinetific measruement of the diversion
rate of the system as it is normally operated shall be provided by either
properly installing an approved type of measuring device or by having a
professional engineer certify the rate of diversion to the Department prior
to submitting proof of beneficial use of water.
The rate of diversion of water for irrigation under this permit
and all other water rights on the same land shall not exceed 0.02 cubic
feet per second for each acre of land.
Sontombon - 77
Witness my hand this 16 day of September 1977.
×
S. Denneral Menn
Deputy Director