

6/16/2020

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	HOWARD HARDER 3521 E 3985 N KIMBERLY, ID 83341-5117 (208) 543-4932

Status: Relinquished

Tributary

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
-----------------------	-------------	-----------	-----------------------	---------------

Source and Point(s) of Diversion

Place Of Use

Conditions of Approval:

Comments:

Dates and Other Information

Water District Number: TBD
Mitigation Plan: False

Combined Use Limits

N/A

SubCase:

N/A

Water Supply Bank:

N/A

RECEIVED
APR 20 1973

Department of Water Administration
Southern District Office

Identification No. _____

Application No. 47-7196

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Howard Harder
post office address Route 2, Buhl, ID 83316
2. Source of water supply K-Coulee which is a tributary of Snake River
3. a. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 6 Township 10S
Range 14E B.M. Twin Falls County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into K-Coulee at a point in NW $\frac{1}{4}$
of SE $\frac{1}{4}$ of Section 6 Township 10S Range 14E B.M. _____
4. Water will be used for the following purposes:
Amount 4.0 for Fish Prop. purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 4.0 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Headgate - ditch, ponds, discharge
back to stream

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 years.
b. Estimated construction cost is \$ 5000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 6 Township 10S
Range 14E B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: fish propagation

47-7196 Relinquished

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated_____

c. Describe any other water rights used for the same purposes as described above.

Permit No. 47-7110 - 5.0 c.f.s. fish propagation

9. a. Who owns the property at the point of diversion Howard Harder

b. Who owns the land to be irrigated or place of use Howard Harder

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

A hand-drawn map on a grid background. The map features several points and labels:

- Point 6:** Located in the upper left quadrant. An arrow points from it towards the center, labeled "P.D.". Another arrow points from it towards the right, labeled "PLACE OF USE".
- Point 5:** Located to the right of Point 6.
- Point 7:** Located below Point 6.
- Point 8:** Located to the right of Point 7.
- Point 18:** Located in the lower left quadrant.
- Point 19:** Located below Point 18.
- Label "R 14E":** Located in the upper right quadrant.
- Label "T 10 S":** Located to the left of Point 7.

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Howard Harder
(Applicant)

Proposed Priority 3-22-1973

Received by GLF Date 3-22-73 Time 1:30 P.M.

Preliminary check by KOF Fee \$ 55.00

Receipted by ala Date 3-22-73 # 10815

Publication prepared by alw Date 3-22-73

KOF Published in Buhl Herald, Buhl, ID

Publication dates 3-29 & 4-5-73

Publication approved alw Date 4-10-73

Priority ~~reduced to~~ 3-22-73 Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by dr BDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-7196, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 1974.

c. Other: Measuring devices of a type approved by this Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge. Maximum rate of diversion shall not exceed 4.0 c.f.s.

2. Denial of said application is for the following reasons: _____

Witness my hand this 24 day of April, 1973.


Director

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse — Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

April 25, 1973

Re: Permit No. 47-7196

Howard Harder
Route #2
Buhl, ID 83316

Dear Mr. Harder:

Enclosed is a copy of your approved Application for Permit No. 47-7196, We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:cr

Enclosures