

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

6/12/2020

Water Permit 45-7381

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	MIRIAM R ALLRED-SMITH RT 1 SPRINGDALE ACRES #4 BURLEY, ID 83318 (208) 678-8056

Status: Lapsed

Source

Tributary

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
-----------------------	-------------	-----------	-----------------------	---------------

Source and Point(s) of Diversion

Place Of Use

Conditions of Approval:

Comments:

Dates and Other Information

Water District Number: TBD
Mitigation Plan: False

Combined Use Limits

N/A

SubCase:

N/A

Water Supply Bank:

N/A

RECEIVED
AUG 13 1979STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT**RECEIVED**
APPROVED
JUN 10 1979

To appropriate the public waters of the State of Idaho

1. Name of applicant Miriam Allred Phone 734-17496Post office address 2084 Oakridge/ Oakwood Drive, Twin Falls, Idaho2. Source of water supply waste water which is a tributary of N/A3. Location of point of diversion is ¼ of Lot 3 ¼ of Section 5 Township 12SRange 20E B.M. Cassia County, additional points of diversion if any:

4. Water will be used for the following purposes:

Amount 5.46 cfs for irrigation purposes from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 5.46 cubic feet per second and/or b. acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pond & pumpb. Height of storage dam feet, active reservoir capacity acre-feet; total reservoir
capacity acre-feet, materials used in storage dam: Period of year when water will be diverted to storage to inclusive.
(Month/Day) (Month/Day)c. Proposed well diameter is inches; proposed depth of well is feet.7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: ¼ of ¼ of Section Township
Range B.M.(2) Amount of power to be generated: horsepower under feet of head.(3) List number of each kind of livestock to be watered (4) Name of municipality to be served , or number of families to be
supplied with domestic water .(5) If water is to be used for other purposes describe:

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
12S	20E	4					Lt3 39	Lt4 39											78
		5	Lt1 39	Lt2 39			Lt3 39	Lt4 38		40									195

Total number of acres to be irrigated 273

c. Describe any other water rights used for the same purposes as described above.

License 45-2671; License 45-2653 (if pending application for transfer is approved).


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Waste water is presently used on this ground, but system may be changed as needed to satisfy requirements for this filing.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Miriam R. Alfred
(Applicant)

Proposed Priority 6-18-79

Received by JA Date 6-18-79 Time 2:55 pm

Preliminary check by ADM Fee \$ 85⁰⁰

Receipted by 2222 Date 6-18-79 # 3236

Publication prepared by marisa Date 6-19-79

Published in south side press

Publication dates 7/3 & 7/10/79

Publication approved marisa Date 7/6/79

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JA S.S.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 45-7381, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 84.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: This permit does not authorize the diversion of a greater flow or annual volume of water from ground water under any existing right to increase the amount of waste water available for diversion.

An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 6th day of August, 19 79.

A. Glen Sayton

Chief, Operations Bureau