

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

6/8/2020

Water Permit 47-8172

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	BLAKE G JOHNSON 2733 SKYLINE DR TWIN FALLS, ID 83301 (208) 735-9213
Current Owner	JENNIFER BINGHAM JOHNSON 2733 SKYLINE DR TWIN FALLS, ID 83301 (208) 735-9213
Original Owner	BRENT THOMAS RT 3 BOX 6616 TWIN FALLS, ID 83301 (208) 733-6348

Priority Date: 12/9/1988

Status: Closed

Source
GROUND WATER

Tributary

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
IRRIGATION	4/01	10/31	0.050 CFS	11.2 AF
	<u>Total Diversion</u>		0.050 CFS	11.2 AF

Source and Point(s) of Diversion

GROUND WATER NWSE Sec. 2, Twp 10S, Rge 17E, TWIN FALLS County

Place Of Use

IRRIGATION within TWIN FALLS County

			NE				NW				SW				SE				Totals
Twp	Rng	Sec	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10S	17E	2														2.8			2.8

POU Total Acres: 2.8

Conditions of Approval:

1. 041 Irrigation use under this right is authorized only in connection with a domestic use.
2. R31 This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for irrigation of the lands above.

Comments:

1. chahn 11/27/2007 POU
Updated Shape

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

6/8/2020

2. mciscell 6/10/2013 POD
Bulk Generate Shape From PLS

Dates and Other Information

Permit Proof Due Date: 7/1/1990
Permit Proof Made Date: 5/9/1990
Permit Approved Date: 6/6/1989
Field Exam Date: 7/9/1993
Date Sent to State Office: 12/27/1993
Owner Name Connector: AND
Water District Number: NWD
Mitigation Plan: False

Combined Use Limits

N/A

SubCase:

N/A

Water Supply Bank:

N/A

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-08172

MAR 21 1994
Department of Water Resources
Southern Region Office

Priority: December 9, 1988

Maximum Diversion Rate: 0.05 CFS
Maximum Diversion Volume: 11.2 AF

This is to certify, that BRENT THOMAS
RT 3 BOX 6616

TWIN FALLS ID 83301 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated December 9, 1988; and
has submitted Proof of Beneficial Use on May 9, 1990. An examination indicates
that the works have a diversion capacity of .050 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.05 CFS	11.2 AF

LOCATION OF POINT(S) OF DIVERSION: NWSE , Sec. 2, Township 10S, Range 17E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	17E	2	NWSE	2.8		2.8

Total number of acres irrigated: 2.8

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
6. Irrigation use under this right is authorized only in connection with a domestic use.

47-08172


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-08172

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 12TH
day of MARCH, 1994.

Acting for


R. Keith Higginson, Director