Permit No: 95-17934

STATE OF IDAHO DEPARTMENT OF WATER RESOURCES IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: <u>95-17934</u> Exam Date: 4/30/2020

1. Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)? X Y N

- a. Irrigation of 5 acres or less
- b. Storage of up to 14.6 AF for stockwater purposes only
- c. Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
- d. Other < >

| 2, Current Owner: | Name: Mary Marshall Trust | | | |
|-------------------|--|----|----|---|
| | Owner of Record Correct? | _X | _Y | N |
| | Address of Record Correct? If No: Address | x_ | _Y | N |

The Department's tax parcel data shows the property for the place of use is in the ownership of the Mary Marshall Trust.

| З. | Beneficial Use Fees have been paid: | <u> X Y N</u> | Receipt No: Permit qualifies for fee exemption |
|----|-------------------------------------|-------------------------|--|
| 4. | SOURCE | | IBUTARY |
| | Ground Water | | |

Y X N

Method of Determination: GIS, Well Driller's Report, and Tax Parcel Data

Change in Source:

B. OVERLAP REVIEW

1. Other water rights with the same place of use: <u>NO</u> Overlap

| Water Right No. | Source | Purpose of Use | Basis | |
|-----------------|------------|----------------|---------|--|
| 95-9943 | Sage Creek | Domestic | Decreed | |
| | | | | |

Comments: Water right 95-9943 is the only direct overlapping water right for this parcel. 95-9943 is for the same domestic use, but it is from Sage Creek, and this permit is from ground water. There are 6 water rights and adjudication claims in this 40 acre tract, but none of those rights are for this particular property.

2. Other water rights with the same point of diversion: NO Overlap

| Water Right No. | Source | Purpose of Use | Basis | |
|-----------------|--------|----------------|-------|--|
| | | | | |
| | | | | |

Comments: Water right 95-9946 has a point of diversion on this property, but there are no other rights from this well. There are a number of rights in this 40 acre tract, but none of them are diverted on the property associated with this permit.

C. DIVERSION AND DELIVERY SYSTEM

1. LOCATION OF POINT(S) OF DIVERSION:

| Source | Govt. | | | | | | | | |
|--------|-------|-----|-----|-----|------|------|------|------|----------|
| | Lot | 1/4 | 1/4 | 1/4 | Sec. | Twp. | Rge. | | County |
| Well | | | NE | NE | 36 | 53N | 3W | B.M. | KOOTENAI |

Method of Determination: GIS, Well Driller's Report, and Tax Parcel data.

Change in POD? X N Amendment Required? X N

Permit No: 95-17934 2. PLACE OF USE: Use: Domestic

| TWP | RGE | DOF | Sec | | N | E | | | N | W | 1 | | S | W | | 1.1 | S | E | | Tatala |
|---------|------|-------|-----|----|----|----|----|----|----|----|----|----|----|----|----|-----|----|----|--------|--------|
| TWP NGE | IVVP | Jec | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | Totals | |
| 53N | ЗW | 36 | D | | | | | - | | | | | | | | | | | | |
| | | Lot # | | | | | | | | | | | | | | | | | | |

Method of Determination: GIS and Tax Parcel Data

Change in POU? X N Amendment Required? X N

__ Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable.

X Aerial Photo Attached (required for irrigation of 10+ acres).

___ Photo of Diversion and System Attached

| 4. Well or Diversion Identification No.* | Motor Make | Hp | Motor Serial No. | Pump Make | Pump Serial No. or Discharge Size |
|--|---------------|----|------------------|-----------|--------------------------------------|
| Well Pump | Unknown | | | | |
| | | | | | |

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

| 1.Measurement Equipment | Туре | Make | Model No. | Serial No. | Size | Calib. Date |
|----------------------------|------|------|-----------|------------|------|-------------|
| NONE | | | | | | |
| | | | | | | |

2. Measurements: No measurement is required for an in-house exam.

E. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

There was no information submitted with the application for permit. Therefore, I am required to fall back on the standard for domestic use set forth by Administrative Processing Memo #22.

Administrative Memo #22 = 0.04 cfs for domestic use Permit allowed = 0.04 cfs

I am recommending 0.04 cfs since the permit limitation was based on Administrative Memorandum #22. A combined condition is needed for this permit and water right 95-9943, since both water rights are for the same property and the same home.

F. VOLUME CALCULATIONS

- 1. Volume Calculations for Irrigation:
 - V = (Acres Irrigated) x (Irrigation Requirement) = _____ V = [Diversion Rate (cfs)] x (Days in Irrigation season) x 1.9835 = ____ V = Smaller of V and V = ____

Permit No: 95-17934

2. Volume Calculations for Other Uses:

I am required to fall back on the standard for domestic use set forth by Administrative Processing Memo #22. I am recommending a diversion volume of 1.2 af for in-house use and up to ½ acres of irrigation. There will be a combined limit with 95-9943, since both water rights service the same home and property.

G. PURPOSE OF USE

 Irrigation Y N # Stock Domestic # of Homes 1

 Other: < >

 Change in Purpose of Use? Y N

 Method of Determination: Taxlot data and conversations with owner.

If Yes: From Use ______ To Use ______ Amount _____ CFS ______ AFA_____

H. NARRATIVE/REMARKS/COMMENTS

This permit gualifies for an in-house examination. The only issue with this permit is that water right 95-9943 services the same domestic use. The water rights are from separate sources, so there isn't a specific system capacity. However, a condition is needed to prevent any future attempts to add additional homes to these two water rights, since that would be an enlargement of the water rights.

Conditions X01, 187, and X35 should be carried forward to licensing. The remaining conditions should be removed. The X35 condition should be altered to state the following:

When rights 95-9943 and 95-17934 are combined, the domestic use is limited to a single home.

Have conditions of permit approval been met? X Yes No

I. RECOMMENDATIONS

1. Recommended Amounts

| BENEFICIAL USE | PERIOD OF USE | DIVERSION RATE | ANNUAL VOLUME |
|----------------|----------------|----------------|---------------|
| Domestic | 01/01 to 12/31 | 0.04 CFS | 1.2 AFA |
| | Totals: | 0.04 CFS | 1.2 AFA |

2. Recommended Amendments

| Change P.D. as reflected above | Add P.D. as reflected above | X_None |
|--------------------------------|-----------------------------|--------|
| Change P.U. as reflected above | Add P.U. as reflected above | X_None |
| Other: < > | | |

J. AUTHENTICATION - DANIEL A. NELSON - WATER RIGHT ANALYSIST 3

| Field Examiner's Name | Date |
|------------------------|----------------|
| Reviewer Angele M. Gum | Date 5/19/2020 |

Permit No: 95-17934

Field Exam Map:

The yellow border shows the parcel for this permit and the yellow dot shows the point of diversion or well.

