STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources ("Department") has examined this application for temporary approval to use water under the provisions of Idaho Code § 42-202A and has determined that:

A. The application for temporary approval should be denied because _____

- X B. The application for temporary approval should be approved, since
 - 1. The temporary approval can be properly administered.
 - 2. Other water sources are not readily available.
 - 3. The approval is in the public interest.
 - 4. The approval will not injure known public values associated with the water source or any known water rights.
 - 5. If the temporary approval is within a water district, the Department has sought and considered the recommendations of the watermater.

This application is therefore hereby:

_ A. DENIED

X B. APPROVED, subject to the following conditions:

- 1. Diversion and use of water under this approval is subject to all valid existing water rights.
- 2. The applicant assumes all risk of the use of the water under this approval.
- 3. This approval authorizes a maximum diversion volume of 1.0 AF and a maximum rate of diversion of 5.5 cfs.
- 4. This approval does not grant a right-of-way across the land of another.
- 5. The Department may cancel or reduce the rate of flow or volume authorized by this approval. For example, the Department may cancel or reduce this approval if it concludes the water use is injuring other water rights or adversely affecting fish, wildlife or other public values.
- 6. The applicant shall not divert water when downstream minimum flow water rights are not being satisfied.
- 7. Use of water from Twin Lakes under this temporary may be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this temporary approval is within State Water District 95 C.
- 8. This approval does not create a continuing right to use water.
- 9. A temporary approval for ground water recharge or prevention of flood damage shall be an opportunistic use of surplus water and shall not interfere with the filling of surface water reservoirs.
- 10. For a temporary approval authorizing ground water recharge or ground water or surface water remediation, the applicant shall measure and record the weekly quantity of water diverted and report the diversion data to the Department upon request.
- 11. Water intakes should be screened to prevent entrainment or impingement of fish or other aquatic life. The maximum screen mesh size should be 0.25 inches; approach velocities should not exceed 0.5 ft/second.
- 12. This temporary approval is not an authorization for the described water use to be used as mitigation or credit for any other purpose.
- 13. A copy of the approved permit MUST be with pump when diverting.

15	This approval expires on	31	December	7.0020
IJ.	This approval expires on	-		حرت حر

Signed this 9th day of April , 2000

Adam Frederick, Water Rights Supervisor

14. Other:



State of Idaho DEPARTMENT OF WATER RESOURCES

Northern Region • 7600 N MINERAL DR STE 100 • COEUR D ALENE, ID 83815-7763 Phone: (208)762-2800 • Fax: (208)769-2819 • Website: www.idwr.idaho.gov

Gary Spackman Director

April 9, 2020

LAKES HIGHWAY DISTRICT 11341 N RAMSEY RD HAYDEN LAKE ID 83835-9821

RE: Application for Temporary Approval of Water Use: TP-95-145

Dear Applicant(s):

Your application for temporary water appropriation has been approved and is enclosed. The approval authorizes the temporary use of water and does not grant trespass or other activity on public land or on private property.

Please review the **conditions of approval on page 2 of the Application for Temporary Approval form** to understand the limitations associated with the temporary use of water.

This temporary approval **expires on** December 31, 2020. The expiration date cannot be extended under this temporary approval.

If you have any questions, please feel free to contact this office, and any of our agents will be able to assist you. If you require additional information regarding this matter, please call me at (208) 762-2817 or email me at Luke.Bates@idwr.idaho.gov

Sincerely,

Luke Bates

Water Resource Agent.

Enclosure(s) Application

Alleman, Tammy

From:

Alleman, Tammy

Sent:

Wednesday, April 1, 2020 1:13 PM

To:

'Chantilly.Higbee@deq.idaho.gov'; 'Horsmon,Merritt'

Cc:

Frederick, Adam

Subject:

Request for Comments for Lakes Highway District

Attachments:

Lakes Hwy District.pdf

Dear Interested Agencies:

The Department of Water Resources is seeking comment and/or recommendation from your agency, regarding this application to temporarily appropriate 1.0 acre-feet of water each from various locations listed on the application, for road construction, by the Lakes Highway District. A copy of the applications is attached for your reference.

Would you please submit your comments no later than April 7, 2020? If we do not hear from you by that date, we will assume that no comment from you means you have no objection to, concerns about, or conditions pertaining to the issuance of this permit.

Please send comments to Adam Frederick by regular mail to the above address, by FAX to 208-762-2819 or by e-mail to adam.frederick@idwr.idaho.gov.

If you have any questions, don't hesitate to contact Adam Frederick at the Northern Region Office (208) 762-2800.

Thank you,

Tammy

Tammy Alleman
Administrative Assistant
Idaho Department of Water Resources
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800
Fax (208) 762-2819



MAR 3 0 2020
IDWR/NORTH

TRANSMITTAL LETTER

Date: March 26, 2020

To: Dept. of Water Resources

7600 Mineral Drive, Ste 100 Coeur d'Alene, Idaho 83815

We are delivering to you the following item(s):

COPIES	DESCRIPTION										
1 each	Lakes Highway District check #37385 in the amount of \$50.00 representing payment for water appropriation permit included.										
	moraded.										

These items are trans	mitted as checked below:									
⊠ For Approval	☐ As Requested	Returned for Corrections								
☐ For Your Information	n ☐ For Review and Comm	ent								
If you should have any questions, please feel free to give us a call at (208)772-7527. Thank You!!										
Bonney A. Ila Signed	ω _ε ς 3. μο. χο π Date									



MAR 3 0 2020

ID No. 95-145

STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

IDWR/NORTH APPLICATION FOR TEMPORARY APPROVAL OF WATER USE

For a use not intended to become an established water right and not to exceed one (1) year in duration in accordance with Idaho Code § 42-202A.

Name o	f applic	ant Lak	es High	way Dis	strict								P	hone _	(208)	772-	7527	
Mailing	address	11341	N. Rar	nsey Ro	oad						_		C	_{ity} Ha	yden			
State Id	aho				Email conny@lakeshwy.com													
1. Sour	ce of w	ater Va	rious lal	kes & st	reams	n Lak	es H	wy. Di	strict	tribu	tary to)						
				rsion. If r														
TWP	RGE	LOT 17 74 74 STARTS STARTS											or tag #					
51-52	2-3	Var																
53	4																	
3. Loca	tion of	place of	use. If r	nore row	s are ne	eded,	attacl	ı a <mark>Poi</mark> r	t of D	iversic	n/Plac	e of L	se Su	pleme	ent.]		
3. Location of place of use. If more rows are needed, attach a Point of Diversion/Place of Use Sur TWP RGE SEC NE NW SW												E		T. 4.1				
			NE I	NW SW	SE	NE	NW	sw	SE	NE	NW	sw	SE	NE	NW	sw	SE	Totals
51-52	2-3	Var						-										
53	4	Var			_		1	_						L				
b. A 5. Amo a. M b. M c. M 6. Dura 7. Desc 8. a. W b. W c. W d. If	Other ttach a count of was immediated as imm	(Limited detailed vater. Con rate of a daily was not work to be proved down the fact the item titen evited detailed.)	description descri	verted votion of hotel all three on: .5 .10 he durati April 1, works: 5 t the required hat will of irrigated is owned for the arrangement.	on of the 2020 guested pronvey was or placed by a prongement	AF; or e requested allon to oint of water to e of use erson of t. N/A	will will will an expense of the control of the con	accomposer 244 000 .0 er truck rsion? place of the state	(mo	gal onth-d of Ida Lakes y Dist	gration grations. AF; ay) to ho & I s High rict	of grapiective om. or Decen	mber ; Highy Distric	as pre 31, 20 way D t	gozo gistrict	misson of float	on & ro	d. const. mage. nonth-day). access and
I hereby use and	acknov is not in	vledge t itended	hat I ass	sume all ome an e	risk of stablish	the div ied wa	ersio ter r	on and ight.	use of	the wa	iter ur	ıder tl	ıis app	roval.	. I cer	tify th	is is a t	temporary
	my		Ila	gg				istrict									ch 16,	2020
Signatur	or Apl	neant					T	itle, if a	iny							Date		
Received b	у						_ Date		0	-		Time						
\$50.00 fee	-	_	NS			#	-	NØ	350	88		_ Date	31	301	2620	2		
Watermast	er comme	nts receiv	ed?									_ Date						

STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

Ident. No.	
------------	--

Point of Diversion/Place of Use Supplement

Attachment to: Application for Permit to Appropriate Water Application for Amendment of Permit										☐ Application for Transfer** ☐ Adjudication Claim☐ Beneficial Use Field Report ☐ Statutory Claim						
L	ocation of points of diversion (POD):															
	New POD?	Twp	wp Rge Sec Govt ¼ ¼ ¼ County S					Source	Local name or well/diversion tag #							
	☐ Yes	53N	02W	17			SW	SE	KOOTENAI	UNNAMED STREAM						
	☐ Yes	51N	03W	11			SW	NE	KOOTENAI	HAYDEN LAKE						
	☐ Yes	53N	02W	19	3		NW	SW	KOOTENAI	LEWELLEN CREEK						
	☐ Yes	53N	04W	31			SE	SW	KOOTENAI	TWIN LAKES						
1	☐ Yes															
	☐ Yes															
ı	☐ Yes															
	☐ Yes															
	☐ Yes															

Description of place of use (POU):

☐ Yes

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below.

TWP RGE SE		SEC		N	E			N	W			S	w			S	E		TOTALS
			NE	NW	SW	SE	TOTALS												
						_			_		-								
							-	_											
																	,		
									-		-								
					-		-								-	-			
										=			-						

**If this supplemental sheet is for an Application for Transfer, insert this pag	e into	Part 1B	of the ap	plication.
--	--------	---------	-----------	------------

