

MAR 13 2020

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

Ident. No. 63-37869

1. Name of applicant(s) Linda L. Yanke Phone 208--342-8901
 Name connector (check one): ☒ and ☐ or ☐ and/or
 Mailing address PO Box 5405 City Boise
 State ID ZIP 83705 Email kitclark@yankemachine.com
2. Name of representative, if any SPF Water Engineering Phone 208-383-4140
 Mailing address 300 E. Mallard Dr., Ste. 350 City Boise
 State ID ZIP 83706 Email lgraves@spfwater.com
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☒ Send original correspondence to the applicant and copies to the representative.
- b. ☒ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply Ground Water which is a tributary of Boise River
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
4N	1E	19	4		SW	NW	Ada	Ground Water	D0007944

5. Water will be used for the following purposes:
 Amount 0.05 for Irrigation purposes from 3/1 to 11/15 (both dates inclusive)
 (cfs or acre-feet per year)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) 0.05 cubic feet per second (cfs) and/or (b) _____ acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. Existing domestic well, pump, pressurized irrigation system
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate [Application for Construction or Enlargement of a New or Existing Dam](#). Application required? ☐ Yes ☐ No
- c. Proposed well diameter is 6 inches; proposed depth of well is 129 feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
- e. If well is already drilled, when? 1999; drilling firm Stevens & Sons;
 well was drilled for (well owner) _____; Drilling Permit No. 63-98-W-0814-000

For Department Use

Received by LE Date 03/13/2020 Time 10:00am Preliminary check by AK
 Fee \$ 100 Received by LE Receipt No. W048111 Date 03/13/2020

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in kW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; must complete and attach the Municipal Water Right Application Checklist.
- d. Domestic; show number of households _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	1E	19							4										4
									L4										

Total number of acres to be irrigated: 4

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? 63-287B

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. See attached

13. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year).

14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Linda L Yanke
Signature of Applicant

LINDA L YANKE
Print Name (and title, if applicable)

Signature of Applicant

Print Name (and title, if applicable)



MAR 13 2020

WATER RESOURCES
WESTERN REGION**APPLICATION NARRATIVE AND PROPOSED MITIGATION**

Up to 4 acres are proposed for supplemental irrigation within the applicants' 4.82-acre parcel located just south of Eagle Island's south channel of the Boise River. The source of the water will be shallow ground water assumed to be in direct hydraulic connection with the Boise River. The supplemental groundwater will be diverted from an existing well 129 feet deep currently used for domestic purposes. Water-bearing zone to be appropriated is from 114 to 129 feet. The proposed ground water will supplement applicant's portion of private Boise River water right 63-287B when delivery is either not available or insufficient.

Mitigation to Boise River flows is required to offset consumptive use resulting from the proposed irrigation and will be accomplished by leaving 0.08 cfs of Thurman Mill water right 63-30130 in the river undiverted. The allowable irrigated area under all Thurman Mill Boise River water rights will be reduced by 4 acres.

Consumptive Use Data and Proposed Mitigation. Consumptive irrigation requirements for landscape and pasture at the proposed place of use are expected to be similar to crops and landscape historically grown within the Thurman Mill service area. Four shares, which are equivalent to 4 acres of Thurman Mill water right 63-30130, will provide 0.08 cfs at 100% delivery and 0.05 cfs during the 60% Stewart Decree cut. During times of curtailment, 0.05 cfs will be sufficient to irrigate up to 4 acres landscape and pasture in the area proposed. Water right 63-30130 has a priority date of June 1, 1868 and is never fully curtailed during the irrigation season.

Adequacy of Thurman Mill Shares. Thurman Mill holds 11 Boise River water rights of varying priorities with a total diversion rate of 35.64 cfs. The water rights supply 1773.8 acres at full delivery for an average delivery rate of 0.020 cfs per acre. Boise River water rights with priority dates senior to approximately 1877 are considered deliverable all season, but are typically reduced to 60% under the Stewart Decree provisions during times of low natural flow in the River. At times of curtailment to 60% for rights senior to 1877, and full curtailment for rights junior 1877, the Thurman Mill Boise River water right portfolio will yield a diversion rate of 24.78 cfs (0.014 cfs/ac).

The Thurman Mill Boise River water rights are supplemented by 11.42 cfs of waste water from Drainage District No. 4 under water right 63-31936 and up to 20 cfs of waste water from Drainage District No. 4 under water right 63-31935. Water right 63-31936 is diverted from the Boise River at the Thurman Mill headgate, while right 63-31935 is diverted from the Junction Drain into the Thurman Mill Canal. These water rights are not reduced by the Stewart Decree, and are considered deliverable at 100% provided the drainage water is present.

The combination of Boise River water rights when fully curtailed to 1877 (24.78 cfs) and Drainage District No. 4 water right 63-31936 (11.42 cfs) provides 36.2 cfs to Thurman Mill's Boise River headgate which exceeds 0.02 cfs over the 1773.8-acre service area. Therefore, Thurman Mill can deliver a full miner's inch per acre (0.02 cfs per acre) per share for the duration of each irrigation season.

RECEIVED

MAR 13 2020

WATER RESOURCES
WESTERN REGION

PROPOSED MITIGATION PLAN FOR
LINDA YANKE
WATER RIGHT APPLICATION

To the Idaho Department of Water Resources (IDWR):

Thurman Mill Ditch Company ("Company") agrees to dedicate 4 shares representing 0.08 cfs of Boise River water right and idled irrigation of 4 acres to mitigate consumptive use of diversions under the above referenced application. Each share of the Company's water rights equals 1 miners inch or 0.02 cfs of Boise River water right for mitigation of one acre of irrigation at 100% delivery. The Company and Linda L. Yanke ("Applicant") agree to this mitigation plan as follows:

1. The Applicant proposes up to 4 acres of irrigation within her 4.82-acre parcel located in Government Lot 4 (SWNW) of Section 19, T4N, R1E. The source of water will be shallow ground water assumed to be in direct hydraulic connection with the Boise River.
2. Company water right 63-30130 provides natural flow diverted from the Boise River to the Company's place of use. Mitigation for impacts to irrigation-season Boise River natural flows resulting from the Applicants' proposed irrigation use will be provided by idling irrigation of 4 acres (0.08 cfs) under the Company's Boise River and associated waste water rights. The mitigation does not include the use of any of the Company's storage rights. To simplify the process, the 0.08 cfs of water for mitigation should be recorded in a single water right, 63-30130, with a priority date of June 1, 1868, although reduction in irrigated acres will be recorded in all Company water rights. The Boise River Watermaster will not deliver this portion of the water right to the Company headgate while this mitigation plan is in force.
3. The Applicant and any successors in interest of the proposed water right will hold a certificate for the water shares and pay the Company assessments for the mitigation shares every year.
4. To the extent development does not require all of the shares proposed for mitigation, any excess water shares will be converted from mitigation back to irrigation.

By: THURMAN MILL DITCH COMPANY, LTD.

Signature:

Title:

Date:

[Signature]
President
5-26-2020

*Received with
Signature
5/26/2020
- AK*

By: LINDA L. YANKE

Signature:

Date:

Signature:

Date:

x Linda L Yanke
x 2/25/2020

MAR 13 2020

WATER RESOURCES
WESTERN REGION

**PROPOSED MITIGATION PLAN FOR
LINDA YANKE
WATER RIGHT APPLICATION**

To the Idaho Department of Water Resources (IDWR):

Thurman Mill Ditch Company ("Company") agrees to dedicate 4 shares representing 0.08 cfs of Boise River water right and idled irrigation of 4 acres to mitigate consumptive use of diversions under the above referenced application. Each share of the Company's water rights equals 1 miners inch or 0.02 cfs of Boise River water right for mitigation of one acre of irrigation at 100% delivery. The Company and Linda L. Yanke ("Applicant") agree to this mitigation plan as follows:

1. The Applicant proposes up to 4 acres of irrigation within her 4.82-acre parcel located in Government Lot 4 (SWNW) of Section 19, T4N, R1E. The source of water will be shallow ground water assumed to be in direct hydraulic connection with the Boise River.
2. Company water right 63-30130 provides natural flow diverted from the Boise River to the Company's place of use. Mitigation for impacts to irrigation-season Boise River natural flows resulting from the Applicants' proposed irrigation use will be provided by idling irrigation of 4 acres (0.08 cfs) under the Company's Boise River and associated waste water rights. The mitigation does not include the use of any of the Company's storage rights. To simplify the process, the 0.08 cfs of water for mitigation should be recorded in a single water right, 63-30130, with a priority date of June 1, 1868, although reduction in irrigated acres will be recorded in all Company water rights. The Boise River Watermaster will not deliver this portion of the water right to the Company headgate while this mitigation plan is in force.
3. The Applicant and any successors in interest of the proposed water right will hold a certificate for the water shares and pay the Company assessments for the mitigation shares every year.
4. To the extent development does not require all of the shares proposed for mitigation, any excess water shares will be converted from mitigation back to irrigation.

By: **THURMAN MILL DITCH COMPANY, LTD.**

Signature: _____

Title: _____

Date: _____

By: **LINDA L. YANKE**

Signature: *x Linda L Yanke* _____

Date: *x 2/25/2020* _____

Signature: _____

Date: _____

IDAHO DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

Use Typewriter or Ballpoint Pen

94773

Office Use Only
Inspected by _____
Twp _____ Rge _____ Sec _____
1/4 _____ 1/4 _____ 1/4 _____
Lat: _____ Long: _____

1. DRILLING PERMIT NO. 63-98-W-0814-000
Other IDWR No. tag #D0007944

2. OWNER:
Name Ron-Linda Yanke
Address 10425 W Estate Dr
City Boise State ID Zip 83709

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.

N
W E S
Twp. 4 North ☒ or South ☐
Rge. 1 East ☒ or West ☐
Sec. 19 1/4 N/E 1/4 N/W 1/4
Gov't Lot _____ County Ada
Lat: _____ Long: _____
Address of Well Site _____
City Meridian

(Give at least name of road + Distance to Road or Landmark)

Li. 12 Blk. _____ Sub. Name Clearview Sub

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK check all that apply (Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other _____

6. DRILL METHOD

☐ Air Rotary ☒ Cable ☐ Mud Rotary ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT		METHOD
Material	From	To	Sacks or Pounds		
bentonite grout	0	22	120#		slurry pit

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) _____
Was drive shoe seal tested? ☒ Y ☐ N How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6	+18"	117	.250	steel	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Length of Headpipe 4'6" Length of Tailpipe 1'

9. PERFORATIONS/SCREENS

☐ Perforations Method _____

☒ Screens Screen Type Johnson 304

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
114	118			5	steel	<input type="checkbox"/>	<input checked="" type="checkbox"/>
118	128	20		5	stainless	<input type="checkbox"/>	<input checked="" type="checkbox"/>
128	129			5	steel	<input type="checkbox"/>	<input checked="" type="checkbox"/>

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

44 ft. below ground Artesian pressure _____ lb.
Depth flow encountered _____ ft. Describe access port or control devices: _____

11. WELL TESTS:

☐ Pump ☒ Bailor ☐ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
60	12'	56	1 hr

Water Temp. _____ Bottom hole temp. _____

Water Quality test or comments: _____

Depth first Water Encountered _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
10	0	5	brown clay topsoil		X
6	5	7	brown clay topsoil		X
	7	40	sand & gravel		X
	40	49	brown sand		X
	49	52	brown clay		X
	52	56	brown sand	X	
	56	58	brown clay		X
	58	73	brown sand	X	
	73	75	brown clay		X
	75	79	brown sand	X	
	79	118	XXXXXXXXXXXXXXXXXXXXXXXXXXXX		
			brown clay with sand streaks		X
	118	127	sand	X	
	127	129	brown clay		X

RECEIVED

JAN 25 1999

Department of Water Resources

RECEIVED

JAN 21 1999

WATER RESOURCES
WESTERN REGION

MICROFILMED

MAR 08 1999

Completed Depth 129' (Measurable)
Date: Started 12/28/98 Completed 1/5/99

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Stevens & Sons Firm No. 153

Firm Official _____ Date 1/19/99

and _____

Supervisor or Operator Steve Matlock Date _____

(Sign once if Firm Official & Operator)

FORWARD WHITE COPY TO WATER RESOURCES



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN Region • 2735 W AIRPORT WAY • BOISE, ID 83705-5082

Phone: (208)334-2190 • Fax: (208)334-2348 • Website: www.idwr.idaho.gov

Brad Little
Governor

Gary Spackman
Director

March 25, 2020

THURMAN MILL DITCH COMPANY
PO BOX 140033
GARDEN CITY, IDAHO 83714

RE: Application for Permit No. 63-34869

Dear Interested Party:

The Department of Water Resources (IDWR) is seeking written comment and/or recommendations from your organization regarding the above referenced water right application. You can find a copy of the application at:
<https://idwr.idaho.gov/apps/ExtSearch/WRAJSearch/WRADJSearch.aspx>.

IDWR can finish revieweing an unprotested application as soon as the protest period has past. Therefore, your prompt response to this request is appreciated. If your organization desires to formally protest the approval of this application, you may do so after the notice is published by filing a written protest along with a \$25.00 filing fee within 10 days of the final publication.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Kensie Thorneycroft', is written over a light blue circular stamp.

Kensie Thorneycroft
Administrative Assistant 1

Enclosure(s)

Thorneycroft, Kensie

From: Thorneycroft, Kensie
Sent: Wednesday, March 25, 2020 11:14 AM
To: 'Waterdistrict63@qwestoffice.net'
Subject: Application for Permit 63-34869
Attachments: 63-34869.pdf

Dear Interested Party:

The Idaho Department of Water Resources (IDWR) requests written comment and/or recommendation from your agency regarding the above referenced water right applications. A copy of the application is enclosed with this email for your reference. Please review the application and submit your reply, if any, to this office by the protest deadline of April 20, 2020.

If your agency desires to formally protest approval of these applications, you can file a written protest along with a \$25.00 filing fee for each protested application by the protest deadline.

If you do not respond before the protest deadline, IDWR will assume your agency does not object to the application(s). Please contact me if you have any questions regarding the applications. Thank you for your help.

Kensie Thorneycroft
Administrative Assistant 1
Idaho Dept. of Water Resources
208-334-2190



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN Region • 2735 W AIRPORT WAY • BOISE, ID 83705-5082

Phone: (208)334-2190 • Fax: (208)334-2348 • Website: www.idwr.idaho.gov

Brad Little
Governor

Gary Spackman
Director

March 25, 2020

LINDA L YANKE
PO BOX 5405
BOISE, ID 83705-0405

RE: Application for Permit No. 63-34869

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the IDAHO STATESMAN on 4/2/2020 and 4/9/2020. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Kensie Thorneycroft'.

Kensie Thorneycroft
Administrative Assistant

CC:

SPF WATER ENGINEERING LLC (C/O LORI GRAVES)

Thorneycroft, Kensie

From: Thorneycroft, Kensie
Sent: Wednesday, March 25, 2020 11:16 AM
To: 'BOI Legals'
Subject: Ada Legal Notices
Attachments: CoverLetter.docx; LegalNotice.docx

Good Morning Legal Clerk,

I am sending you the new legal notices, please send confirmation to my email.

Please see the attached ad for publication on 04/02/2020 and 04/09/2020.

Please confirm these are okay to publish as shown.

Kensie Thorneycroft
Administrative Assistant 1
Idaho Dept. of Water Resources
208-334-2190



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN Region • 2735 W AIRPORT WAY • BOISE, ID 83705-5082

Phone: (208)334-2190 • Fax: (208)334-2348 • Website: www.idwr.idaho.gov

Brad Little
Governor

Gary Spackman
Director

March 25, 2020

LEGAL NOTICE DEPARTMENT
IDAHO STATESMAN
PO BOX 40
BOISE, ID 83707

RE: Application for Permit No. 63-34860, 63-34863, 63-34869

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 4/20/2020. Your cooperation is appreciated.

Sincerely,

Kensie Thorneycroft
Administrative Assistant

Enclosure(s)

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-34860

EAST RIDGE MASTER COMMON AREA ASSOCIATION, INC.

C/O DEVELOPMENT SERVICES

9601 W STATE ST

BOISE, ID 83714-4009

Point of Diversion SWSE S32 T03N R01E ADA County Source GROUND WATER

Use: AESTHETIC STORAGE 01/01 to 12/31 11.7 AF

Use: IRRIGATION STORAGE 01/01 to 12/31 160 AF

Use: IRRIGATION FROM STORAGE 03/01 to 11/15 160 AF

Use: DIVERSION TO STORAGE 01/01 to 12/31 1 CFS

Total Diversion: 1 CFS, 160 AF

Date Filed: 02-26-2020

Place Of Use: AESTHETIC STORAGE, DIVERSION TO STORAGE, IRRIGATION FROM STORAGE, IRRIGATION STORAGE

T03N R01E S32 SWSE

Total Acres: 32

Water bearing zone to be appropriated is from 180 to 248 feet.

63-34863

THEO LEAVELL

GARY W LEAVELL

7140 W DICKMAN RD

MELBA, ID 83641-6000

Point of Diversion SWNE S19 T01N R01W ADA County Source GROUND WATER

Use: STOCKWATER 01/01 to 12/31 0.02 CFS

Use: IRRIGATION 03/01 to 11/15 0.08 CFS

Total Diversion: 0.1 CFS

Date Filed: 02-27-2020

Place Of Use: IRRIGATION, STOCKWATER

T01N R01W S19 SWNE, SENW

Total Acres: 3.8

Water bearing zone to be appropriated is from 155 to 268 feet.

63-34869

LINDA L YANKE

PO BOX 5405

BOISE, ID 83705-0405

Point of Diversion L4(SWNW) S19 T04N R01E ADA County Source GROUND WATER

Use: IRRIGATION 03/01 to 11/15 0.05 CFS

Total Diversion: 0.05 CFS

Date Filed: 03-13-2020

Place Of Use: IRRIGATION

T04N R01E S19 L4(SWNW)

Total Acres: 4

Water bearing zone to be appropriated is from 114 to 129 feet

Mitigation is proposed for consumptive use.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Western office at (208)334-2190; or for a full description of the right(s), please see <https://idwr.idaho.gov/apps/ExtSearch/WRAApplicationResults/>. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 W AIRPORT WAY, BOISE ID 83705-5082 together with a protest fee of \$25.00 for each application on or before 4/20/2020. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 4/2/2020 and 4/9/2020



RECEIVED

MAR 13 2020

WATER RESOURCES
WESTERN REGION

March 10, 2020

Patrick Kelly
Western Region Water Right Supervisor
Idaho Department of Water Resources
2735 Airport Way
Boise, ID 83705

Subject: Application for Permit and Mitigation Plan – Linda Yanke

Dear Patrick,

On behalf of Linda Yanke, enclosed please find an application for permit proposing appropriation of groundwater for supplemental irrigation. Water will be diverted from an existing 129-foot deep well that is located where groundwater above 200 feet depth is considered tributary to the Boise River above Star.

Also enclosed is a mitigation plan proposing to leave 0.08 cfs of Thurman Mill Ditch Company natural flow water right 63-30130 undiverted to mitigate for diversions under the proposed permit. This plan is very similar to the mitigation plan used for recently approved permit 63-34722. The mitigation plan has been signed by Ms. Yanke. I anticipate receiving a signed copy from Thurman Mill Ditch Company after their next board meeting, and will forward it to you.

Please contact me with any questions.

Sincerely,

A handwritten signature in blue ink, appearing to read "Terry M. Scanlan".

Terry M. Scanlan, P.E., P.G.

Enclosures: Application, Mitigation Plan, \$100 Filing Fee

Cc: Kit Clark – Yanke Machine Shop, Inc.
Bryce Farris – Attorney for Thurman Mill Ditch Co.

SPF file number: 1523.0010