MAR 0 4 2020

DEPARTMENT OF WATER RESOURCES

LAWRENCE G. WASDEN Attorney General

DARRELL G. EARLY
Deputy Attorney General
Chief, Natural Resources Division

ANN Y. VONDE, ISB No. 8406 Deputy Attorney General 700 W. State Street – 2<sup>nd</sup> Floor P.O. Box 83720 Boise, Idaho 83720-0010 (208) 334-2400 Facsimile: (208) 854-8072

Attorneys for the Idaho Department of Fish and Game

## BEFORE THE IDAHO DEPARTMENT OF WATER RESOURCES OF THE STATE OF IDAHO

IN THE MATTER OF APPLICATION	)	
FOR PERMIT NO. 75-14970 IN THE	)	JOINT STIPULATION AND
NAME OF MURRAY FAMILY TRUST	)	WITHDRAWAL OF PROTEST
	)	

Applicant, Murray Family Trust ("Murray") and protestant Idaho Department of Fish and Game ("IDFG") by and through their undersigned representative and counsel of record, and pursuant to IDAPA 37.01.01.204, 557 and .612, hereby stipulate to a settlement of IDFG's protest in the above-entitled matter, the terms and conditions of which are set forth herein.

Murray agrees to construct the point of diversion from and point of return flow to Tower Creek as outlined in attached Exhibits A, B, and C. The parties also agree that the following condition ("Condition") should be included in any approvals of Application for Permit 75-14970 ("Application"):

Condition 1: Prior to the diversion and use of water under this right, the right holder shall comply with all fish screening requirements of the Idaho Department of Fish and Game.

The parties move the Department, pursuant to IDAPA 37.01.01.557, .612 for an order ("Order") approving the Conditions set forth berein, or substantially similar conditions, and confirming that they will be included by the Department in any approvals of the Application.

IDFG's protest to the Application shall be deemed withdrawn upon the issuance of a Final Order stating that the Conditions are approved and shall be made a part of the approval of the Application. Provided that the Application is not subsequently amended from its current form, except as may be required by the Department to continue processing, the withdrawal of IDFG's protest shall be with prejudice.

The parties respectfully request the entry of an Order approving the stipulated settlement set forth herein including the Conditions; each party to bear its own costs, expenses, and attorney's fees.

DATED: February 28, 2020

John Murray for Murray Family Trust

Turray

Applicant

DATED: February 24th, 2020

OFFICE OF THE ATTORNEY GENERAL

Ann Y. Vonde /
Attorney for Idaho Department of Fish
and Game

## CERTIFICATE OF SERVICE

I hereby certify that on the 2nd day of March, 2020, a true and correct copy of the foregoing was filed and/or served upon the following individual(s) by the means indicated:

Alex Dalgleish Idaho Department of Water Resources PO Box 83720 Boise ID 83720-0098	<ul><li>☑ U.S. Mail, postage prepaid</li><li>☐ Express Mail</li><li>☐ Hand Delivery</li><li>☐ Email:</li><li>alex.dalgleish@idwr.idaho.gov</li></ul>
Murray Family Trust c/o John Murray PO Box 916 Salmon ID 83467	<ul> <li>☑ U.S. Mail, postage prepaid</li> <li>☐ Express Mail</li> <li>☐ Hand Delivery</li> <li>☐ Email:</li> <li>plpkatana@earthlink.net</li> </ul>
	By: /s/ Ann Y. Vonde Ann Y. Vonde Deputy Attorney General



ALLICA ON LIMINA To Left Richards 109140 FISH & Game. Ver our conversation by phone, regarding request For water RIGHTS Permit NO 75-14970, this letter orgrees with your intrest in process for construction of Diversion point & return point to Tower Creek. I agree to install an adjustable Headgate which Incorporates a cleanable 3/32' screen to protect fish from entering diversion.

IF retension ever needs cleaned out, shut down inlet gate, let dry out so not to ever flush slut or OUTFALL TO OVER FLOW TO CONCrete or gravel WITH a
RICK RIP/RAP TO 15 ILTER WATER RETURNING and also times to Tower creek. prevent Native fish from entering return. NO Fixes or SITT TO enter Tower Creek during construction or normal use. Randall Call and I will be performing the work to include the diversion point, retension the 15 very knowlegable with the process.

Thank you, feel free to call me. John Muesan 909-732-4348

**EXHIBIT B** 

AMENDED HEADGATE ARRANGE MENT 2/12/202 (VIEW FROM ABOVE)

SCREENS (2)

SCREENS (2)

ADJUSTABLE
ALGORITH

PELIVERY PAC TO DITCH

DELIVERY PAC TO DITCH EXHIBIT C

OUTLET (SIDE VIEW) Depth of po out of 9 to form berm OUTFLOW PUPE MAX WATETZ Height 4'DEEP