STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

APPLICATION FOR TEMPORARY APPROVAL OF WATER USES CERTIFIED

For a use not intended to become an established water right and not to exceed one (1) year in duration in accordance with Idaho Code § 42-202A.

Name o	of applic	ant. RIV	/ERSID	E CA	NAL	СО								D	hono	(208) 680	3231	of Walar Re	950M108	
Name of applicant RIVERSIDE CANAL CO Mailing address 226 N 500 W Phone (208) 680-3231 start City BLACKFOOT									2(3111113)	-0											
State IE					3322	1						@BINC			-					~	
1. Sour												utary to					11.00	IVI		-	
																	_			₹:	
2. Loca		pomi(s)	·	_		ore tha	n two,	attacr	ı a <u>Po</u> ı	nt of 1	livers	ion/Pla	ce of	Jse Su	pplem	nent L				- a:	
TWP	RGE	SEC	GOVT LOT	1/4	4	1/4	1/4		Cou	inty			So	urce			Loca	Local name or tag #			
02S	36E	6	8	SV	N	SE			BING	MAH			NAKI	ERIV	ER		RIVE	RSIDE	SIDE CANAL		
3. Loca	ition of	nlace of	use If i	more i	rows	are ne	eded :	attach	a Poir	tofD	ivarei	on/Pla	o of I	lea Cu	anlam.		1			40	
				NE			r caca, a			COLD	I VCISI	Par market		isc Su	рисии				r	7	
TWP	RGE	SEC	NE	NW NE	sw	SE	NE	NW	W	SE	NE	NW	W sw	SE	NE	NW	SE Sw	SE	Totals		
																		52.		1	
 b. A 5. Amo a. M b. M c. M 6. Dura 7. Desc 8. a. W 	ttach a cunt of water that the control of co	detailed vater. Con rate of a daily valum diversion posed d	f diversion of diversion of the over the over the over the over the over the overting	ion of all the on: 40 80 he dur 3/1/2 works the r	how nree: 0 ration 2020 s: Ex	of the	AF; or reque	will adeless; or sest: 66	600 SION	(mo	gε onth-c FHE	gpallons. AF; day) to RIVER	or 11/30 SIDE	/2020 CANA	as pre	eventic	on of flo	ood da			
			nd to be			•														Ē	
d. If	any of	the item		is ow	ned t	уа ро	erson o	or enti					it, des	cribe t	he arra	angem	ent all	owing	access and		
9. Attac	h an 8 ½	z" x 11"	' map id	entify	ing th	ne wat	er soui	ce, po	oint(s)	of div	ersior	, place	(s) of	use and	d conv	eyanc	e syste	em.			
I hereby use and 7/e/l/ Signature	is not in	ltended M	hat I ass	sume ome a	all ri n est:	sk of t	he div ed wat	ersion ter rig	and ught.	use of	the w	ater un	der th	is app	roval	. I cer	Fee Date	,	temporary		
Received b	v CA	- 1						Date	2/2	6/20	zo		Time	12:3	000					Ě	
\$50.00 fee:		by O	EH	_			#		456					ZIZ			_				
Watermaste			_ ~	7 1	an									3/2/	_						


STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources ("Department") has examined this application for temporary approval to use water under the provisions of Idaho Code § 42-202A and has determined that:

	The application for temporary approval should be denied because
- R T	he application for temporary approval should be approved, since
<u>#</u> 5. 1	
2	approval can be properly administrated.
3	
4	
5.	representation in the injurie values associated with the water source or any known water rights.
This appli	cation is therefore hereby:
(A	ENIED
<u>✓</u> B. A	PPROVED, subject to the following conditions:
1.	Diversion and use of water under this approval is subject to all valid existing water rights.
2.	The applicant assumes all risk of the use of the water under this approval.
3.	This approval authorizes a maximum diversion volume of $6,600$ AF and a maximum diversion rate of 40 cfs.
4.	This approval does not grant a right-of-way across the land of another.
5.	The Department may cancel or reduce the rate of flow or volume authorized by this approval. For example, the
	Department may cancel or reduce this approval if it concludes the water use is injuring other water rights or adversely affecting fish, wildlife or other public values.
6.	The applicant shall not divert water when downstream minimum flow water rights are not being satisfied.
7.	This approval does not create a continuing right to use water.
8.	A temporary approval for ground water recharge or prevention of flood damage shall be an opportunistic use of surplus water and shall not interfere with the filling of surface water reservoirs.
9.	For a temporary approval authorizing ground water recharge or ground water or surface water remediation, the
	applicant shall measure and record the weekly quantity of water diverted and report the diversion data to the
	Department upon request.
10.	This temporary approval is not an authorization for the described water use to be used as mitigation or credit for any
	other purpose.
11.	Other: Diversion under this approval is limited to times when the flow at the
	Snake River near Minidoka gage (#13081500) exceeds 2700 cfs and excess wet
12.	Snake River near Minidoka gage (#13081500) exceeds 2,700 cfs and excess water This approval expires on Nov 30, 2020 is spilling past Milner Dam.
Signed this	2nd day of March, 2020.
	For the Department

RIVERSIDE CANAL CO - TEMPORARY WATER USE APPLICATION: PLACE OF USE SUPPLEMENT

The place of use will be the entire length of the Riverside main canal from the point of diversion on the Snake River and along the channel described in the attached map. For purposes of this application no water will be diverted from the main channels as described in the attached map. Flow measurement at the point of diversion and at the return flow point will be documented daily while water is being diverted under this temporary permit.



Phone: (208)525-7161 • Fax: (208)525-7177 • Website: www.idwr.idaho.gov

Brad Little
Governor

Gar

Gary Spackman Director

March 2, 2020

RIVERSIDE CANAL CO PO BOX 52 BLACKFOOT ID 83221-0052

RE: Application for Temporary Approval of Water Use: TP-1-99

Dear Applicant(s):

Your application for temporary water appropriation has been approved and is enclosed. The approval authorizes the temporary use of water and does not grant trespass or other activity on public land or on private property.

Please review the conditions of approval on page 2 of the Application for Temporary Approval form to understand the limitations associated with the temporary use of water.

This temporary approval **expires on** November 30, 2020. The expiration date cannot be extended under this temporary approval.

If you have any questions, please feel free to contact this office, and any of our agents will be able to assist you. If you require additional information regarding this matter, please call me at (208) 497-3793 or email me at Christina.Henman@idwr.idaho.gov.

Sincerely,

Christina Henman Administrative Asst. I.

Enclosure(s) Receipt

cc: TONY OLENICHAK, Water District 01.

Department of Water Resources

RECOMMENDATION OF WATERMASTER

Application for Temporary Approval of Water Appropriation

TP-1-99 RIVERSIDE CANAL CO

Watermaster's Recommendation:
a) I do not oppose approval of this application.
a) I do not oppose approval of this application. b) X I do not oppose approval of this application if it is conditioned as follows:
DISCHARGE AT MINIPOKA DAM MUST EQUAL OR EXCEED DELIVERY TO
HYPROPOWER WATER RIGHT 1-217 CURRENTLY LIMITED TO 2,470 CFS
AND EXCESS WATER MUST BE SPILL IND PAST MILNER, DAM,
c) I oppose approval of this application for the following reasons:
d) Additional Comment:
Dated this <u>28</u> day of <u>FEBRUARY</u> , 20 20.
Water District No: 01

Matermaster's Signature