Cefalo, James

From: Cefalo, James

Sent: Wednesday, December 04, 2019 3:24 PM

To: 'rcstew@plmw.com'

Subject: Application for Permit 13-8038 (Blue Skies Ranch LLC)

Attachments: Amended Application 13-8038 pdf

Mr. Stewart,

On March 29, 2019, Donald Kenney and Blue Skies Ranch filed Application 13-8038 with the Idaho Department of Water Resources, seeking a permit to divert 0.12 cfs from a spring tributary to the Bear River for stockwater and domestic use. The application was protested by PacifiCorp and the Bear River Water Users Association. On August 5, 2019, IDWR conducted a pre-hearing conference for the protested application. Kenney and Blue Skies Ranch were represented by attorney Jerry Rigby. During the conference, the parties discussed the historical use of water on the property. The protestants agreed to withdraw their protests against the application if it were limited to in-house domestic use at three homes. Mr. Rigby agreed to amend the application to incorporate the changes proposed by the protestants.

The amended application has not yet been filed. On October 7, 2019, I sent an email to Mr. Rigby, reminding him of the need to file an amended application. He responded that he would coordinate with Kenney and Blue Skies, but the amendment has still not been filed. I know Mr. Rigby is busy with other matters. I would like to move this case forward to a final resolution. Therefore, I have prepared the attached amended application for your review. I copied much of the language from the original application. The application was amended to remove the stockwater element and to describe in-house domestic use at three homes. If the amendment accurately describes the changes you would like to make to Application 13-8038, please have Kenney and Blue Skies sign the application and email me a copy of the signed amendment.

James Cefalo Regional Manager IDWR Eastern Region (208) 525-7161

Cefalo, James

From:

Cefalo, James

Sent:

Monday, October 07, 2019 10:35 AM

To:

Jerry Rigby

Cc:

'Morris, Buffi'; 'Randy Budge'

Subject:

Application for Permit 13-8038 (Blue Skies Ranch)

Jerry,

On August 5th, we held a pre-hearing conference for Application 13-8038. The application proposes to divert 0.12 cfs from an unnamed stream tributary to the Bear River for domestic and stockwater use at three homes and a dairy. During the conference, you agreed to amend the application to only describe in-house domestic use for three homes and agreed to remove the proposed dairy use. The dairy has been out of operation for many years. The protestants indicated that they would be willing to withdraw their protests if the application were limited to in-house domestic use at three homes. I haven't received the amendment yet. I just wanted to provide a reminder of the proposed amendment.

James Cefalo Regional Manager IDWR Eastern Region (208) 525-7161


State of Idaho Department of Water Resources

Permit to Appropriate Water

No. 13-8038

Priority: March 29, 2019	Maximum Diversion Rate: 0.04 CFS	
This is to certify that		
DONALD KENNEY AND LYNETTE KENNEY 249 N WESTWOOD MESA AZ 85201-6316 AND		
SPARROW FARMS LLC 3292 W 800 S WESTON ID 83286-5026		
has applied for a permit to appropria	ate water from:	
Source: SPRING	Tributary: UNNAMED STREAM	
and a permit is APPROVED for dev	elopment of water as follows:	
Beneficial Use DOMESTIC	Period of Use 01/01 to 12/31 Rate of Diversion 0.04 CFS	
Location of Point(s) of Diversion SPRING SW1/4 SW1/4, Sec. 2	5, Twp 15S, Rge 38E, B.M. FRANKLIN County	
Place of Use: DOMESTIC		
Twp Rng Sec NE NW SW	NW SW SE SE NE NW SW SE NW SW SE </td <td>SE</td>	SE
15S 38E 25	X	
Conditions of Approval		
 Subject to all prior water rights. Domestic use is for 3 homes and irrigation. 	deneficial use shall be submitted on or before January 01, 2021. d does not include lawn, garden, landscape, or other types of der this right shall not exceed 13,000 gallons per day per home.	
This permit is issued pursuant to the	provisions of Idaho Code § 42-204.	
Signed this day of		
	, 20	

JAMES CEFALO Eastern Regional Manager



#1 POD Existing Spring 42 degrees 04'59N 111 degrees 58' 00" W
#2 POU Existing Home 42 degrees 04'56N 111 degrees 58' 00" W
#3 POU Existing Home 42 degrees 04'56N 111 degrees 57' 56" W
#4 POU Existing Home 42 degrees 04'57N 111 degrees 57' 56" W
Existing Pipelines