

RECEIVED

JAN 21 2020

IDWR / NORTH

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

Ident. No. 923
17-243
95-11293

1. Name of applicant(s) Susan E, Dickson Phone 208.664.3819
Name connector (check one): ☐ and ☐ or ☐ and/or
Mailing address 7475 E. Yellowstone Trail Rd City Coeur d'Alene
State ID ZIP 83814 Email susan.elkmountainranch@gmail.com
2. Name of representative, if any _____ Phone _____
Mailing address _____ City _____
State _____ ZIP _____ Email _____
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☐ Send original correspondence to the applicant and copies to the representative.
- b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply Ground Water which is a tributary of _____
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	¼	¼	¼	County	Source	Local name or tag #
50N	2W	22			SW	NW	KOOTENAI	Ground Water	
50N	2W	22			SW	NW	KOOTENAI	Ground Water	
50N	2W	22			SW	NW	KOOTENAI	Ground Water	
50N	2W	22			SW	NW	KOOTENAI	Ground Water	

5. Water will be used for the following purposes:
- Amount 3.8 for Wildlife Storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) _____ cubic feet per second (cfs) and/or (b) 3.8 acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. 4 dug ponds: 1) 0.23 ac, 10 ft deep; 2) 0.11 ac, 10 ft deep; 3) 0.03 ac, 7 ft deep; 4) 0.02 ac, 6 ft deep. Total of 1.8 af and 0.39 ac surface area.
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity 1.8 acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
- e. If well is already drilled, when? _____; drilling firm _____; well was drilled for (well owner) _____; Drilling Permit No. _____

For Department Use

Received by _____ Date _____ Time _____ Preliminary check by _____
Fee \$ 100.00 Receipted by JA Receipt No. 0035874 Date 1-21-2020

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in kW. _____
 - Stockwatering; list number and kind of livestock. _____
 - Municipal; must complete and attach the Municipal Water Right Application Checklist.
 - Domestic; show number of households _____
 - Other; describe fully. 4 small dug ponds


9. Description of place of use:
- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 - If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	2W	22							W										

Total number of acres to be irrigated: _____

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? _____
11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____
12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. _____
13. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).
14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.


 Signature of Applicant
SUSAN E. DICKSON
 Print Name (and title, if applicable)

 Signature of Applicant

 Print Name (and title, if applicable)



Dickson

Total Storage Calculations

FILE NUMBER	Dickson	<p>This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.</p> <p style="text-align: center;">Print Page to PDF</p>	User Input
REVIEWER	D.Jones		Calculated value
DATE	1/21/2020		Formula Explanation
Surface Area (AC.)	0.39	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.	
Average Pond Depth (FT.)	4.5	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.	
Pond Capacity (AF)	1.755	<p>Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above.</p> <p>Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user must need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.</p>	
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	0	<p>The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of <i>from storage</i> for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed acre feet from the initial fill = 5 acre feet of additional storage needed).</p> <p>Note: You must have a "<u>From Storage</u>" component exceeding the initial fill on the permit to include a volume in this space.</p>	
Estimated Seepage Loss (AF)	0.0	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.	
Estimated Evaporation Loss (AF)	2.1	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.	
Total Volume Required (AF)	3.8	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.	

2012-1st Pond 2015-2nd + 3rd 2017-Connection



MARIE CREEK ROAD PONDS

16' x 46'
6' Deep

① 320' .23 a 60x80x10x.4
19,200 sf³
to 45x115x10x.4
20,250 sf³
C 25x68x10x.4
6800
1.1 af

② .11 ac x10 x.4
0.58 af

③ .03 x 7 x.4
.02 0.1 af

④ 0.1 af 6

↓
N



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene ID 83815-7763

Phone: (208) 762-2800 • Fax: (208) 762-2819

Website: idwr.idaho.gov • Email: northerninfo@idwr.idaho.gov

BRAD LITTLE
Governor

GARY SPACKMAN
Director

January 29, 2020

SUSAN E DICKSON
7475 E YELLOWSTONE TRL
COEUR D ALENE, ID 83814-9371

Application For Permit No. 95-17923

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the COEUR D ALENE PRESS on 2/6/2020 and 2/13/2020. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in blue ink that reads "Tammy Alleman". The signature is fluid and cursive, with the first name "Tammy" being more prominent than the last name "Alleman".

Tammy Alleman
Administrative Assistant

Alleman, Tammy

From: Alleman, Tammy
Sent: Wednesday, January 29, 2020 3:04 PM
To: 'Horsmon, Merritt'
Subject: Request for Comments for WR#95-17923
Attachments: 95-17923 Application for Permit.pdf

Dear Department of Fish & Game:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced Water Right application. You can find copies of the application attached to the email and also at: <http://www.idwr.idaho.gov/apps/ExtSearch/WRAJSearch/WRADJSearch.aspx>.

This office can publish notice of the application as soon as the initial review is completed; therefore, your prompt response to this request is appreciated. If your agency desires to formally protest the approval of the application, you may do so after the notice is published by filing a written protest along with a \$25.00 filing fee within 10 days after final publication. **The deadline for comments on the application is February 24, 2020.**

Please contact the Northern Region Office at (208) 762-2800 if you have any questions regarding the application.

Thank you,

Tammy

*Tammy Alleman
Administrative Assistant
Idaho Department of Water Resources
Email: Tammy.Alleman@idwr.idaho.gov
Phone: (208) 762-2800
Fax (208) 762-2819*

Alleman, Tammy

From: Alleman, Tammy
Sent: Wednesday, January 29, 2020 3:04 PM
To: 'Horsmon, Merritt'
Subject: Request for Comments for WR#95-17923
Attachments: 95-17923 Application for Permit.pdf

Dear Department of Fish & Game:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced Water Right application. You can find copies of the application attached to the email and also at: <http://www.idwr.idaho.gov/apps/ExtSearch/WRAJSearch/WRADJSearch.aspx>.

This office can publish notice of the application as soon as the initial review is completed; therefore, your prompt response to this request is appreciated. If your agency desires to formally protest the approval of the application, you may do so after the notice is published by filing a written protest along with a \$25.00 filing fee within 10 days after final publication. **The deadline for comments on the application is February 24, 2020.**

Please contact the Northern Region Office at (208) 762-2800 if you have any questions regarding the application.

Thank you,

Tammy

*Tammy Alleman
Administrative Assistant
Idaho Department of Water Resources
Email: Tammy.Alleman@idwr.idaho.gov
Phone: (208) 762-2800
Fax (208) 762-2819*

Alleman, Tammy

From: Alleman, Tammy
Sent: Wednesday, January 29, 2020 9:13 AM
To: 'LEGALS@CDAPRESS.COM'
Subject: Legal Notice
Attachments: Legal Notice for 83857, 95-17921-17923.doc

Please publish the enclosed legal notice in the **Coeur d'Alene Press** on the dates indicated **February 6th and February 13th, 2020** (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately. Please send a proof once you have the article ready for print for our review.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before **February 24, 2020**. Your cooperation is appreciated.

Thank you,

Tammy

*Tammy Alleman
Administrative Assistant
Idaho Department of Water Resources
Email: Tammy.Alleman@idwr.idaho.gov
Phone: (208) 762-2800
Fax (208) 762-2819*

The following applications have been filed to appropriate the public waters of the State of Idaho:

95-17921

NORMAN L & ROHNDIA CROOK VENTURINO REVOCABLE TRUST

4212 E GARWOOD RD

HAYDEN, ID 83835-7898

Point of Diversion SWNENW

S29 T52N R03W

KOOTENAI County

Source SPRING

Tributary SINKS

Use: STOCKWATER

01/01 to 12/31 0.02 CFS

Total Diversion: 0.02 CFS

Date Filed: 1/13/2020

Place Of Use: STOCKWATER

T52N R03W S29 NENW

95-17922

THE BRICK AND MORTAR GROUP LLC

1385 W BUCKLES AVE

HAYDEN, ID 83835-7743

Point of Diversion SWNE

S4 T53N R03W

KOOTENAI County

Source GROUND WATER

Use: DOMESTIC

01/01 to 12/31 0.06 CFS

Use: IRRIGATION

04/01 to 10/31 0.03 CFS

Total Diversion: 0.09 CFS

Date Filed: 1/10/2020

Place Of Use: DOMESTIC

T53N R03W S4 SWNE

Place Of Use: IRRIGATION

T53N R03W S4 SWNE

Total Acres: 1.0

95-17923

SUSAN E DICKSON

7475 E YELLOWSTONE TRL

COEUR D ALENE, ID 83814-9371

Point of Diversion SWNW

S22 T50N R02W

KOOTENAI County

Source GROUND WATER

Point of Diversion SWNW

S22 T50N R02W

KOOTENAI County

Source GROUND WATER

Point of Diversion SWNW

S22 T50N R02W

KOOTENAI County

Source GROUND WATER

Point of Diversion SWNW

S22 T50N R02W

KOOTENAI County

Source GROUND WATER

Use: WILDLIFE STORAGE

01/01 to 12/31 3.8 AF

Total Diversion: 3.8 AF

Date Filed: 1/21/2020

Place Of Use: WILDLIFE STORAGE

T50N R02W S22 SWNW

NOTICE OF PROPOSED CHANGE OF WATER RIGHT

TRANSFER NO. 83857

CITY OF SPIRIT LAKE, PO BOX 309, SPIRIT LAKE, ID 83869; has filed Application No. 83857 for changes to the following water rights within KOOTENAI County(s): Right No(s). 95-9581, 95-9591, 95-9725, 95-9950; to see a full description of these rights and the proposed transfer, please see www.idwr.idaho.gov/apps/wr/QueryNewTransfers/QueryNewTransfers.aspx. The purpose of the transfer is to change a portion of the above rights as follows:

This transfer proposes to add a new point of diversion to the City of Spirit Lake's groundwater rights 95-9725, 95-9581, 95-9591, & 95-9950 in the NE1/4NE1/4 of Section 5, Twp 53N, Rge 04W.

Permits will be subject to all prior water rights. For additional information concerning the property location, contact Northern Region office at (208) 762-2800. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of \$25.00 for each application on or before 2/24/2020. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director

Published on 2/6/2020 and 2/13/2020

Maxey, Shaun

From: susan dickson <susan.elkmountainranch@gmail.com>
Sent: Tuesday, January 21, 2020 10:24 PM
To: Maxey, Shaun
Subject: Re: Source of water to fill four small dug ponds on Applications For Permit

Hello Shaun,

Thank you for your email. The ponds have water in them year round. The water is very cold even in the summer, which suits well the trout we stocked in the ponds. The eagles and osprey often enjoy the trout as well and it's thrilling to see such majestic birds of prey! The trout came from the South Fork Fish Hatchery down near Rockford Bay. Regarding the ponds, I'm not sure if they are intercepting ground water or if they obtain water from the springs that seep from the mountain to the south. You might remember that I filed for water rights on a spring which my dad had developed, also located at the bottom of the mountain to the south, and a short distance east of the ponds.

It's so nice to hear from you again and hope you are doing well.

Best Regards,

Susan

On Tue, Jan 21, 2020 at 2:27 PM Maxey, Shaun <Shaun.Maxey@idwr.idaho.gov> wrote:

Ms. Dickson:

I have received the Application For Permit that we discussed recently via telephone. Thanks for your quick response on this.

I believe you said, in our phone conversation, that the ponds intercept the standing ground water level and have water in them throughout the year. Please reply by e-mail to let me know if this is correct.

Thanks,

Shaun Maxey

IDWR (208) 762.2816