

RECEIVED

JAN 02 2020

DEPARTMENT OF
WATER RESOURCESSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50.00
Receipt No. C108184
Received By KM
Date Received 1-2-20

The Idaho Department of Water Resources considers this form a statement by the permit holder(s) that development of a water right has been **completed** and that water has been applied to beneficial use to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner.** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, contact any Department office or visit the Department's website at idwr.idaho.gov for an *Assignment of Permit* form. If you wish to relinquish your permit because you have not established the authorized use of the water and are not applying for an extension, please notify the Department in writing.

- Permit No. 47-17685 Telephone No. (208) 539-4217
- Name of Permit Holder(s) Doug or Terri Wickham
- Mailing Address 18047 Highway 30 City Hagerman
State ID Zip 83332 Email rokrdy28@yahoo.com
- Source of Water Salmon Falls Creek If **GROUND WATER** (well), Date Drilled mo. N/A / yr. _____
Well Driller _____ Drilling Permit Number _____
- Extent of use(s) completed as authorized by the water right permit:
Domestic (No. of households) 1 Stockwater (No. and type of stock) _____
Irrigation (No. of acres) 1/2 Acres Other Domestic Irrigation associated w/home.
- Total rate of diversion or storage volume for which proof is submitted 0.02 cfs OR _____ acre-feet.
- Compliance with a measuring device requirement, lockable controlling device requirement, and/or other conditions of permit:
Refer to the approval conditions on your permit and respond accordingly.
The Department will not issue a license if permit conditions are not met.

Measuring Device	Is a measuring device required?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
	If yes, has the measuring device been installed?	Yes <input type="checkbox"/>	No <input type="checkbox"/>
Lockable Controlling Device	Is a lockable device required to control the diversion?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
	If yes, has the lockable device been installed?	Yes <input type="checkbox"/>	No <input type="checkbox"/>
Fish Screen	Is a fish screen required?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
	If yes, has the fish screen been installed?	Yes <input type="checkbox"/>	No <input type="checkbox"/>

Other Conditions of Permit

Do the approval conditions on your permit require you to submit additional information in connection with your proof of beneficial use? If yes, list the conditions below and attach documents with the required information.

Completed? Yes ☐ No ☒

- Fee Enclosed \$ 50.00 or not applicable ☐. See fee schedule on page 2 of the instructions.
Proof statements filed without an appropriate fee, will be considered incomplete.
- Person to contact to accompany the Department representative during field examination of the water system.
Name Terri or Doug Wickham Telephone Number (208) 539-4217
Mailing Address 18047 Highway 30 City Hagerman
State ID Zip 83332 Email rokrdy28@yahoo.com

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to a beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Signature of Permit Holder Terri Wickham Date 12/29/19
(Include your title, if on behalf of company or organization)

DRUMMOND™

 120 VOLT
ELECTRIC MOTOR

1/4 HP SUBMERSIBLE UTILITY PUMP

STAINLESS STEEL CONSTRUCTION

HEAVY DUTY
COMMERCIAL
GRADE



FOR CLEAR WATER

4400

GALLONS PER HOUR
MAX FLOW AT 0 FT.

1-1/4"

GARDEN HOSE THREAD
DISCHARGE PORT

40'

MAXIMUM HEAD
LIFT AT 0 GPH

FULLY SUBMERSIBLE PUMP

- VERY HIGH FLOW PERFORMANCE
- HEAVY DUTY 25 FT. POWER CORD
- BUILT-IN CARRY HANDLE
- PROVIDES 3/4" GARDEN HOSE ADAPTER

PRIMARY USES:



REMOVING WATER



WATER SUPPLY




3/4 HP SUBMERSIBLE UTILITY PUMP

STAINLESS STEEL CONSTRUCTION

FEATURES:

- 1 COMPACT SIZE WITH VERY HIGH FLOW PERFORMANCE
- 2 STAINLESS STEEL CONSTRUCTION FOR MAXIMUM DURABILITY
- 3 UPPER AND LOWER MOTOR BALL BEARINGS FOR LONG LIFE
- 4 STAINLESS STEEL MOTOR SHAFT
- 5 HEAVY DUTY 25 FT. POWER CORD PROVIDES MAXIMUM VERSATILITY
- 6 RUGGED CARRY HANDLE
- 7 1-1/4" NPT DISCHARGE WITH 3/4" GARDEN HOSE ADAPTER INCLUDED




SPECIFICATIONS

ELECTRICAL REQUIREMENTS
POWER: 120V 60 HZ
MAXIMUM FLOW: 1.5 GPM @ 10 FT. HEAD
MAXIMUM HEAD: 25 FT.

WEIGHT
10.5 LB
10.5 LB (4.8 KG)
10.5 LB (4.8 KG)
10.5 LB (4.8 KG)
10.5 LB (4.8 KG)











BRAD LITTLE
Governor

State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street • P.O. Box 83720 • Boise, Idaho 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700 • Website: www.idwr.idaho.gov

GARY SPACKMAN
Director

January 02, 2020

DOUGLAS E WICKHAM
TERRI L WICKHAM
18047 HIGHWAY 30
HAGERMAN ID 83332-5625

PROOF ACKNOWLEDGEMENT LETTER

RE: Permit No. 47-17685

Dear Permit Holders:

The Department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the Department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Idaho Code § 42-248, requires you or the owner of this water right to maintain current ownership and address records on file with the Department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any Department office or at the Department's website at www.idwr.idaho.gov.

If you have any questions concerning the field examination, please contact the Southern Region Office of the Department located in Twin Falls at (208) 736-3033.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosures

RECEIVED

JAN 02 2020

DEPARTMENT OF
WATER RESOURCES

Corey,

12/29/19

We were trying to use a smaller pump than we had on the permit (3/4hp instead of the 1hp) but ended up burning up the pump so the photo is of the replaced 3/4hp pump which we will not be using - we will be using the 1hp pump. We didn't have any photos from this last summer watering the trees so these photos are to give you an idea of the water use. We have been spraying the weeds to get rid of the goat heads & cuckle burs so have not planted pasture grass to water yet. All we have watered so far is the (2) trees on the hump in the photo.

Please let me know if you have any questions or need anything more from me. Thanks Terri Wickham

Terri & Doug Wickham
(208) 539-4217 Terri Cell
(208) 539-7171 Doug Cell