DISTRICT COURT - CSRBA Fifth Judicial District County of Twin Falls - State of Idaho IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF STATE OF IDAHO, IN AND FOR THE COUNTY OF THIN FALLS NOV 0 8 2019 In Re CSRBA PARTIAL DECREE PURSUANT TO I.R.C.P. 54(b) FOR Case No. 49576 By, Water Right 95-16861 Clerk Deputy Clerk

NAME AND ADDRESS:

BRANDENBURG FAMILY TRUST C/O LARRY P AND WENDIE I BRANDENBURG

212 IRONWOOD #D PMB 217 COEUR D ALENE, ID 83814

SOURCE:

SPOKANE RIVER TRIBUTARY: COLUMBIA RIVER

QUANTITY:

0.02 CFS

The quantity of water under Right Nos. 95-16861 and 95-16870

shall not exceed 13,000 gallons per day.

DEPARTMENT OF WATER RESOURCES

RECEIVED

NOV 2 2 2019

PRIORITY DATE:

05/20/1960

POINT OF DIVERSION:

T50N R04W S08 LOT 7 (SENW) Within Kootenai County

PURPOSE AND

PERIOD OF USE:

PURPOSE OF USE

Domestic

PERIOD OF USE

QUANTITY

03-15 TO 11-15

0.02 CFS

Domestic use is for 1 home.

PLACE OF USE:

Domestic

T50N R04W S08 LOT 8 (SWNW) Within Kootenai County

LOT 7 (SENW)

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

The quantity of water decreed for this water right is not a determination of historical beneficial use.

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE ENTRY OF A FINAL UNIFIED DECREE. I.C. SECTION 42-1412(6).

RULE 54(b) CERTIFICATE

With respect to the issues determined by the above judgment or order, it is hereby CERTIFIED, in accordance with Rule 54(b), I.R.C.P., that the court has determined that there is no just reason for delay of the entry of a final judgment and that the court has and does hereby direct that the above judgment judgment upon which execution may issue and an appeal may be taken as provided by or order shall be a final o Appellate Rules.

Eric J. Wildman

Presiding Judge of the

Coeur d'Alene-Spokane River Adjudication